Technologically Advanced Electronic Control System

The Electronic Control System provides easy selection of variable shower temperature by simply turning the temperature control knob. Quality comes with the state-of-the art built-in technology and is manufactured in accordance with the stringiest ISO 9001 Standards. RHEEM care for your needs and bring you our new ERA of technologically advance to provide you the most sensational showers.

Safety

Safety comes with the latest technology built-in ELCB (Electric Leakage Circuit Breaker) and Non-ELCB models is manufactured in accordance to the stringlest ISO 9001 Standard. ELCB sensitivity is 15mAmp would automatically cut-off power supply in the event of current leakage & prevent electrocution.

Electronic Variable Temperature Control System



Metalic Silver



Ivory White

A.C Booster Pump

Built to be more efficient, this pump can boost water flow up to 400%. The built-in booster pump is available in this model. It comes with speed control feature to control the volume of water flow. It simply gives more life and fun in the bathroom.



Ringo _ _ _ _ _ 5 Spray Luxury Chrome Rail Set



Indicator Light



Stop Valve



ELCB (Test/Reset)



Filter Mash



Temperature Control



Pump Speed Control



Flexible Hose



AC Pump

I II HAR BEEN AND IN IS



D.C SILENT PUMP

Silent and yet powerful. The built-in silent pump is available in this RH388EPi model. It comes with the latest advance technology 3-phase brushless DC motor for long lasting and superb performances. It generates high flow rate an cansumes 50% lower electric power than the normal AC motor.



Features

Thermal Cut-Off Anti-Scalding Feature Unlimited Capacity Hot Water Supply Hight Power Element is Available.





@ EXELLENT QUALITY

● SPORTY & STYLISH







RH388



RH388E



RH388EP (AC Pump)



RH388EPi (DC Pump)

Features

- 90° Regulated Stop Valve
- Electronic Temperature Control System
- Shower Pump (For Pump Model Only)
 - Flip-Start Flow Switch
 - Anti Scalding System
 - Triple Safety System
 - Electronic ELCB Safety
- 5 Spray Massage and Misty Handshower
 - Voltage Surge Protector
 - Splash Proof & Anti-Rust

Warranty

- Internal Parts & AC Pump 1 year
 - DC Pump 5 years
 - Heating Element 5 years
 - Anti-Leak Tank 1 year

Accreditation

- SIRIM/ST Malaysia
- PSB/SPRING Singapore
 - TISI Thailand
- IS09001:2008 Certified Manufacturer

SPECIFICATIONS

HEATER		PUMP
Heater Electrical Rating Available in 3.3kW to 5.5kW, 220V - 240V AC, 50 Hz	Minimum Water Flow Rate 2 litre/min	AC Pump Electrical Rating (Motor) 120W
Maximum Water Pressure 380kPa (55 PSI)	Water Temperature Control Electronic Control	Dc Pump Electrical Rating (Motor) 50W, 24V DC
Water Connection 15mm (1/2 BSP)	Dimension 215mm x 390mm x 76mm	
Weight 3.4Kgs (Non Pump) 4.3Kgs (AC) 4Kgs(DC)	Heater Light Color Top: Yellow Down: Green	Park on



Rheem Manufacturing Company (Singapore Pte Ltd)
Block 8, UE Tech Park, #02-02 Pandan Crescent, Singapore 128464

Tel (Sales): +65 6872 1161 Tel (Services): +65 6872 2043

Fax: +65 6872 1151

Email :rheem@rheemmfg.com.sg Website : www.rheemmmfg.com.sg