

SPAS AND SAUNAS



604	Our range of spas	620	In-ground residential spas
605	Colour chart for spas	622	Compact filtration for spas
605	Coding structure for private spas with cabinet	623	Complements for spas
605	Types of coatings	625	Liner accessories
606	Optional equipment	629	Pool Jet accessories
607	Standard equipment	630	Accessories for minispas
612	Spa range - Ocean Dreams range	633	Electrical accessories for spas / mini spas
615	Spa range - Essential range	634	Air blowers
617	Spa range - Swimsa range	637	Saunas
		643	Accessories - Saunas

Our range of spas



Ocean Dreams range

- + A range of spas intended for the most demanding users.
- + Ergonomic spas, with numerous features and configuration settings.



Swimspa range

- + Swimspas are small residential pools.
- + Versatile, powerful and compact. A health and wellness centre available all year round.



Essential range




- + The Essential range seeks to strike a balance between functionality, performance and cost.



Commercial range

- + Spas designed for commercial spaces, wellness centres, hotels...
- + A wide range of options and finishes that cover all needs. Spas with both an acrylic and mosaic tile finish.

Colour chart for spas

						
N° 44 WHITE	N° 46 BLUE MARBLE	N° 59 STERLING	N° 64 PEARL SHADOW While stocks last	N° 72 PEARL CAMEO While stocks last	N° 27 SILVER	N°18 SAND While stocks last

Coding structure for private spas with cabinet

The coding structure for the wood cabinet spas is made up of 10 digits. The first 5 digits refer to the Spa model and the following ones indicate the range, coating and the colour of the accessories as it is also necessary to specify the colour.

This coding system will be structured in the following way:

XXXXX	X	X	X	XX	CL	XX
Spa Model	Range	Coating type	Accessory colour	Accessories	Variation	Colour

Position 1 to 5: Standard code 5 figure code

Position 6: Product range definition

S	Standard
A	Plus

Position 7: Coating type definition

1	Coastal Grey portable spa with cabinet
4	Portable spa without cabinet
E	In-ground spa, compact kit version
B	Urban Grey cabinet
K	Graphite cabinet
P	Graphite cabinet with screw
R	Thunder cabinet
Q	Thunder cabinet with screw
T	Creek cabinet
C	Infinity cabinet
S	Solid Surface
W	Butterfly cabinet



Position 8: Accessories colour definition

3	Stainless steel
---	-----------------

Positions 9 to 10: Options configuration definition

00	Std + Cover
05	Std + Cover + ECOspa
20	Std + Cover + LumiPlus
21	Std + Cover + ECOspa + LumiPlus
23	Std + Cover + LumiPlus + Audio
32	Std + Cover + LumiPlus + Stainless steel bar on cabinet
27	Std + Cover + LumiPlus + ECOspa + Stainless steel bar on cabinet
33	Std + Cover + LumiPlus + Audio + Stainless steel bar on cabinet
34	Std + Cover + LumiPlus + ECOspa + Audio
35	Std + Cover + LumiPlus + ECOspa + Audio + Stainless steel bar on cabinet
56	Std + Cover + LumiPlus + EcoSpa + Audio + Stainless Steel Bar on Cabinet + Wi-Fi Touch Panel
55	Std + Cover + LumiPlus + EcoSpa + Nordic Insulation + Audio + Stainless Steel Bar on Cabinet + Wi-Fi Touch Panel
0J	Std + Cover + LumiPlus + EcoSpa + Stainless Steel Bar on Cabinet + Blue Connect Plus

Types of coatings

Graphite	Coastal Grey	Thunder	Creek	Butterfly	Urban Grey	Infinity	Solid Surface
							




EcoSpa thermal insulation

EcoSpa is one of the best thermal insulation systems currently available in the market. This comprehensive system manages to minimize heat loss by convection and conduction, and to use the heat generated by the heater and pumps found in the spa. The walls have an exclusive 30 mm thick layer of polyurethane foam insulation. A strong ABS substructure of insulating plastic at the bottom of the spa ensures total water tightness. Finally, an isothermal cover of between 100 and 130 cm thick gives extra insulation.

All of these features reduce heat loss to a minimum and maximize the recovery of the heat generated by the spa's components, thus reducing energy consumption by up to 67%. With ECOSpa, consumption to maintain the water at 38° with a room temperature of 20° is 6.48 kW/h, while without this system it is 19.52 kW/h.

EcoSpa option



Nordic Insulation System


NORDIC INSULATION SYSTEM is designed for cold environments and can enhance your spa's energy efficiency.

The Nordic insulation system comprises a 10mm insulating material composed of five layers. This insulation layer is positioned in the sides and curves of the spa to create an insulating air chamber inside. The five layers are made from:


- Aluminium.
- RC9 bubble + low-density polyethylene (double layer).
- FONPEX non-crosslinked polyethylene foam (20 kg/m³).
- RC9 bubble + low-density polyethylene (double layer).
- Aluminium.

This system is an improvement over the EcoSpa class as it minimizes temperature leak zones and optimizes spa energy performance in extreme temperature situations.

Difference between the EcoSpa and Nordic insulation systems in thermal imaging:



Spa with EcoSpa



Spa with Nordic insulation system

Wi-Fi Touch panel

The Balboa Wi-Fi control panel is an app for your smart device (Android™ or iPhone®) which lets you access your spa over the internet from anywhere, home or away. All you need is a 3G, 4G or Wi-Fi connection to access and control your spa over your mobile phone or tablet.

By using the Wi-Fi control panel, you can make sure that your spa is ready for use every time you want to take a dip. Instead of having to go outside and fiddle around with the buttons on the control panel, this app will enable you to change your spa's settings from your mobile phone or tablet.

The app has a full control interface so you can set the water temperature, run the massage pumps and even control the filtration cycle.




OPTIONAL EQUIPMENT

LumiPlus + Bluetooth Audio System, only available for fully skirted portable spas



Natural treatments are one of the main sources of health provided by a spa. Chromotherapy and music therapy are the perfect accompaniment to any hot tub.

Chromotherapy is the natural technique based on the use of colours to help your mind and body find their natural physical, mental and emotional balance. By choosing the LumiPlus option, 5 LED spotlights are added to your spa so that you can enjoy a spectacular ambient lighting system. Thanks to the 5 LED spotlights, you can choose the colours that match your mood at any given time.



The Bluetooth Audio System enables music to be played from any mobile phone, MP4 Player or audio equipment via a simple Bluetooth connection, without the need for any cables and with coverage of up to 7 metres. Now you can truly make your spa a centre of relaxation, health and beauty.

The Advance range has a 4.1 Bluetooth Audio system made up of 4 external loudspeakers, an internal subwoofer and a Bluetooth receiver.

The Essential range has a 2.1 Bluetooth Audio system made up of 2 external loudspeakers, an internal subwoofer and a Bluetooth receiver.

LumiPlus + Bluetooth Audio System option

Blue Connect Plus

Enjoy your Hot Tub with peace of mind

Blue Connect analyzes the quality of the water and shows you the needed chemicals for the maintenance of your Hot Tub.

Advanced technology connected to your smartphone

Blue Connect Plus is a smart hot tub water analyser that controls the quality of your water and informs you about the number of products available for your hot tub. All from your smartphone.

Sit back and relax. Thanks to Blue Connect, your Hot Tub is at your fingertips

Monitor your Hot Tub wherever you are with the connected Hot Tub water analyzer and the free Blue Connect app.



STANDARD EQUIPMENT

Balboa Electronics, standard in all spas



BALBOA
WATER GROUP

AstralPool only uses new generation control systems made by BALBOA, a leading supplier of electronic controls for hydromassage tubs and spas.

With the continual improvement made to its designs and its innovative solutions to increase the quality and reliability of its systems, the Balboa EL/GL and VS/GS family of control systems has been designed using patented M7 technology for temperature and flow sensors, and its new universal control system increases the flexibility of its functions and reduces installation and configuration problems.

These characteristics make the controls even more reliable, easier to install and easier to use.



Ozone disinfection system

Ozone is "active oxygen", a special element found in nature. Ozone is a powerful oxidising agent and, unlike traditional chemical products, it does not leave toxic waste behind, and when it has done its work it simply turns back into oxygen. Moreover, tests have proved that it effectively kills bacteria and mould.

AstralPool manufactures spas that give high quality performance and supplies an integrated ozone generator as a standard feature in all of its portable spas. The ozonator has numerous benefits: the water in spas will be safer, cleaner, purer, free of chloramines, trihalomethane and other chlorine by-products, with a high redox potential. Greater water clarity and algae control are obtained using lower concentrations of chemical substances.

A spa with water purified with ozone is one of the most pleasant relaxation and hydrotherapy experiences.



Ultraviolet disinfection system

Spas equipped with the ultraviolet system are disinfected using UV technology. Thanks to a UV lamp, all bacteria in the water are destroyed. The advantages of the ultraviolet system can be summarized as follows:

- It ensures water remains fresh, clean and clear.
- It is an efficient and safe way of disinfecting the water.
- Its UV-C light breaks down combined chlorine.
- It protects the water from germs.
- It keeps the formation of mould, bacteria and algae under control.
- It can reduce the amount of chlorine and other chemical products used by up to 80%.
- It prevents the smell of chlorine and irritation to the skin and eyes (bloodshot eyes).
- It is more environmentally friendly than traditional methods.

Using this system, all bacteria, mould and algae will automatically be removed from your spa, and it will be protected from germs without the need for any kind of maintenance.

Aroma, only available for spas with a blower



Aromatherapy offers the therapeutic properties of pure aromas for a natural treatment and makes a significant contribution in helping to restore your natural state of balance and harmony.

Nobody is indifferent to smells. They bring to mind emotions, memories and ideas. Increase the relaxing effect of your tub by adding a fragrance!



Model comparison



MODELS	Ocean Dreams range						Essential range			
	Pure	New'Art	Evolution	Atlantida 70	Pacific 70	Ocean 70	Select E	Emotion E	Equilibre E	Balance E
Code	68450	68449	32474	62399	69130	69863	76894	69122	73076	74134

General Information

Size cm (± 2 cm)	220 x 220 x 78	220 x 220 x 78	233 x 233 x 91	216 x 216 x 90	216 x 216 x 90	216 x 167 x 74	216 x 216 x 90	216 x 216 x 90	216 x 167 x 74	198 x 198 x 74
Places (Seats/Loungers)	4 (4 / -)	5 (3 / 2)	5 (3 / 2)	5 (3 / 2)	6 (5 / 1)	3 (1 / 2)	6 (5 / 1)	5 (3 / 2)	3 (2 / 1)	5 (3 / 2)
Graphite Cabinet	-	-	•	•	•	•	•	•	-	-
Coastal Grey cabinet	-	-	-	-	-	-	-	-	-	-
Thunder Cabin	-	-	Optional	Optional	Optional	Optional	Optional	Optional	-	-
Creek Cabinet	-	-	Optional	Optional	Optional	Optional	-	-	-	-
Butterfly Cabinet	-	-	Optional	Optional	Optional	Optional	-	-	-	-
Infinity Cabinet	-	-	-	-	-	-	-	-	•	•
Solid surface Cabinet	•	•	-	-	-	-	-	-	-	-
Without cabinet	-	-	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional

Options

EcoSpa thermal insulation	•	•	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Nordic Insulation	Optional	Optional	Optional	Optional	Optional	Optional	-	-	-	-
Bluetooth Audio system	Optional (Sist. 4.1)	Optional (Sist. 4.1)	Optional (Sist. 4.1)	Optional (Sist. 4.1)	Optional (Sist. 4.1)	Optional (Sist. 4.1)	Optional (Sist. 2.1)	Optional (Sist. 2.1)	-	Optional (Sist. 2.1)
LumiPlus LED lighting system	•	•	•	•	•	•	Optional	Optional	-	-
Stainless steel jets	•	•	•	•	•	•	•	•	•	•
Stainless steel bar	-	-	•	•	•	•	-	-	-	-
Wi-Fi Touch Panel	Optional	Optional	Optional	Optional	Optional	Optional	-	-	-	-
Blue Connect Plus	-	-	Optional	Optional	Optional	Optional	-	-	-	-

Configurations

No of jets	27	28	56	52	51	42	51	32	26	31
No. of blower nozzles	12	14	16	14	10	-	-	12	-	12
Waterfalls	-	-	-	2	2	-	1	-	-	-
Water Fountain	-	-	2	-	-	-	-	-	-	-
Headrests	2	3	3	3	3	3	3	3	3	3
Digital control panel	1	1	2	1	1	1	1	1	1	1
Oxynator	-	-	-	-	-	-	•	•	•	•
Ultraviolet	•	•	•	•	•	•	-	-	-	-
Aromatherapy	•	-	•	•	•	-	-	-	-	-
Chromotherapy	5 LEDs + light Tab	5 LEDs + light Tab	5 LEDs + light Tab	5 LEDs + light Tab	5 LEDs + light Tab	5 LEDs + light Tab	1 LED	1 LED	1 LED	1 LED

Structure and Cover

High-resistance metal structure	•	•	•	•	•	•	•	•	•	•
Insulating ABS base	•	•	•	•	•	•	•	•	•	•
Isothermal cover	•	•	•	•	•	•	•	•	•	•

Technical equipment

Filter pump	200 W	200 W	200 W	200 W	200 W	200 W	200 W	200 W	-	-
Massage pump	1.8 kW / 2.5 HP	1.8 kW / 2.5 HP	2 x 2.2 kW / 3 HP	2 x 1.8 kW / 2.5 HP	2 x 1.8 kW / 2.5 HP	2.2 kW / 3 HP	2 x 1.8 kW / 2.5 HP	1 x 1.8 kW / 2.5 HP	1,8 kW / 2,5 HP, 2 Vel	1,8 kW / 2.5 HP, 2 Vel.
Blower pump	1150 W	1150 W	400 W	400 W	400 W	-	-	400 W	-	400 W
Electric heater	3 kW	3 kW	3 kW	3 kW	3 kW	3 kW	3 kW	3 kW	3 kW	3 kW

Power consumption and capacity

Consumption in low amps (W)	3400 W	3400 W	5200 W	4400 W	4400 W	3400 W	3780 W	3400 W	3.400 W	3400 W
Required power (A) at 230 V	14.6 A	14.6 A	22.4 A	19.1 A	19.1 A	14.6 A	16.8 A	14.6 A	14.6 A	14.6 A
230 V or 400 V III connection	•	•	•	•	•	•	•	•	•	•
Water capacity (litres)	975 l	975 l	1.610 l	1.138 l	1.138 l	780 l	930 l	930 l	780 l	935 l
Spa weight (Empty / Full)	450 kg / 1425 kg	450 kg / 1425 kg	378 kg / 1988 kg	327 kg / 1227 kg	327 kg / 1465 kg	229 kg / 1009 kg	327 kg / 1257 kg	327 kg / 1257 kg	307 kg / 1087kg	246 kg / 1181 kg

Model comparison

MODELS								
	Swimspa range					IN-GROUND range		
	Swimspa Dual	Swimspa Mediterranean	Swimspa Creta	Swimspa Compact	Swimspa Lagoon	Evolution 70	Thalassa E	Ronda 30
Code	74238	64414	67203	69128	74237	49722	78678	49859
General Information								
Size cm (± 2 cm)	600 x 230 x 138	500 x 230 x 138	400 x 230 x 138	400 x 230 x 138	400 x 230 x 138	216 x 216 x 90	216 x 216 x 90	Ø 205
Places (Seats/Loungers)	1 Vertical + 4 (2 / 2)	4 (2 / 2)	4 (2 / 1 / 1)	1 Vertical	1 Vertical	5 (3 / 2)	6 (5 / 1)	5 (5 / 0)
Graphite Cabinet	-	-	-	-	-	-	-	-
Coastal Grey cabinet	YES	YES	YES	YES	YES	-	-	-
Thunder Cabin	-	-	-	-	-	-	-	-
Creek Cabinet	-	-	-	-	-	-	-	-
Butterfly Cabinet	-	-	-	-	-	-	-	-
Urban Grey	Optional	Optional	Optional	Optional	-	-	-	-
Solid surface Cabinet	-	-	-	-	-	-	-	-
Without cabinet	Optional	Optional	Optional	Optional	Optional	Yes	Yes	Yes
Options								
EcoSpa thermal insulation	Optional	Optional	Optional	Optional	Optional	-	-	-
Nordic Insulation	-	-	-	-	-	-	-	-
Bluetooth Audio system	Optional (Sist. 4.1)	Optional (Sist. 4.1)	Optional (Sist. 4.1)	Optional (Sist. 4.1)	-	-	-	-
LumiPlus LED lighting system	•	•	•	•	•	-	-	-
Stainless steel jets	•	•	•	•	•	•	•	•
Stainless steel bar	•	•	•	•	-	-	-	-
Wi-Fi Spa Control	Optional	Optional	Optional	Optional	-	-	-	-
Blue Connect Plus	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Rowing Kit	Optional. Code: 74496	-	Optional	-	Optional	-	-	-
Configurations								
No of jets	16 + 5 Turbo Jets + 30 Jets	27 + 5 Turbo Jets	54 + 4 Turbo Jets	16+5 Turbo Jets	12	56	28	20 + 10
No. of blower nozzles	-	-	-	-	-	16	16	-
Waterfalls	-	1	-	-	-	-	-	-
Headrests	3	1	3	-	-	3	3	-
Touch Panel	2	1 +aux	1	1	Balboa TP600	1+ aux	1	1
Oxynator	-	-	-	-	-	-	-	-
Ultraviolet	Yes	Yes	Yes	Yes	Yes	-	-	-
Aromatherapy	-	-	-	-	-	-	-	-
Chromotherapy	5 LEDs + light Tab	5 LEDs + light Tab	5 LEDs + light Tab	5 LEDs + light Tab	1 LED	Yes	1 LED (CHROMO-THERAPY)	1 LED (CHROMO-THERAPY)
Structure and Cover								
High-resistance metal structure	•	•	•	•	•	•	•	•
Insulating base	•	•	•	•	•	Yes	Yes	Yes
Isothermal cover	•	•	•	•	•	•	Optional	Optional
Technical equipment								
Filter pump	400 W + 200 W	400 W	400 W	400 W	400 W	600 W	600 W	600 W
Massage pump	3 x 2.2 kW / 3 HP + 2.2 kW / 3 HP	3 x 2.2 kW / 3 HP	3 x 2.2 kW / 3 HP	3 x 2.2 kW / 3 HP	1,5 kW / 2HP	2 x 2.2 kW / 3 HP	1 x 1.8 kW / 2.5 HP	1 x 1.8 kW / 2.5 HP
Blower pump	-	-	-	-	-	900 W	900 W	900 W
Electric heater	3 kW + 3 kW	3 kW	3 kW	3 kW	3 kW	3 kW	3 kW	3 kW
Power consumption and capacity								
Consumption in low amps (W)	9500 W	7000 W	7000 W	7000 W	3400 W	5927 W	3650 W	3650 W
Required power (A) at 230 V	41.3 A	30.4 A	30.4 A	30.4 A	14.78 A	25.8 A	15.9 A	15.9 A
230 V or 400 V III connection	•	•	•	•	•	•	•	•
Water capacity (litres)	6780 l	8500 l	6000 l	6000 l	6000 l	1610 l	980 l	780 l
Spa weight (Empty / Full)	1379 kg / 8159 kg	1177 kg / 9677 kg	1177 kg / 7177 kg	1150 kg / 7150 kg	1150 kg / 7150 kg	378 kg / 1988 Kg	330 kg / 1310 kg	307 kg / 1445 kg

Pure - Code 68450


 White (44)
Solid surface Cabinet


TECHNICAL FEATURES

Size in cm (± 2cm)	220 x 220 x 78
Positions (Seats / Loungers)	4 (4 / -)
Jets + blower nozzles	27 + 12
Maximum consumption in low amp - (A) at 230 V	3400 W - 14.6 A

Spa coding with options generated from the table on page 605.

Options:

- Audio Bluetooth 4.1
- Nordic Insulation
- Wi-Fi Touch Panel
- Blue Connect Plus

PURE

White Solid Surface Cabinet + PureLine + ECOSpa

White Solid Surface Cabinet + PureLine + Bluetooth Audio+ ECOSpa

Code	Standard Pack	Standard weight in kg	Standard volume in m³
68450SS336	-	-	-
68450SS337	-	-	-

New'Art - Code 68449


 White (44)
Solid surface Cabinet


TECHNICAL FEATURES

Size in cm (± 2cm)	220 x 220 x 78
Positions (Seats / Loungers)	5 (3 / 2)
Jets + blower nozzles	28 + 14
Maximum consumption in low amp - (A) at 230 V	3400 W - 14.6 A

Spa coding with options generated from the table on page 605.

Options:

- Audio Bluetooth 4.1
- Nordic Insulation
- Wi-Fi Touch Panel
- Blue Connect Plus

NEW'ART

White Solid Surface Cabinet + PureLine + ECOSpa

White Solid Surface Cabinet + PureLine + Bluetooth Audio + ECOSpa

Code	Standard Pack	Standard weight in kg	Standard volume in m³
68449SS336	-	-	-
68449SS337	-	-	-

Evolution - Code 32474


 White Colour (44)
Graphite Cabinet


TECHNICAL FEATURES

Size in cm (± 2cm)	233 x 233 x 90
Positions (Seats / Loungers)	5 (3 / 2)
Jets + blower nozzles	56+16+2 water fountains
Maximum consumption in low amp - (A) at 230 V	5200 W - 22.4 A

Spa coding with options generated from the table on page 605.

Options:

- ECOSpa
- Audio Bluetooth 4.1
- Nordic Insulation
- Wi-Fi Touch Panel
- Blue Connect Plus

Code	Standard Pack	Standard weight in kg	Standard volume in m³
------	---------------	-----------------------	-----------------------

EVOLUTION

Metallic structure without furniture + Stainless steel jets + LumiPlus + Cover
 Graphite cabinet + Stainless steel jets + Stainless steel bar + LumiPlus + Cover
 Thunder cabinet + Stainless steel jets + Stainless steel bar + LumiPlus + Cover
 Creek cabinet + Stainless steel jets + Stainless steel bar + LumiPlus + Cover
 Butterfly Cabinet + Stainless Steel Jets + Stainless Steel Bar + LumiPlus + Cover

32474A4320	-	-	-
32474AK332	-	-	-
32474AR332	-	-	-
32474AT332	-	-	-
32474AW332	-	-	-

Atlantida 70 - Code 62399


 Silver Colour (27)
Thunder Cabinet


TECHNICAL FEATURES

Size in cm (± 2cm)	216 x 216 x 90
Positions (Seats / Loungers)	5 (3 / 2)
Jets + blower nozzles	52 + 14 + 2 waterfalls
Maximum consumption in low amp - (A) at 230 V	4400 W / 19.1 A

Spa coding with options generated from the table on page 605.

Options:

- ECOSpa
- Audio Bluetooth 4.1
- Nordic Insulation
- Wi-Fi Touch Panel
- Blue Connect Plus

Code	Standard Pack	Standard weight in kg	Standard volume in m³
------	---------------	-----------------------	-----------------------

ATLANTIDA 70

Metallic structure without furniture + Stainless steel jets + LumiPlus + Cover
 Graphite cabinet + Stainless steel jets + Stainless steel bar + LumiPlus + Cover
 Thunder cabinet + Stainless steel jets + Stainless steel bar + LumiPlus + Cover
 Creek cabinet + Stainless steel jets + Stainless steel bar + LumiPlus + Cover
 Butterfly Cabinet + Stainless Steel Jets + Stainless Steel Bar + LumiPlus + Cover

62399A4320	-	-	-
62399AK332	-	-	-
62399AR332	-	-	-
62399AT332	-	-	-
62399AW332	-	-	-

Pacific 70 - Code 69130


 White Colour (44)
Butterfly Cabinet


TECHNICAL FEATURES

Size in cm (± 2cm)	216 x 216 x 90
Positions (Seats / Loungers)	6 (5 / 1)
Jets + blower nozzles	51+10 + 2 waterfalls
Maximum consumption in low amp - (A) at 230 V	4400 W / 19.1 A

Spa coding with options generated from the table on page 605.

Options:

- ECOSpa
- Audio Bluetooth 4.1
- Nordic Insulation
- Wi-Fi Touch Panel
- Blue Connect Plus

PACIFIC 70

Metallic structure without furniture + Stainless Steel Jets + LumiPlus + Cover
Graphite Cabinet + Stainless Steel Jets + Stainless Steel Bar + LumiPlus + Cover
Thunder Cabinet + Stainless Steel Jets + Stainless Steel Bar + LumiPlus + Cover
Creek Cabinet + Stainless Steel Jets + Stainless Steel Bar + LumiPlus + Cover
Butterfly Cabinet + Stainless Steel Jets + Stainless Steel Bar + LumiPlus + Cover

Code	Standard Pack	Standard weight in kg	Standard volume in m³
69130A4320	-	-	-
69130AK332	-	-	-
69130AR332	-	-	-
69130AT332	-	-	-
69130AW332	-	-	-

Ocean 70 - Code 69863


 White (44)
Creek Cabinet


TECHNICAL FEATURES

Size in cm (± 2cm)	216 x 167 x 74
Positions (Seats / Loungers)	3 (1 / 2)
Jets	42
Maximum consumption in low amp - (A) at 230 V	3400 W / 14.6 A

Spa coding with options generated from the table on page 605.

Options:

- ECOSpa
- Audio Bluetooth 4.1
- Nordic Insulation
- Wi-Fi Touch Panel
- Blue Connect Plus

OCEAN 70

Metallic structure without furniture + Stainless Steel Jets + LumiPlus + Cover
Graphite Cabinet + Stainless Steel Jets + Stainless Steel Bar + LumiPlus + Cover
Thunder Cabinet + Stainless Steel Jets + Stainless Steel Bar + LumiPlus + Cover
Creek Cabinet + Stainless Steel Jets + Stainless Steel Bar + LumiPlus + Cover
Butterfly Cabinet + Stainless Steel Jets + Stainless Steel Bar + LumiPlus + Cover

Code	Standard Pack	Standard weight in kg	Standard volume in m³
69863A4320	-	-	-
69863AK332	-	-	-
69863AR332	-	-	-
69863AT332	-	-	-
69863AW332	-	-	-

Select E - Code 76894


 White (44)
Thunder Cabinet


TECHNICAL FEATURES

Size in cm (± 2cm)	216 x 216 x 90
Positions (Seats / Loungers)	6 (5 / 1)
Jets	51 + 1 waterfall
Maximum consumption in low amp - (A) at 230 V	3.780 W / 16.8 A

Spa coding with options generated from the table on page 605.

Options:

- LumiPlus
- ECOSpa
- Audio Bluetooth 2.1

SELECT E

SELECT E Metallic structure without furniture + Stainless steel jets + Cover

SELECT E Graphite cabinet + Stainless steel jets + Cover

SELECT E Thunder cabinet + Stainless steel jets + Cover

Code	Standard Pack	Standard weight in kg	Standard volume in m ³
76894A4300	-	-	-
76894AP300	-	-	-
76894AQ300	-	-	-

Emotion E - Code 69122


 White (44)
Thunder cabinet


TECHNICAL FEATURES

Size in cm (± 2cm)	216 x 216 x 90
Positions (Seats / Loungers)	5 (3 / 2)
Water Jets	32
Air Jets	12
Maximum consumption in low amp - (A) at 230 V	3.400 W - 14.8 A

Spa coding with options generated from the table on page 605.

Options:

- ECOSpa
- LumiPlus
- Audio Bluetooth 2.1

EMOTION E

Metallic structure without furniture + Stainless steel jets + Cover

Graphite cabinet + Stainless steel jets + Cover

Thunder cabinet + Stainless steel jets + Cover

Code	Standard Pack	Standard weight in kg	Standard volume in m ³
69122A4300	-	-	-
69122AP300	-	-	-
69122AQ300	-	-	-

Equilibre E - Code 73076


 White (44)
Infinity Cabinet


TECHNICAL FEATURES

Size in cm (± 2cm)	216 x 167 x 74
Positions (Seats / Loungers)	3 (1 / 2)
Jets	26
Maximum consumption in low amp - (A) at 230 V	3400 W - 14.8 A

Spa coding with options generated from the table on page 605.

Options:
• ECOSpa

EQUILIBRE E

Metallic structure without furniture + stainless steel jets + cover
Infinity cabinet + stainless steel jets + cover

Code	Standard Pack	Standard weight in kg	Standard volume in m³
------	---------------	-----------------------	-----------------------

73076A4300
73076AC300

-
-

-
-

-
-

Balance E - Code 74134


 White (44)
Infinity Cabinet


TECHNICAL FEATURES

Size in cm (± 2cm)	198 x 198 x 74
Positions (Seats / Loungers)	5 (3 / 2)
Jets	31
Maximum consumption in low amp - (A) at 230 V	3400 W - 14.6 A

Spa coding with options generated from the table on page 605.

Options:
• ECOSpa
• Audio Bluetooth 2.1

BALANCE E

Metallic structure without furniture + stainless steel jets + cover
Infinity cabinet + stainless steel jets + cover

Code	Standard Pack	Standard weight in kg	Standard volume in m³
------	---------------	-----------------------	-----------------------

74134A4300
74134AC300


-
-

-
-

-
-

Swimspa Dual - Code 74238


 White (44)
coastal grey cabinet

 White (44)
Urban Grey Cabinet


TECHNICAL FEATURES

Size in cm (± 2cm)	600 x 230 x 138
Places (Seats/Loungers)	1 Vertical 4 (2/2)
- Swimming area:	
- Spa area:	
Places (Seats/Loungers)	30 Jets 16+5 Turbo jets
- Swimming area:	
- Spa area:	
Maximum consumption in low amp - (A) at 230 V	9500 W / 41.3 A

Coding generated with the initial table on page 605.

Options:

- ECOSpa
- Audio Bluetooth 4.1
- Blue Connect Plus
- Rowing Kit code 74496
- Wi-Fi Spa Control

Code	Standard Pack	Standard weight in kg	Standard volume in m ³
------	---------------	-----------------------	-----------------------------------

DUAL SWIMSPA

Coastal Grey Cabinet + Stainless Steel Jets + LumiPlus + Cover
 Urban Grey Cabinet + Stainless Steel Jets + LumiPlus + Cover
 Metallic structure without furniture + Stainless steel jets + LumiPlus + Cover

74238A1320	-	-	-
74238AB320	-	-	-
74238A4320	-	-	-

Swimspa Mediterranea - Code 64414


 White (44)
Coastal Grey cabinet

 White (44)
Urban Grey Cabinet


TECHNICAL FEATURES

Size in cm (± 2cm)	500 x 230 x 138
Positions (Seats / Loungers)	4 (2 / 2)
Jets	27 jets + 5 Turbo jets
Maximum consumption in low amp - (A) at 230 V	7000 W / 30.5 A

Coding generated with the initial table on page 605.

Options:

- ECOSpa
- Audio Bluetooth 4.1
- Blue Connect Plus
- Wi-Fi Spa Control



Code	Standard Pack	Standard weight in kg	Standard volume in m ³
------	---------------	-----------------------	-----------------------------------

MEDITERRANEA SWIMSPA

Coastal Grey Cabinet + Stainless Steel jets + LumiPlus + Cover
 Urban Grey Cabinet + Stainless Steel jets + LumiPlus + Cover
 Metallic structure without furniture + Stainless Steel jets + LumiPlus + Cover
 For Kit + Stainless Steel jets + Colour LEDS + Digital Control Panel + Cover

64414A1320	-	-	-
64414AB320	-	-	-
64414A4320	-	-	-
65353SE311	-	-	-

Model 65353 must be supplied with the compact kit, code 64972CE001.

Swimspa Creta - Code 67203


 White (44)
Coastal Grey cabinet

 White (44)
Urban Grey Cabinet

TECHNICAL FEATURES

Size in cm (± 2cm)	400 x 230 x 138
Positions (Seats / Loungers)	4 (2 / 1 / 1)
Jets + blower nozzles	54 jets + 4 Turbo jets
Maximum consumption in low amp - (A) at 230 V	7000 W / 30.5 A



Coding generated with the initial table on page 605.

Options:

- ECOSpa
- Audio Bluetooth 4.1
- Blue Connect Plus
- Rowing Kit
- Wi-Fi Spa Control

CRETA SWIMSPA

Coastal Grey Cabinet + Stainless Steel jets + LumiPlus + Cover

Urban Grey Cabinet + White LumiPlus

Metallic structure without furniture + Stainless steel jets + LumiPlus + Cover

For Kit + Stainless Steel jets + Colour LEDS + Digital Control Panel + Cover

Code	Standard Pack	Standard weight in kg	Standard volume in m³
67203A1320	-	-	-
67203AB320	-	-	-
67203A4320	-	-	-
67587SE311	-	-	-

Model Creta must be supplied with the compact kit, code 64972CE001

Swimspa Compact - Code 69128


 White (44)
Coastal Grey cabinet

 White (44)
Urban Grey Cabinet

TECHNICAL FEATURES

Size in cm (± 2cm)	400 x 230 x 138
Positions (Seats / Loungers)	1 Vertical
Jets + blower nozzles	16+5 Turbo Jets
Maximum consumption in low amp - (A) at 230 V	7000 W / 30.5 A

Coding generated with the initial table on page 605.

Options:

- EcoSpa
- Audio Bluetooth 4.1
- Blue Connect Plus
- Wi-Fi Spa Control

COMPACT SWIMSPA

Coastal Grey Cabinet + Stainless Steel Jets + LumiPlus + Cover

Urban Grey Cabinet + White LumiPlus

Metallic structure without furniture + Stainless Steel Jets + LumiPlus + Cover

For kit + Stainless Steel jets + color LEDS + Digital Control Panel+ Cover

Code	Standard Pack	Standard weight in kg	Standard volume in m³
69128A1320	-	-	-
69128AB320	-	-	-
69128A4320	-	-	-
69129SE311	-	-	-

Model Compact must be supplied with the compact kit, code 64972CE001

We reserve the right to change, wholly or partially, the features of our products and the contents of this document, without prior notice

SPA RANGE - SWIMSPA RANGE

Swimspa Lagoon - Code 74237

ASTRALPOOL

NEW
2023



Blue Marble (46)
Coastal Grey Cabinet

TECHNICAL FEATURES

Size in cm (± 1cm)	400 x 230 x 138
Positions (Seats / Loungers)	1 vertical
Jets + blower nozzles	12
Maximum consumption in low amp - (A) at 230 V	3400 W / 14.78 A
Color available (Acrylic)	44-White 59-Sterling 46-Blue Marble
Cabinet color	Coastal Grey
Water capacity (lit)0	6.000

Coding generated with the initial table on page 605.

Options:

- ECOSpa
- Blue Connect Plus
- Fitness Kit and Swimming Kit

Code	Standard Pack	Standard weight in kg	Standard volume in m³
------	---------------	-----------------------	-----------------------

SWIMSPA LAGOON

Swimspa Lagoon


74237

-


-

-

Evolution 70 inground - code 49722



White (44)



TECHNICAL FEATURES

Size	233 x 233 x 90
Jets	56+16
Drain	1
Electronic control panel	2
Positions (Seats / Loungers)	5 (3 / 2)
Water Capacity	1.610 l
Empty/full Spa weight	378 Kg / 1.988 Kg
Headrest	3
Cover	Yes
LED Chromotherapy projector	Yes
Jets	Stainless steel
Aromatherapy	No
Cascade	No
Metallic structure	Yes

Code	Standard Pack	Standard weight in kg	Standard volume in m³
------	---------------	-----------------------	-----------------------

EVOLUTION 70

Standard + light + digital control panel

49722SE310

-

-

-

Standard + light + digital control panel + cover

49722SE311

-

-

-

The Spa must be supplied with the filter kit, code 49849CE000

Thalassa E inground - code 78678



Blue Marble (46)



TECHNICAL FEATURES

Size	216 x 216 x 90
Jets	28+16
Drain	1
Electronic control panel	Yes
Positions (Seats / Loungers)	6 (5 / 1)
Water Capacity	980 l
Empty/full Spa weight	330 Kg / 1310 Kg
Headrest	3
Cover	Yes
LED Chromotherapy projector	Yes
Jets	Stainless steel
Cascade	No
Metallic structure	Yes

Code	Standard Pack	Standard weight in kg	Standard volume in m³
------	---------------	-----------------------	-----------------------

THALASSA E

Standard + Light + Digital control panel

78678SE310

-

-

-

Standard + Light + Digital control panel + cover

78678SE311

-

-

-

The Spa must be supplied with the filter kit, code 41993CE000 or 41993CE001.


Spa cover sold separately. See section "Spa accessories".

We reserve the right to change, wholly or partially, the features of our products and the contents of this document, without prior notice

Ronda 30 - Code 49859



White (44)



TECHNICAL FEATURES

Size	Ø 205 (± 2 cm)
Jets + nozzles	20 + 10
Drain	1
Digital control panel	Yes
Positions (Seats / Loungers)	5 (5 / 0)
Water Capacity	780 l
Empty/full Spa weight	307 kg / 1445 kg
Chromotherapy LED light	Yes
Jets	Stainless steel
Metallic structure	Yes
Cover	Yes

Fully fitted with pipe assembly, skimmer, main drain, filtering, hydromassage and blower nozzles, hydromassage digital control buttons and two Venturi inlets. With adjustable bracket for easy installation.

Code	Standard Pack	Standard weight in kg	Standard volume in m³
------	---------------	-----------------------	-----------------------

RONDA 30

Standard + Light + Digital control panel

49859SE310

-

-

-

Standard + Light + Digital control panel + Cover

49859SE311

-

-

-

The Spa must be supplied with the filter kit. code 41993CE000 or 41993CE001.

Compact kit

for Thalassa, Evolution 70 and Ronda 30



	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Compact kit	41993CE000	-	-	-
Compact kit	41993CE001	-	-	-
Compact kit	41993	-	-	-

TECHNICAL FEATURES

Code	Oxynator	Digital control panel*	Compact weight	Assembly volume	Max. spa volume	Massage pump	
41993CE000		-	60 kg	2.05 m³	1000 l	2.2 kW	
41993CE001	●	-					
Code	Filter (mm)	Filtration pump	Blower pump	Electric heater	Voltage	Power requirements	Length x width x height
41993	500	0.6 kW 7000 l/h	0.9 kW	3 kW	230 V or 400 V III	3852 W / 16.7 A*	115 x 75 x 105 mm

Consumption in Low Amp at 230 V.

* In the Spa + Compact Kit option, the digital control option must be selected.

Compact kit

for Evolution 70 inground



	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Compact kit	41849	-	-	-

TECHNICAL FEATURES

Code	Oxynator	Digital control panel*	Chromotherapy	Compact weight	Assembly volume	Max. spa volume	Massage pump
41849	Optional	-	•	70 kg	2.05 m ³	1610 l	2.2 kW x 2

* In the Spa + Compact Kit option, the digital control option must be selected.

Compact kit

for Swimspa Mediterranea



	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Compact kit	64972CE001	-	-	-
Compact kit	64972	-	-	-

TECHNICAL FEATURES

Code	Oxynator	Digital control panel*	Chromotherapy	Compact weight	Assembly volume	Max. spa volume	Massage pump
64972CE001	•	–	•	70 kg	2.05 m³	8500 l	3 x 2.2 kW / 3hp
Code	Filter (mm)	Filtration pump	Electric heater	Voltage	Power requirements	Length x width x height	
64972	500	0.6 kW 7000 l/h	3 kW	230 V or 400 V III	7352 W / 31.9 A*	114 x 100 x 112 mm	

Consumption in Low Amp at 230 V.

* In the Spa + Compact Kit option, the digital control option must be selected.

Covers for spas



Portable spa cover

DESCRIPTION

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
THALASSA E spa cover	65977	1	17	0.40
EVOLUTION 70 inground spa cover	32690	1	16	0.36
RONDA 30 spa cover	51288	1	15	0.27



Cover Stand

DESCRIPTION

Metal Stand for simple handling of the cover.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Cover Stand	28462	1	10	0.118

Spa access steps

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Basic staircase coastal grey	60194	1	5	0.07
Swimspa staircase	57000CL01	1	35	0.59
Synthetic wood staircase				
In Graphite	42002CL0K	1	15	0.09
In Thunder	42002CL0R	1	15	0.09
In Creek	42002CL0T	1	15	0.09
In Butterfly	42002CL0W	1	15	0.09




42002CL0K



60194



57000CL01



42002CL0R



42002CL0T



42002CL0W



Spa parasol in Cameo with LED



	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Spa parasol in Cameo with LED	60220	2	15	2



Portable spa handrail holder



	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Portable spa handrail holder	60226	2	8	0.95



Spa filter cartridge cleaner



	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Spa filter cartridge cleaner	60197	1	2	0.04



2 1/2" adjustable jet



DESCRIPTION

Regulates proportion of air-water outlet. 50 mm diameter water inlet and 32 mm air inlet. Flow: 4 m³/hour. Pressure 0.8 a.t.m.

	Code	Standard Pack	Standard weight in kg	Standard volume in m³
	32641	12	7.625	0.028



2" threaded jet



DESCRIPTION

Water inlet diameter of 50 mm and air inlet diameter of 32 mm. Flow rate of 4 m³/hour. Atm pressure of 0.8.

	Code	Standard Pack	Standard weight in kg	Standard volume in m³
	33586	12	7.625	0.028



2" jet thread for liner



DESCRIPTION

Water inlet diameter of 50 mm and air inlet diameter of 32 mm. Flow rate of 4 m³/hour Atm pressure of 0.8.

	Code	Standard Pack	Standard weight in kg	Standard volume in m³
	70532	12	7.625	0.028



2" main drain



DESCRIPTION

With elbow for gluing to Ø 50 mm pipe.

	Code	Standard Pack	Standard weight in kg	Standard volume in m³
	04042	15	4.8	0.028



Adjustable air inlet



DESCRIPTION

1"for air regulation to Venturi system for jet function.

	Code	Standard Pack	Standard weight in kg	Standard volume in m³
	04045	25	6.0	0.028

Adjustable silent air inlet



DESCRIPTION

Silent Venturi for jet air flow control. Air intake is through embedded part. Attaches to air distributor code 33937.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	33938	25	8.5	0.028

5 outlet air distributor for Venturi system



DESCRIPTION

5 outlet air distributor for gluing to Venturi system with code 33938. Outlets for clamping a flexible hosepipe of 10 mm inner diameter.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	33937	25	8.5	0.028

6 outlet air distributor for Venturi system



DESCRIPTION

6 outlet air distributor to attach to pipes with a 10 mm inner diameter and glue to 15 mm pipes.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	33936	25	8.5	0.028

10 outlet air distributor



DESCRIPTION

10 outlet air distributor to attach to pipes with a 10 mm inner diameter and glue to 50 mm pipes.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	35346	25	8.5	0.028

4 water outlet manifold



DESCRIPTION

Manifold for gluing to 50 mm pipe, 4 outlets for clamping a hosepipe of 20 mm inner diameter.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	33934	25	8.5	0.028

8 water outlet manifold



DESCRIPTION

Manifold for gluing to 50 mm pipe, 8 outlets for clamping a hosepipe of 20 mm inner diameter.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	33935	25	8.5	0.028

Threaded blower nozzle



DESCRIPTION

For air distribution into the SPA from the blowers. Flow rate 5.4 to 7.5 m³/h.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
White plastic front panel	27602	80	1.6	0.03
Stainless steel front panel	43440	80	1.6	0.03

Blower nozzle for gluing



DESCRIPTION

For air distribution into the SPA from the blowers. Flow rate 5.4 to 7.5 m³/h.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
White plastic front panel	28460	80	1.6	0.03
Stainless steel front panel	43441	80	1.6	0.03

Blower nozzle lateral outlet 3/8"



DESCRIPTION

For air distribution into the SPA from the blowers. Flow rate 5.4 to 7.5 m³/h.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
White plastic front panel	34318	80	1.6	0.03
Stainless steel front panel	43442	80	1.6	0.03

2" return unit



DESCRIPTION

For return line and massage.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	04034	25	5.0	0.028

Pneumatic push button



DESCRIPTION

For starting and stopping massage and hydromassage functions.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
For max. 15 m	04047	20	0.5	0.028
For max. 7 m simple	04048	40	1.6	0.028
For max. 7 m simple, with thread	09667	20	0.5	0.028

Plastic tube



DESCRIPTION

For pneumatic signal from press button to switch. Inner Ø 3.5 mm.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	04054	50	3.33	0.006

Stainless steel accessories should not be used in pools with salt electrolysis systems

Rotating jet

ASTRALPOOL


DESCRIPTION

Flow rate 2 to 2.5 m³/h.

Code	Standard Pack	Standard weight in kg	Standard volume in m ³
20297	25	3.33	0.028

Twin rotating jet

ASTRALPOOL


DESCRIPTION

Flow rate 2 to 2.5 m³/h.

Code	Standard Pack	Standard weight in kg	Standard volume in m ³
20296	25	3.83	0.028

Rotating jet housing

ASTRALPOOL


Code	Standard Pack	Standard weight in kg	Standard volume in m ³
20299	15	3.33	0.028

Jet housing for linear pool

ASTRALPOOL


Code	Standard Pack	Standard weight in kg	Standard volume in m ³
63144	12	3.33	0.028

2 1/2" wall conduit for rotating jet

ASTRALPOOL


DESCRIPTION

Made up of: The jet body, 20 cm wall conduit, niche, threaded fitting, front body. Jet not included.

Flow rate 5 m³/h at 1 bar.

Code	Standard Pack	Standard weight in kg	Standard volume in m ³
20295	4	4	0.018

Chrome accessories only
suitable for tubs that do not
use any chemical treatment.
Not suitable for pools.

Pool Jet accessories are
designed for pools that have a
hydromassage section.

ACCESSORIES FOR MINISPAS

Pool Jet 1 Directional Jet



DESCRIPTION

Flow rate 2.4 to 3.6 m³/h. Accessories compatible with 2½" handrail for Pool Jet.

	Code	Standard Pack	Standard weight in kg	Standard volume in m³
Stainless steel finish*	63148	25	3.83	0.028
White finish	63149	25	3.83	0.028

Pool Jet 1 Rotating Jet



DESCRIPTION

Flow rate 2.4 to 3.6 m³/h. Accessories compatible with 2½" handrail for Pool Jet.

	Code	Standard Pack	Standard weight in kg	Standard volume in m³
Stainless steel finish*	63150	25	3.83	0.028
White finish	63151	25	3.83	0.028

Pool Jet 2 Rotating Jets



DESCRIPTION

Flow rate 2.4 to 3.6 m³/h. Accessories compatible with 2½" handrail for Pool Jet.

	Code	Standard Pack	Standard weight in kg	Standard volume in m³
Stainless steel finish*	63152	25	3.83	0.028
White finish	63153	25	3.83	0.028

Pool Jet Rotating Beehive



DESCRIPTION

Flow rate 2.4 to 3.6 m³/h. Accessories compatible with 2½" handrail for Pool Jet.

	Code	Standard Pack	Standard weight in kg	Standard volume in m³
Stainless steel finish*	63154	25	3.83	0.028
White finish	63155	25	3.83	0.028

Wall conduit for Pool Jet



DESCRIPTION

Made up of: The jet Straight body (20 mm Air x 32 mm Water), 20 cm wall conduit, niche, front body. Jet not included.

	Code	Standard Pack	Standard weight in kg	Standard volume in m³
	63146	4	4	0.018

Chrome accessories only
suitable for tubs that do not
use any chemical treatment.
Not suitable for pools.



1 1/2" main drain

ASTRALPOOL 

DESCRIPTION

With elbow for gluing Ø 50 mm pipe.

	Code	Standard Pack	Standard weight in kg	Standard volume in m³
Chrome-plated bronze front panel	04104	3	7.5	0.028



Adjustable air inlet

ASTRALPOOL 

DESCRIPTION

3/4" to control air massage to Venturi system for jet function.

	Code	Standard Pack	Standard weight in kg	Standard volume in m³
Chrome-plated bronze front panel	04108	10	9.0	0.028
White plastic front panel	04110	10	3.0	0.028



Pneumatic push button

ASTRALPOOL 

DESCRIPTION

For starting and stopping massage and hydromassage functions.

	Code	Standard Pack	Standard weight in kg	Standard volume in m³
Chrome-plated bronze front panel	04111	10	6.0	0.028
White plastic front panel	04113	12	6.0	0.028



Blower Inlet

ASTRALPOOL 

DESCRIPTION

For minispa air distribution from the blower. 1 1/2" thread.

	Code	Standard Pack	Standard weight in kg	Standard volume in m³
Chrome-plated bronze front panel	04114	20	7.5	0.028

Chrome accessories only
suitable for tubs that do not
use any chemical treatment.
Not suitable for pools.



1 1/4" jet with adaptor to water return

ASTRALPOOL

DESCRIPTION

Jet with adaptor to return water to pipe. Also adaptor to connect to water return and air circulation pipe, solvent for inner Ø 32 mm, directional.

	Code	Standard Pack	Standard weight in kg	Standard volume in m³
Chrome-plated bronze front panel	04095	8	12.0	0.028
White plastic front panel	04097	12	12.0	0.028



1 1/4" jet

ASTRALPOOL

DESCRIPTION

With adaptor to connect to return water pipe and Venturi system to glue to Ø 32 mm pipe, directional.

	Code	Standard Pack	Standard weight in kg	Standard volume in m³
Chrome-plated bronze front panel	04092	8	10.0	0.028
White plastic front panel	04094	24	5.0	0.028



1 1/4" return inlet

ASTRALPOOL

	Code	Standard Pack	Standard weight in kg	Standard volume in m³
Built in chrome brass	04100	4	15.0	0.028
Built in white plastic	04103	12	3.5	0.028



Programmable digital thermostat



DESCRIPTION

To operate ON/OFF contactor.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	11288	20	0.5	0.003



Electric press button



DESCRIPTION

230 V 50 Hz.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	74467	1	1.5	0.003



Electropneumatic equipment



DESCRIPTION

With two switches. Up to 1.47 kW (2HP).

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	04053	2	4.0	0.028



Pneumatic switch



DESCRIPTION

For starting and stopping massage and hydromassage functions.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Pneumatic switch	04050	25	1.0	0.028
Pneumatic switch and presostat	11290	6	0.5	0.028
Pneumatic presostat	11291	12	1.0	0.028

Continuous operation

lateral turbo blower pump



DESCRIPTION

Air pump designed for spas, hydromassage tubs and similar which produces a constant stream of air bubbles at medium and high air volume levels. It can also be used to stir up the filter bed, for example in backwash cycles where a low intensity air current is required. The filter casing and impeller are made from an injected aluminium alloy whilst the motor spindle is manufactured from stainless steel, with the impeller dynamically balanced and directly adapted to the spindle. The motors, 2 single phase or 3 phase for continuous use, are made from steel in compliance with CEI 2/3 1988 regulations, and feature IP54 external protection and class-F insulation. The pumps can be mounted horizontally or vertically. Moreover, since there is no contact between the mobile parts and the pump static discharges, neither lubrication nor maintenance is necessary and it also doesn't cause wear on the parts.

The turbines have a maximum working temperature of 40°C. Do not use in conjunction with aggressive, inflammable or explosive gases.

Model	Code	Frequency (Hz)	Power supply (V)	Phase	Flow rate (m³/h)	Maximum pressure (mbar)	Standard weight (kg)	Standard volume (m³)
Blower 0.4 kW	33970	50	Δ 200-240 Y 345-415	3	80	130	10	0.045
Blower 0.5 kW		60	Δ 220-275 Y 380-480	3	98	170		
Blower 0.85 kW	35388	50	200-240	1	145	160	17	0.059
Blower 0.95 kW		60	200-240	1	175	160		
Blower 0.85 kW	35387	50	Δ 200-240 Y 345-415	3	145	160	16	0.045
Blower 0.95 kW		60	Δ 220-275 Y 380-480	3	175	160		
Blower 1.3 kW	31090	50	200-240	1	210	170	23	0.059
Blower 1.5 kW		60	200-240	1	255	140		
Blower 1.3 kW	31091	50	Δ 200-240 Y 345-415	3	210	170	22	0.059
Blower 1.5 kW		60	Δ 220-275 Y 380-480	3	255	140		
Blower 1.5 kW	33971	50	200-240	1	210	220	24	0.064
Blower 1.75 kW		60	200-240	1	255	220		
Blower 1.6 kW	31092	50	Δ 200-240 Y 345-415	3	210	220	23	0.064
Blower 2.1 kW		60	Δ 220-275 Y 380-480	3	255	220		
Blower 1.6 kW 2V	35389	50	Δ 200-240 Y 345-415	3	150	300	25	0.087
Blower 2.06 kW 2V		60	Δ 220-275 Y 380-480	3	180	310		
Blower 2.2 kW	31093	50	Δ 200-240 Y 345-415	3	318	230	30	0.097
Blower 2.55 kW		60	Δ 220-275 Y 380-480	3	376	220		
Blower 3.0 kW 2V	31094	50	Δ 200-240 Y 345-415	3	230	410	40	0.126
Blower 3.45 kW 2V		60	Δ 220-275 Y 380-480	3	275	400		
Blower 3.0 kW	31095	50	Δ 200-240 Y 345-415	3	318	280	36	0.097
Blower 3.45 kW		60	Δ 220-275 Y 380-480	3	376	280		
Blower 4.3 kW 2V	31096	50	Δ 345-415 Y 600-720	3	520	600	54	0.217
Blower 4.8 kW 2V		60	Δ 380-480 Y 660-720	3	385	320		
Blower 5.5 kW	31097	50	Δ 345-415 Y 600-720	3	530	320	63	0.16
Blower 6.3 kW		60	Δ 380-480 Y 660-720	3	620	340		
Blower 5.5 kW 2V	33972	50	Δ 345-415 Y 600-720	3	320	515	66	0.201
Blower 6.3 kW 2V		60	Δ 380-480 Y 660-720	3	385	530		
Blower 7.5 kW	31098	50	Δ 345-415 Y 600-720	3	530	400	66	0.16
Blower 8.6 kW		60	Δ 380-480 Y 660-720	3	620	400		
Blower 11 kW 2V	33973	50	Δ 345-415 Y 600-720	3	520	600	104	0.353
Blower 12.6 kW 2V		60	Δ 380-480 Y 660-720	3	620	600		
Blower 12.5 kW	33974	50	Δ 345-415 Y 600-720	3	1050	270	116	0.353
Blower 14.5 kW		60	Δ 380-480 Y 660-720	3	1250	260		

AIR BLOWERS



Intermittent operation

air blower, 900 W



	Code	Standard Pack	Standard weight in kg	Standard volume in m³
0.90 kW flow 54 m³/h at 1.5 m water head	19289	1	3.5	0.028



Water pump



DESCRIPTION

ABS (25%) and fibreglass (75%) housing. A 0.37 kW (0.5 hp) motor. IP-55 electrical connection rating of 24 V 220 V 1~ 50Hz . 2" male suction connection. 1½" male return connection.

	Code	Standard Pack	Standard weight in kg	Standard volume in m³
Water pump	04091	1	6.0	0.016

TECHNICAL FEATURES

Water head	m³/h
2	16.5
4	14.8
6	12.6
8	10
10	7



Intermittent operation

air blower



	Code	Standard Pack	Standard weight in kg	Standard volume in m³
At 1 m water head				
0.74 kW, Flow 65 m³/h	06862	1	3.5	0.028
1.10 kW, Flow 133 m³/h	06863	1	3.5	0.028

Cala Pump




DESCRIPTION

Centrifugal pump for spas, backwashes and other applications.

- Pump body manufactured in polypropylene reinforced with fibreglass, resistant to pool chemical products thus guaranteeing long and excellent duration.
- Turbine in Noryl.
- Graphite and ceramic mechanical seal.
- AISI 316L stainless steel motor spindle.
- Enclosed motor, completely silent, with IP-55 protection at 2850 r.p.m. Single phase power voltage at 230V-50Hz or triphase at 230/400-50Hz.
- Versions from 1.5 to 4.5 HP.
- Suction and return connections for gluing hoses included with the pump.
- Suction and return at Ø63.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Single phase 1.1 kW Cala Pump	CA150M	1	15.0	0.058
Tri phase 1.1 kW Cala Pump	CA150T	1	15.0	0.058
Single phase 1.5 kW Cala Pump	CA200M	1	16.5	0.058
Tri phase 1.5 kW Cala Pump	CA200T	1	16.5	0.058
Single phase 2.2 kW Cala Pump	CA300M	1	19.5	0.058
Tri phase 2.2 kW Cala Pump	CA300T	1	19.5	0.058
Single phase 2.9 kW Cala Pump	CA400M	1	22.5	0.058
Tri phase 3.3 kW Cala Pump	CA450T	1	22.5	0.058



TECHNICAL FEATURES

Code	Power		Size						
	kW	HP	L	WV	HV	WH	HH	DA	DI
CA150M	1.1	1.5	350	225	237	235	228	Ø63	Ø63
CA150T									
CA200M	1.5	2.0	365	225	237	235	228	Ø63	Ø63
CA200T									
CA300M	2.2	3.0	385	225	237	235	228	Ø63	Ø63
CA300T									
CA400M	2.9	4.0	415	225	237	235	228	Ø63	Ø63
CA450T	3.3	4.5							

The sauna pictures do not show the standard product (some accessories can be included from table Accessories Summary).

Please note the codes of the accessories when ordering.

- The benefits of an AstralPool sauna range from muscle relaxation to sweat stimulation thanks to their hot and dry environment (relative humidity between 20% and 50%).
- AstralPool saunas are made from prefabricated panels with interior insulation in mineral wool and aluminium.
- The wall coating is covered with pre-treated wood that has been fired and dried to last for many years.



2 seats, code 70470-70471



4 seats, code 70439-70442



The Miramonte sauna can be made to order in the following woods: spruce, thermo Aspen, Canadian spruce and red cedar.

Miramonte sauna

ASTRALPOOL

DESCRIPTION

Miramonte sauna reflects the excellence of a Finnish sauna formed of high-quality white pinewood vertical panels and abachi timber flooring. The entire front panel of the Miramonte sauna is glazed to showcase the LED lighting inside. Also includes 2 benches with abachi headrests and a heater adapted to each size.

Dimensions (mm)	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Saunas				
200 x 150 x 210	70470	-	-	-
200 x 200 x 210	70471	-	-	-
250 x 200 x 210	70439	-	-	-
250 x 250 x 210	70440	-	-	-
300 x 250 x 210	70441	-	-	-
300 x 300 x 210	70442	-	-	-
Accessories				
Stainless steel accessories set	70443	un.	-	-
Set of decorative salt elements	70444	un.	-	-
Outside wall finished with vertical timber panels	70447	metre length	-	-
Stone-based decorative wall protection	70456	un.	-	-
Remote control kit for RGB colours	70457	un.	-	-

TECHNICAL FEATURES

Code	Type	Dimensions (cm)	Heating (kW)	Control unit
70470	Miramonte sauna	200 x 150 x 210	7 kW 230/400V 3~	Touchscreen / Exterior
70471	Miramonte sauna	200 x 200 x 210	7 kW 230/400V 3~	Touchscreen / Exterior
70439	Miramonte sauna	250 x 200 x 210	9 kW 230/400V 3~	Touchscreen / Exterior
70440	Miramonte sauna	250 x 250 x 210	9 kW 230/400V 3~	Touchscreen / Exterior
70441	Miramonte sauna	300 x 250 x 210	10.8 kW 230/400V 3~	Touchscreen / Exterior
70442	Miramonte sauna	300 x 300 x 210	13.5 kW 230/400V 3~	Touchscreen / Exterior

Classic Select sauna



The Classic sauna can be made to order in the following woods: white pine, thermo Aspen, Canadian spruce and red cedar.

Optional: glass panel follow-on from door.

DESCRIPTION

The Classic sauna is designed with vertical panels and spruce wood flooring. It has a timber-framed glass door, two seats with a backrest against the wall and an abachi headrest. Includes: Wooden accessories kit, ergonomic seating, rounded backrest, heater with premium protection.

Dimensions (mm)	Code	Standard Pack	Standard weight in kg	Standard volume in m³
Saunas				
150 x 150 x 210	70431	-	-	-
200 x 150 x 210	70432	-	-	-
200 x 200 x 210	70433	-	-	-
250 x 200 x 210	70455	-	-	-
250 x 250 x 210	70434	-	-	-
300 x 250 x 210	70436	-	-	-
300 x 300 x 210	70437	-	-	-
400 x 300 x 210	70438	-	-	-
Accessories				
Stainless steel accessories set	70443	un.	-	-
Set of decorative salt elements	70444	un.	-	-
Remote control kit for RGB LED colours	70445	un.	-	-
Touchscreen control unit for sauna heater	70446	un.	-	-
Outside wall finished with vertical timber panels	70447	metre length	-	-
Roof extension	70448	m²	-	-
Tinted/transparent glass window	70449	m²	-	-
Concealed heater for sauna up to 300 x 250 cm	70450	un.	-	-
Concealed heater for sauna more than 300 x 250 cm	70451	un.	-	-
Extra wall for concealed heater	70452	metre length	-	-
Aroma dosing system	70453	un.	-	-

TECHNICAL FEATURES

Code	Type	Dimensions (cm)	Heating (kW)	Control unit
70431	Classic sauna	150 x 150 x 210	4.5kW 230/400 3~	Exterior
70432	Classic sauna	200 x 150 x 210	6kW 230/400 3~	Exterior
70433	Classic sauna	200 x 200 x 210	6kW 230/400 3~	Exterior
70455	Classic sauna	250 x 200 x 210	8kW 230/400 3~	Exterior
70434	Classic sauna	250 x 250 x 210	9kW 230/400 3~	Exterior
70436	Classic sauna	300 x 250 x 210	10.5kW 230/400 3~	Exterior
70437	Classic sauna	300 x 300 x 210	13.5kW 230/400 3~	Exterior
70438	Classic sauna	400 x 300 x 210	16.5kW 230/400 3~	Exterior

SAUNAS

St. Moritz sauna



The St. Moritz sauna can be made to order in the following woods:

- Standard wood: Hemlock Playwood
- Bench wood: Abichi

DESCRIPTION

- Hemlock playwood panels 14 mm.
- Console benches and backrest of Abichi 21 mm.
- Secured transparent glass 8 mm.
- Wall mounted Harvia sauna heater.
- Outdoor touch control panel.
- Led light Warm White 3000 K.

Dimensions (mm)	Code	Standard Pack	Standard weight in kg	Standard volume in m³
Saunas				
180 x 180 x 210	72908	-	-	-
220 x 220 x 210	72909	-	-	-
260 x 220 x 210	72910	-	-	-
300 x 250 x 210	72911	-	-	-
Accessories				
Stainless steel accessories set	70443	un.	-	-
RGB Led lighting kit with remote control	70445	un.	-	-
Salt decorative elements set	70444	lin.m	-	-
Hidden heater	70450	un.	-	-
Additional Wall for hidden heater	70452	lin.m	-	-

TECHNICAL FEATURES

Code	Dimensions (cm)	Light	Control Unit	Heater
72908	180 x 180 x 210	Led White / RGB	Touchscreen Exterior	6 kW 230 / 400 3~
72909	220 x 220 x 210	Led White / RGB	Touchscreen Exterior	8 kW 230 / 400 3~
72910	260 x 220 x 210	Led White / RGB	Touchscreen Exterior	9 kW 230 / 400 3~
72911	300 x 250 x 210	Led White / RGB	Touchscreen Exterior	10.5 kW 230 / 400 3~

Innsbruck sauna



The Innsbruck sauna can be made to order in the following woods:

- Standard wood: Hemlock Playwood
- Bench wood: Abichi

DESCRIPTION

- Hemlock playwood panels 14 mm.
- Ergonomic benches and backrest of Abichi 21 mm.
- Secured transparent glass 8 mm.
- Wall mounted Harvia sauna heater.
- Outdoor touch control panel.
- Led light Warm White 3000 K.
- Ceiling led light with optional chromotherapy.

Dimensions (mm)	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Saunas				
135 x 135 x 210	72901	-	-	-
180 x 180 x 210	72902	-	-	-
220 x 220 x 210	72903	-	-	-
260 x 220 x 210	72904	-	-	-
300 x 250 x 210	72905	-	-	-
Accessories				
Stainless steel accessories set	70443	un.	-	-
RGB Led lighting kit with remote control	70445	un.	-	-
Outside Wall finished with vertical playwood panels	To consult	lin.m	-	-
Salt decorative elements set	To consult	un.	-	-
Hidden heater	To consult	un.	-	-
Additional Wall for hidden heater	To consult	lin.m	-	-

TECHNICAL FEATURES

Code	Dimensions (cm)	Light	Control Unit	Heater
72901	135 x 135 x 210	Led White / RGB	Touchscreen Exterior	6 kW 230 / 400 3~
72902	180 x 180 x 210	Led White / RGB	Touchscreen Exterior	6 kW 230 / 400 3~
72903	220 x 220 x 210	Led White / RGB	Touchscreen Exterior	8 kW 230 / 400 3~
72904	260 x 220 x 210	Led White / RGB	Touchscreen Exterior	9 kW 230 / 400 3~
72905	300 x 250 x 210	Led White / RGB	Touchscreen Exterior	10.5 kW 230 / 400 3~

SAUNAS

Bella sauna



The Bella sauna can be made to order in the following woods:

- Standard wood: Hemlock Playwood
- Bench wood: Thermo Aspen

DESCRIPTION

- Hemlock playwood panels 14 mm.
- Curved decorative elements of Thermo Aspen 21 mm.
- Benches of thermos Aspen 21 mm.
- Secured transparent glass 8 mm.
- Harvia design sauna heater.
- Outdoor touch control panel.
- Aromatherapy/Salt Metal Bowl.
- Led light warm white 3000 K.
- Option for glass ceiling.

Dimensions (mm)	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Saunas				
180 x 180 x 210	72916	-	-	-
230 x 180 x 210	72917	-	-	-
230 x 230 x 210	72918	-	-	-
280 x 230 x 210	72919	-	-	-

Accessories

Stainless steel accessories set	70443	un.	-	-
RGB Led lighting kit with remote control	70445	un.	-	-
Outside wall finished with vertical playwood panels	To consult	lin.m	-	-
Glass roof panel	To consult	sq.m	-	-
Heater safety railing	To consult	un.	-	-

TECHNICAL FEATURES

Code	Dimensions (cm)	Light	Control Unit	Heater
72916	180 x 180 x 210	Led White / RGB	Touchscreen Exterior	6.9 kW 230 / 400 3~
72917	230 x 180 x 210	Led White / RGB	Touchscreen Exterior	6.9 kW 230 / 400 3~
72918	230 x 230 x 210	Led White / RGB	Touchscreen Exterior	10.5 kW 230 / 400 3~
72919	280 x 230 x 210	Led White / RGB	Touchscreen Exterior	10.5 kW 230 / 400 3~

Lobos sauna



The Lobos sauna can be made to order in the following woods:

- Standard wood: Hemlock Playwood
- Bench wood: Abichi

DESCRIPTION

- Hemlock playwood panels 14 mm.
- Benches of Abachi 21 mm.
- Secured transparent glass 8 mm.
- Exclusive Harvia sauna heater.
- Outdoor touch control panel.
- Led light Warm White 3000 K.

Dimensions (mm)	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Saunas				
134 x 254 x 210	72913	-	-	-
194 x 195 x 210	72914	-	-	-
254 x 254 x 210	72915	-	-	-
Accessories				
Stainless steel accessories set	70443	un.	-	-
Salt decorative elements set	70444	un.	-	-
Remote control kit for RGB LED colours	70445	un.	-	-
Outside wall finished with vertical timber panels	70447	lin.m	-	-
Roof extension	70448	sq.m	-	-
Tintes/transparent glass window	70449	sq.m	-	-


TECHNICAL FEATURES

Code	Dimensions (cm)	Light	Control Unit	Heater
72913	134 x 254 x 210	Led White / RGB	Touchscreen Exterior	6 kW 230 / 400 3~
72914	194 x 195 x 210	Led White / RGB	Touchscreen Exterior	8 kW 230 / 400 3~
72915	254 x 254 x 210	Led White / RGB	Touchscreen Exterior	9 kW 230 / 400 3~

Sauna accessories



70443



70444



70446



70447


 70450
70451


70453



70456



70457



2nd full glass side


 Heater safety
railing

TECHNICAL FEATURES

Code	Accessory type	Measure	CLASSIC	MIRAMONTE	INNSBRUCK	ST.MORITZ	LOBOS	BELLA
70443	Stainless steel sauna accessories set	un.	optional	optional	optional	optional	optional	optional
70444	Salt decorative elements set	un.	optional	optional	optional	optional	optional	N/A
70445	RGB Led lighting kit with remote control	un.	optional	optional	optional	optional	optional	optional
70446	Touchscreen control unit for sauna heater	un.	optional	Standard	Standard	Standard	Standard	Standard
70447	Outside wall finished with vertical timber panels	lin.m.	optional	optional	optional	optional	optional	optional
70448	Roof extension	sq.m.	optional	optional	optional	optional	optional	optional
70449	Tintes / transparent glass window	sq.m.	optional	optional	optional	optional	optional	optional
70450	Concealed heater for sauna up to 300 x 250 cm	un.	optional	optional	optional	optional	optional	N/A
70451	Concealed heater for sauna more than 300 x 250 cm	un.	optional	optional	optional	optional	optional	N/A
70452	Additional wall for hidden heater	lin.m.	optional	optional	optional	optional	optional	N/A
70453	Aroma dosing system	un.	optional	optional	optional	optional	optional	optional
70456	Decorative wall protection made of stones	un.	optional	optional	optional	optional	optional	N/A
70457	RGB Chromo therapy kit with remote control	un.	optional	optional	optional	optional	optional	N/A
Request	2nd full glass side	sq.m.	N/A	N/A	N/A	N/A	optional	optional
Request	Glass roof panel	sq.m.	optional	optional	optional	optional	optional	optional
Request	Heater safety railing	un.	Standard	optional	Standard	Standard	Standard	optional

Standard: Included with sauna code.

Optional: Additional code.

N/A: Not available.



Harvia Helix steam generators

DESCRIPTION

Includes control panel and temperature sensor.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Steam generator Harvia Helix				
4.5 kW	61400	1	-	-
6 kW	61401	1	-	-
9 kW	61402	1	-	-
11 kW	60327	1	-	-
15 kW	61403	1	-	-

Harvia Helix Pro steam generators

DESCRIPTION

Includes control panel, temperature sensor, automatic discharge valve and fragrance pump.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Steam generator Harvia Helix Pro				
22 kW	61404	1	-	-
30 kW	61405	1	-	-
Auto Clean Valve Harvia	60328	1	-	-



Steam Pack

DESCRIPTION

The new generation of Steam room equipment. Single unit with metal structure. Compact design. Easy and simple installation.

Description	Heating (kW)
Steam pack for room 2-5 m ³	4.5 kW 230/400V 3~
Steam pack for room 3-8 m ³	5.7 kW 230/400V 3~
Steam pack for room 6-12 m ³	9 kW 230/400V 3~
Steam pack for room 10-15 m ³	10.8 kW 230/400V 3~
Steam pack for room 12-20 m ³	15 kW 230/400V 3~
Steam pack for room 20-29 m ³	22 kW 230/400V 3~
Steam pack for room 20-29 m ³	30 kW 230/400V 3~

Harvia Vega sauna heater



DESCRIPTION

Stones included.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Harvia Vega sauna heater				
4.5 kW	61387	1	-	-
4.5 kW E	61388	1	-	-
6 kW	61389	1	-	-
6 kW E	61390	1	-	-
8 kW	60323	1	-	-
8 kW E	60325	1	-	-
9 kW	60324	1	-	-
9 kW E	60326	1	-	-



Xenio Control

DESCRIPTION

Harvia Xenio is a control unit with a touch control panel. Xenio provides a modern and subtly stylish user interface for controlling the heart of the sauna, the heater. The stylishly small yet clear touch control panel is easy to install where you want it: in the sauna, the shower room, the dressing room, or even the living room. The control panel enables you to see with just one look when your sauna is at the right temperature for you.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
XENIO 110 max. for 11kW electric heaters	-	-	-	-
XENIO 170 for up to 17 kW heaters	-	-	-	-