

RESIDENTIAL WATER TREATMENT PRODUCTS

ASTRALPOOL 

blueriiot

240 POOL CHEMICALS

- 241 Regulators
- 242 Disinfectants
- 244 Algicides
- 247 Flocculants
- 248 Cleaners
- 252 Winterising products
- 253 Kit

254 TESTERS

- 254 Blueriiot connected pool assistants
- 255 Blueriiot accessories
- 256 AstralPool water testers
- 261 Pocket gauges
- 262 Test kits and photometers

ctx[®]
pro

268 POOL CHEMICALS

- 268 Regulators
- 271 Disinfectants
- 280 Algicides
- 284 Flocculants
- 287 Cleaners
- 292 Maintenance Kit
- 293 Winterising products
- 296 SPA range

YOUR POOL CARE STARTS HERE

New AstralPool range

MAINTENANCE

THE 6 STEPS TO MAINTAIN YOUR POOL



- BALANCE** 1 adjust water parameters (pH and alkalinity)
- DISINFECTION** 2 add chlorine
- ALGICIDE** 3 algae prevention
- FLOCCULANT** 4 keep water clean and clear
- CLEANERS** 5 cleaning of pool elements
- WINTER CARE** 6 to maintain your pool in Winter

A GOOD MAINTENANCE IS THE BEST SOLUTION

However if something unexpected happens, RELAX!

CLOUDY WATER?
GREEN WATER OF ALGAE?
ITCHY EYES AND SMELL OF CHLORINE?
UNSTABLE PH?



New AstralPool range

SOLUTION
















PREPARED FOR THE UNEXPECTED

Range
MAINTENANCE
or **SOLUTION**

Product benefits

Product name + Description



Formats	Duration Efficacy in the water	Type of pools	Dose Dose per m ³
 Granulate	 Immediate	 All pools	
 Tablets	 8h	 Pools with skimmer and sand filter	
 Liquid	 Daily	 Special sand filter	
 Concentrated liquid	 10 Days	 Special liner	
 Powder	 Recovery	 Special tile	



For minimum amounts,
ask your dealer

Regulators

Solid pH Minor

ASTRALPOOL

DESCRIPTION

Solid pH reducer. For adjusting the pH to between 7.2 and 7.6.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Square packaging	1.5 kg	11384	18	600	-
Square packaging	5 kg	74651	4	720	-

Solid pH Plus

ASTRALPOOL

DESCRIPTION

Solid pH enhancer. For adjusting the pH to between 7.2 and 7.6.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Square packaging	1 kg	16538	18	400	-
Square packaging	5 kg	74896	4	720	-

Liquid pH Minor

ASTRALPOOL

DESCRIPTION

Liquid pH reducer. Ideal for dosing with a pump.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Liquid pH Minor					
	for professional use	43290	1	480	-
	for professional use	73140	1	600	-
	for end users	73664	1	480	-
	for end users	73674	1	600	-

Liquid pH Plus

ASTRALPOOL

DESCRIPTION

Liquid pH enhancer. Ideal for dosing with a pump.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	20 l	74863	1	600	-

Alkalinity enhancer

ASTRALPOOL

DESCRIPTION

Powder for increasing water alkalinity when it falls below 125 ppm.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Square packaging	6 kg	15976	4	864	-



For minimum amounts,
ask your dealer



These new codes only affect
new formulas with low boric
(European legislation)



These new codes only affect
new formulas with low boric
(European legislation)

Disinfectants

Chlorine Shock granulate

ASTRALPOOL 

DESCRIPTION

Trichloride granules with 55% free available chlorine.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Square packaging	1 kg	11393	18	400	-
Square packaging	5 kg	11394	4	720	-

Chlorine Shock 30g tablets

ASTRALPOOL 

DESCRIPTION

Trichloride 30-g tablets with 50% free available chlorine.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Square packaging	1 kg	75156	18	432	-
Square packaging	5 kg	75157	4	720	-

Chlorine Lent granulate

ASTRALPOOL 

DESCRIPTION

Trichloride granules with 90% free available chlorine.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Square packaging	1 kg	11404	18	400	-
Square packaging	5 kg	11405	4	720	-
	30 kg	11406	1	540	-

Chlorine Lent 250g tablets

ASTRALPOOL 

DESCRIPTION

Slow-dissolving 250-g trichloride blocks with 90% free available chlorine.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Square packaging	5 kg	75162	4	720	-
	25 Kg	75163	1	450	-

For minimum amounts,
ask your dealer



These new codes only affect
new formulas with low boric
(European legislation)



These new codes only affect
new formulas with low boric
(European legislation)



These new codes only affect
new formulas with low boric
(European legislation)

Disinfectants

Action 10

ASTRALPOOL 

DESCRIPTION

250-g multipurpose tablets that perform the functions of the following 10 products: disinfectant, algicide, bactericide, algaestat, virucide, fungicide, flocculant-coagulant, pH reducer, stabilizer and descaler.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Square packaging	5 kg	75158	4	720	-

Multi-action granules

ASTRALPOOL 

DESCRIPTION

Granules that act as a bactericide, algicide and flocculant.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	1 kg	15983	18	360	-
	5 kg	15984	4	720	-
	30 kg	15985	1	540	-

Multi-action 250-g tablet

ASTRALPOOL 

DESCRIPTION

Slow-dissolving, 250-g tablet that acts as an algicide, bactericide and flocculant.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Square packaging	1 kg	75159	18	540	-
Square packaging	5 kg	75160	4	720	-
	25 kg	75161	1	450	-

Special multi-purpose tablet for hard water

ASTRALPOOL 

DESCRIPTION

Solid compound in tablet form, specially formulated so that a single dose will remove bacterias, viruses and microorganisms from pool water, which prevents algae from growing, limescale from forming and keeps the water crystal clear.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	5 kg	75154	4	720	-
	25 kg	75155	1	450	-

For minimum amounts,
ask your dealer

Disinfectants

Bromine tablets

ASTRALPOOL

DESCRIPTION

Slow-dissolving 20-g bromine tablets for the continuous disinfection of pools and spas. Does not smell of chlorine. High tolerance to pH levels. Powerful disinfectant and oxidising agent.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
5 kg	16550	4	400	-
20 kg	28740	1	540	-

Chlorine stabilizer

ASTRALPOOL

DESCRIPTION

Prevents the rapid breakdown of chlorine by the sun's UV rays.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
4,5 kg	72812	4	648	-

Chlorine and bromine neutralizer

ASTRALPOOL

DESCRIPTION

For the removal of excess residual chlorine or bromine.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
6 kg	16578	4	864	-

Algicides

Algicide

ASTRALPOOL

DESCRIPTION

Prevents the formation of algae in pools.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
5 l	11417	1	640	-
25 l	11418	1	600	-

POOL CHEMICALS

For minimum amounts,
ask your dealer

Algicides

Algicide with brightener

ASTRALPOOL 

DESCRIPTION

A powerful bactericide, algicide and fungicide.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m³
5 l	11414	4	640	-
25 l	11415	1	600	-

Algicide Extra

ASTRALPOOL 

DESCRIPTION

Highly efficient non-foaming algicide that also acts as a flocculant.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m³
5 l	11423	4	640	-
25 l	11424	1	600	-

PhosFree

ASTRALPOOL 

DESCRIPTION

Concentrated product that prevents the formation of algae as a result of chemicals, garden fertilizers and other contaminating agents. It removes the phosphates on which algae feed, thus inhibiting their growth.

Suitable for use in all types of pools, filters and disinfection treatment systems.

- Is easy to use.
- Improves the performance of salt chlorinators.

Recommended use:

The concentration of phosphates should be kept below 125 ppb (parts per billion) to prevent the formation of algae.

Initial treatment for high phosphate levels:

1. Ensure the filter is clean and that the system is working properly.
2. Pour the required concentration of PhosFree in a container with water and spread the solution evenly across the surface of the pool.
3. Keep the filtration system running for at least 24 hours following application.
4. Test the phosphate level of your pool using a phosphate test kit 48 hours later. If necessary, repeat the treatment.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m³
PhosFree	1 l	65957	12	480	-
Phosphate test strips	25 strips	64291	12	-	-

TECHNICAL FEATURES

For a 50 m³ pool

Phosphate level of the pool	250 ppb	500 ppb	1000 ppb	1500 ppb
Phosfree ml	150	300	600	900



Instantly removes what
algae feed on.

Concentrated product:
lasts for 13 weeks*

* 80 ml a week for a 50 m³ pool.



64291

For minimum amounts,
ask your dealer



More power in each
drop!

Concentrated product:
25 weeks (1 l)

Algicides

Algicide Power

ASTRALPOOL

DESCRIPTION

A fast-acting compound formulated from surfactants that displays great properties as an algicide and fungicide, which therefore prevents the formation and growth of algae in pool water.

Prevention is better than cure:

Concentrated maintenance product that keeps pools free of all types of algae thanks to its powerful properties.

The revolutionary dosing cap will enable you to add exactly the amount of the product you need, thus helping you to make savings and use it more efficiently.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
1 l	63124	12	480	-

Algicide Power Plus

ASTRALPOOL

DESCRIPTION

An extra strong, fast-acting algicide with micro-flocculant properties that makes it better able to prevent the appearance of algae that live suspended in the water. Non-foaming.

Concentrated maintenance product that keeps pools free of all types of algae thanks to its powerful properties.

The revolutionary dosing cap will enable you to add exactly the amount of the product you need, thus helping you to make savings and use it more efficiently.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
1 l	63126	12	480	-



Non-foaming.

Concentrated product:
20 weeks (1 l)

AlgiStop

ASTRALPOOL

DESCRIPTION

Antialgae concentrated recovery, removes all kinds of algae, even black. Fast-acting, recommended even for liner and polyester pools (does not stain).

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
1 l	72824	5 l	640	-



For minimum amounts,
ask your dealer



The natural way to
make water clean and
transparent.

Concentrated product:
25 weeks (1 l)

* 40 ml a week for a 50 m³ pool.

Flocculants

Natural Flocculant

ASTRALPOOL 

DESCRIPTION

This natural clarifier made from chitosan (crustacean shells) is the most effective weekly treatment for preventing the formation of foam and cloudiness in pool water. It removes all traces of body oils and lotions, as well as excess metal precipitates.

Suitable for use in all types of pools and filters.

- Keeps water crystal clear, which helps the filter collect dirt.
- Removes excess metal precipitates.
- Helps make cleaning filters quicker and easier.
- Improves the performance of salt chlorinators.

Recommended use:

To keep your pool water crystal clear, treat it with the recommended dose of Natural Flocculant once a week. For home pools that are used a lot or for public pools, treat the pool water with twice or three times the recommended dose.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
1 l	65956	12	480	-

CrystalBlock - Single dose gel flocculant

ASTRALPOOL 

DESCRIPTION

The easiest way to enjoy crystal clear water. No handling or complicated dosing systems required. It has never been easier to enjoy crystal clear water. Ideal for all pool types, except ones with cartridge or diatomaceous earth filters.

The single dose gel blocks will enable you to add the exact amount of the product with next to no effort. CrystalBlock collects colloidal particles and algae spores so that they are filtered better.

- Increases filter efficiency.
- Helps keep your pool water crystal clear.
- Improves the efficiency of disinfectants.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
36 UN	67558	72	10.800	-

Liquid flocculant

ASTRALPOOL 

DESCRIPTION

Clarifies water by eliminating the colloidal particles that cause cloudiness in water.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
5 l	11388	4	640	-
25 l	11389	1	600	-



For minimum amounts,
ask your dealer



POOL CHEMICALS

Flocculants

Solid flocculant

ASTRALPOOL

DESCRIPTION

Long-lasting improvement of water transparency through permanent flocculation.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
1 kg of product in 8 bags1 kg (8 x 125 g) (8 bags of 125 g each)	11390	14	490	-

Claritab Plus

ASTRALPOOL

DESCRIPTION

Super concentrated dual action coagulant and flocculant tablets, specially formulated to obtain the best performance from sand filters. The slow dissolving and controlled action completely removes suspended particles in the water (metal ions, organic matter, etc.). Savings are made as fewer disinfectants are used.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Display 20 units Unit: 5 x 20 g	72769	20	144	-

Cleaners

Surface cleaner

ASTRALPOOL

DESCRIPTION

Extra strong descaler. Acid.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
5 l	11391	4	640	-
25 l	11392	1	600	-

Surface cleaner

for polyester and fibreglass pools

ASTRALPOOL

DESCRIPTION

It combats limescale and grease without damaging pool lining.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
5 l	16558	4	640	-

For minimum amounts,
ask your dealer

Cleaners

Gelamin

ASTRALPOOL 

DESCRIPTION

Gel descaler for pool walls and floors. Highly effective. Easy to use.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
5 l	15987	4	640	-

Water line degreaser

Non-foaming

ASTRALPOOL 

DESCRIPTION

A specially formulated compound for removing scum and dirt from pool edges and walls, and areas around them that may require cleaning.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
5 l	11426	4	640	-
25 l	11427	1	600	-

Netoline

Water line

ASTRALPOOL 

DESCRIPTION

Powerful liquid descaler with degreasing properties for cleaning the water line.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
1 l	40931	12	480	-
5 l	40932	4	640	-
25 l	40934	1	600	-

Liquid Filnet

ASTRALPOOL 

DESCRIPTION

Liquid descaler specially designed for cleaning the inside of sand filters in public pools.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
5 l	73557	4	640	-
25 l	73558	1	600	-

For minimum amounts,
ask your dealer



Cleaners

Solid Filnet



DESCRIPTION

A solid descaler for cleaning the inside of sand filters.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m³
1 kg	15988	18	600	-

Step 1 Polisher



DESCRIPTION

Stainless steel polisher and rust remover.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m³
750 ml	72847	12	576	-

Step 2 Brightener



DESCRIPTION

Product designed to care and polish stainless steel.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m³
750 ml	72848	12	576	-

Stainless steel cleaner-polish



DESCRIPTION

Stainless steel cleaner-polish. It removes stains and degreases all types of stainless steel surfaces.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m³
1 l	72845*	12	480	-
5 l	72846*	4	640	-

* New codes replace old codes 18713 and 16630.

POOL CHEMICALS

For minimum amounts,
ask your dealer



Cleaners

Surf-Clean

ASTRALPOOL 
DESCRIPTION

Surface sanitizer with a pleasant pine smell for all kinds of surfaces.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
1 l	73666	9	432	-
5 l	73667	4	640	-
25 l	73668	1	600	-



Descaler

ASTRALPOOL 
DESCRIPTION

Prevents limescale.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
5 l	11431	4	640	-



Super descaler

ASTRALPOOL 
DESCRIPTION

Highly efficient descaler. Prevents the precipitation of lime and the build-up of limescale. Prevents pipes from getting blocked.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
5 l	16555	4	640	-

For minimum amounts,
ask your dealer

Winterising products

Winterizer

ASTRALPOOL

DESCRIPTION

Prevents the proliferation of algae and bacteria in the water. Prevents water from going stagnant and the build-up of limescale. Takes the strain out of spring cleaning. Non-foaming.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
5 l	11430	4	640	-



Winterizer copper free

ASTRALPOOL

DESCRIPTION

Prevents water putrefaction and slows the growth of algae and bacteria. Compatible with all treatments. Including the PHMB.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
5 l	16553	4	640	-



More power in each
drop!

Concentrated product:
0,5 L / 40 - 50 m³

Winterizer Power

ASTRALPOOL

DESCRIPTION

Concentrated winterizer specially formulated for liner and polyester pools that will enable you to keep your pool water in top condition during winter as it prevents the formation of algae and bacteria. Saves water as it can be used from one season to the next.

The revolutionary dosing cap will enable you to add exactly the amount of the product you need, thus helping you to make savings and use it more efficiently.

At the end of the bathing season before ending regular maintenance treatment, a super-chlorination should be performed using dichlor granules.

It is advisable to repeat the process halfway through the winter season.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
1 l	63165	12	480	-



More power in each
drop!

Concentrated product:
0,5 L / 40 - 50 m³

For minimum amounts,
ask your dealer



These new codes only affect
new formulas with low boric
(European legislation)

Winterising products

Inverlong

ASTRALPOOL 

DESCRIPTION

Full treatment for pools in winter. Prevents the water from going stagnant and the proliferation of algae. Keeps the water crystal clear. Acts as a bactericide, algicide and flocculant. Comes with a floating dispenser.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
1.75 kg	75151	8	128	-

Kit



KIT-Splash

ASTRALPOOL 

DESCRIPTION

Children's pool maintenance kit. It contains 0.5 l of dichlor granules and 0.5 l of concentrated algicide.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Kit	15986	14	294	-

Blueeriot connected pool assistants

Blue Check

blueeriot



DESCRIPTION

Smart test strips (50 strips) that can be used with Blueeriot app to get advices to better treat the pool.

- pH.
- Free chlorine.
- Bromine.
- Total alkalinity.
- Total hardness.
- Cyanuric acid.
- Blueeriot Pool & spa Assistant free app.

Code	Standard Pack	Standard weight in kg	Standard volume in m ³
71664*	1	-	-
71665*	1	-	-

*71664 : Packaging in English, French, Dutch and German.

*71665 : Packaging in English, Spanish, Italian and Portuguese.

Blue Connect GO

blueeriot



DESCRIPTION

The smart connected pool assistant to get essential water parameters and advices using the Blueeriot app.

- Temperature.
- pH.
- ORP (platinum sensor for use with fresh water).
- Works with Bluetooth & Sigfox (remote access from anywhere).
- Blueeriot Pool & spa Assistant free app.
- Compatible with chlorine and bromine pools and spas. Not compatible with salt chlorinator pools and spas.
- Blueeriot Premium available upon subscription (monthly or yearly).

Code	Standard Pack	Standard weight in kg	Standard volume in m ³
73014	1	-	-

Blue Connect Plus

blueeriot



DESCRIPTION

The smart connected pool assistant to get all water parameters and premium advices using the Blueeriot app.

- Temperature.
- pH.
- ORP (gold sensor for uses with fresh and salt water).
- Conductivity (Salinity).
- Works with Bluetooth & Sigfox (remote access from anywhere).
- Up to 20 automatical measurements.
- Blueeriot Pool & spa Assistant free app.
- Blueeriot Premium lifetime included.
- Blue Fit50.
- Virtual Pool Care (pools management portal for pool pros) lifetime included.
- Compatible with chlorine, bromine and salt chlorinator pools and spas.

Code	Standard Pack	Standard weight in kg	Standard volume in m ³
71663	1	-	-

Blueriot accessories



Fit

blueeriot

DESCRIPTION

50 mm tapping saddle. For in-line installation onto plumbing (better integration and more accurate reading).

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
50 mm tapping saddle	7015C002	1	-	-

Calibration Kit

blueeriot

DESCRIPTION

For Blue Connect sensor's calibration. The calibration is recommended once a year depending of the usage.

- 2 x 20ml packets of pH4.
- 2 x 20ml packets of pH7.
- 2 x 20ml packets of ORP 468 mV.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	71666	6	-	-

Battery

blueeriot

DESCRIPTION

Battery for Blue Connect.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	7015C001	1	-	-

Sensor

blueeriot

DESCRIPTION

Sensors for Blue Connect:

- 3-in-1 sensor Pt : Compatible with chlorine, bromine pools and spas.
- 4-in-1 sensor Au : compatible with chlorine, bromine and salt pools and spas.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
4-in-1 sensor Au	7015R002	1	-	-
3-in-1 sensor Pt	7015R003	1	-	-

Extender

blueeriot

DESCRIPTION

Wi-Fi bridge. With Blue Extender, use Blue Connect with a Wi-Fi network.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	7015C004	1	-	-

AstralPool water testers



3-in-1 test strips



DESCRIPTION

Quick and easy test for free chlorine, pH and alkalinity. Contains 50 strips.

Code	Standard Pack	Standard weight in kg	Standard volume in m ³
41925	10	0.6	0.005



6-in-1 test strips



DESCRIPTION

Quick and easy test for free chlorine, pH, alkalinity, bromine, water hardness and cyanuric acid. Contains 50 strips.

Code	Standard Pack	Standard weight in kg	Standard volume in m ³
45198	10	0.6	0.005



Reagent refills



DESCRIPTION

1 OTO and 1 phenol refill.

Code	Standard Pack	Standard weight in kg	Standard volume in m ³
38638	144	8	0.037



Basic pH and chlorine test kit

Basic Line



DESCRIPTION

With OTO and phenol.

Code	Standard Pack	Standard weight in kg	Standard volume in m ³
38637	48	8	0.054

AstralPool water testers



28050



28051



16623



16610

Total chlorine and pH comparison test kit



DESCRIPTION

Comes in a modern, practical design. Packaged in a blue plastic box. Comes with OTO and liquid phenol.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	25353	25	4.8	0.019

Chlorine, bromine and pH comparison test kit



DESCRIPTION

Comes in a modern, practical design. Packaged in a blue plastic box. Comes with phenol and DPD tablets.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	26155	25	4.8	0.019

Liquid active oxygen tester



DESCRIPTION

For testing the residual liquid active oxygen in the water.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	26082	1	15.4	0.0265

Reagent refills



	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
OTO refill	15 cm ³	28050	50	2.1	0.020
Phenol refill	15 cm ³	28051	50	2.1	0.020
OTO refill	250 cm ³	16623	20	5.5	0.010
Phenol refill	250 cm ³	16624	20	5.5	0.010
1 OTO and 1 phenol refill	15 cm ³	16610	50	3.5	0.020

AstralPool water testers



Free chlorine and pH Pooltester



	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Chlorine range: 0.1-3.0 mg/l pH range: 6.8-8.2	03253	12	2.2	0.007
Chlorine range: 0.5-6.0 mg/l pH range: 6.8-8.2	01419	12	2.2	0.007

Oxygen and pH Pooltester



	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	03182	12	2.2	0.007

Bromine and pH Pooltester



	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	16374	12	2.2	0.007

Copper test kit



	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	03258	1	0.2	0.004

Pooltester refill blister pack



DESCRIPTION

20 DPD-1 tablets and 20 red phenol tablets.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	18854	30	1.4	0.010

AstralPool water testers



Except for
codes 43409
and 43408

Reagent tablets



Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Phenol reagent tablets (pH)250 units	01426	1	0.1	0.004
DPD-1 reagent tablets 250 units	01424	1	0.1	0.004
DPD-2 reagent tablets 250 units	43409	1	0.1	0.004
DPD-3 reagent tablets 250 units	01425	1	0.1	0.004
DPD-4 reagent tablets 250 units	43408	1	0.1	0.004
MPS-OUT reagent tablets 250 units (test for the amount of chlorine in the presence of Oximines)	08677	1	0.1	0.004



3-in-1 test strips: MPS



DESCRIPTION

Tests for potassium monopersulphate, pH and total alkalinity. Each pack contains 50 strips.

Code	Standard Pack	Standard weight in kg	Standard volume in m ³
57500	-	-	-



4-in-1 test strips: free chlorine



DESCRIPTION

Quick and easy test for free chlorine, pH and total alkalinity in pools treated with chlorine. Each pack contains 50 strips.

Code	Standard Pack	Standard weight in kg	Standard volume in m ³
11732	-	-	-



4-in-1 test strips: bromine



DESCRIPTION

Quick and easy test for bromine, pH and total alkalinity in pools treated with bromine. Each pack contains 50 strips.

Code	Standard Pack	Standard weight in kg	Standard volume in m ³
54467	-	-	-

AstralPool water testers

Salt test kit



DESCRIPTION

Salt test strips for checking salt levels. Salt levels must be checked on a regular basis as the water is renewed.

Code	Standard Pack	Standard weight in kg	Standard volume in m ³
07937	-	-	-

TruTest test strips



DESCRIPTION

50 TruTest 3-in-1 test strips (test for free chlorine and bromine, pH and total alkalinity).

Code	Standard Pack	Standard weight in kg	Standard volume in m ³
40817	-	-	-

Pocket gauges



Dissolved solids pocket gauge **ASTRALPOOL**

DESCRIPTION

A small, practical pocket gauge for quickly measuring the solids dissolved in the water.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	41928	1	-	-



Redox pocket gauge **ASTRALPOOL**

DESCRIPTION

A small, practical pocket gauge for quickly measuring the redox level in pool water.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	28583	1	-	-



pH pocket gauge **ASTRALPOOL**

DESCRIPTION

A small, practical pocket gauge for quickly measuring the pH level in pool water.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	43447	1	-	-



Conductivity pocket gauge **ASTRALPOOL**

DESCRIPTION

A small, practical pocket gauge for quickly measuring conductivity.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Range: 0.1-19.9 mS/cm.	43428	1	-	-

Test kits and photometers



3-in-1 photometer PC test kit

ASTRALPOOL

DESCRIPTION

- Chlorine range: 0.05–6.0 mg/l
- ph range: 6.5–8.4
- Cyanuric acid range: 0–80.0 mg/l



Code	Standard Pack	Standard weight in kg	Standard volume in m ³
54567	1	1.0	0.049

Lumiso Pooltest 3

ASTRALPOOL



DESCRIPTION

Your ideal photometer for effective management of Spas and outdoor pools.

Parameters :

- Chlorine 0 – 5 mg/L
- Chlorine 0 – 10 mg/L
- Cyanuric Acid 0 – 150 mg/L
- pH Phenol Red 6.5 – 8.4

Features Included:

- Highly accurate electronic pool tester, ideal for monitoring outdoor pools
- Lightweight kit design, with all required accessories and reagents
- USB connectivity to enable data management and compliance
- Easy to operate and quick to deliver results

Code	Standard Pack	Standard weight in kg	Standard volume in m ³
74430	1	1.0	-

TESTERS

Test kits and photometers

Lumiso Pooltest 4

ASTRALPOOL

NEW
2023

DESCRIPTION

Your ideal photometer for effective management of Spas and indoor pools.

Parameters :

- Bromine 0 – 10 mg/L
- Chlorine 0 – 5 mg/L
- Chlorine 0 – 10 mg/L
- pH Phenol Red 6.5 – 8.4
- Total Alkalinity 0 – 500 mg/L

Features Included

- Highly accurate electronic pool tester, ideal for monitoring indoor pools
- Lightweight kit design, with all required accessories and reagents
- USB connectivity to enable data management and compliance
- Easy to operate and quick to deliver results

Code	Standard Pack	Standard weight in kg	Standard volume in m ³
74431	1	1.0	-

Lumiso Pooltest 6

ASTRALPOOL

NEW
2023

DESCRIPTION

Simple and effective pool testing for service engineers and pool managers .

Parameters :

- Bromine 0 – 10 mg/L
- Calcium Hardness 0 – 500 mg/L
- Chlorine 0 – 5 mg/L
- Chlorine 0 – 10 mg/L
- Cyanuric Acid 0 – 150 mg/L
- pH Phenol Red 6.5 – 8.4
- Total Alkalinity 0 – 500 mg/L

Features Included

- Maintain water balance with Lumiso high accuracy electronic meter
- Lightweight kit design, with all required accessories and reagents
- USB connectivity to enable data management and compliance
- Easy to operate and quick to deliver results

Code	Standard Pack	Standard weight in kg	Standard volume in m ³
74432	1	1.0	-

Test kits and photometers

Pool-Control-Direct

ASTRALPOOL


DESCRIPTION

Multiparameter photometer that enables a wide range of tests to be performed that cover all pool water readings. Intended for pool dealers.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Pool-Control-Direct	41922	1	1.9	0.023

Parameters tested (the reagents required can be ordered):

Alkalinity: 10 – 500 mg/l	Total copper 0.03–5.0 mg/l
Aluminium: 0.02–0.5 mg/l	Free copper: 0.03–5.0 mg/l
Ammonia: 0.01–1.0 mg/l	Total hardness: 5–500 mg/l
Cyanuric acid: 2–200 mg/l	Phosphates: 0.03–4.0 mg/l
Biguanide: 2–100 mg/l	Iron: 0.01–1.0 mg/l
Bromine: 0.04–10.0 mg/l	Manganese: 0.001–0.03 mg/l
Calcium hardness: 5–500 mg/l	Nitrates: 0.02–20 mg/l
Chloride: 10–500 mg/l	Ozone: 0.01–2.0 mg/l
Free chlorine: 0.01–5.0 mg/l	Hydrogen peroxide: 1–100 mg/l
Total chlorine: 0.01–5.0 mg/l	pH: 6,8 – 8,4
Free chlorine released: 0.01–10 mg/l	Salt level: 0–10.000 mg/l
Total chlorine released: 0.01–10 mg/l	Sulphates: 5–200 mg/l
Chlorine range: 1–250 mg/l	

5-in-1 photometer PC test kit

ASTRALPOOL


DESCRIPTION

- Chlorine range: 0.05–6.0 mg/l
- pH range: 6.5–8.4
- Cyanuric acid range: 0–80.0 mg/l
- Alkalinity range: 5–200 mg/l
- Calcium hardness range: 50–500 mg/l

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	54568	1	1.0	0.049

Test kits and photometers

Photometer reagents

ASTRALPOOL 


03009



	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Phenol reagent tablets (pH)	250 units	03019	1	0.1	0.004
DPD-1 reagent tablets	250 units	03009	1	0.1	0.004
DPD-3 reagent tablets	250 units	03014	1	0.1	0.004
MPS-OUT reagent tablets (test for the amount of chlorine in the presence of Oximines)	250 units	08679	1	0.1	0.004
Isocyanuric acid reagent tablets	250 units	08345	1	0.1	0.004
Other reagents		Consult			

ctx[®]
pro

We know,
we take care,
we live the water.

Our formula is unique: care, technology, knowledge.
Now with a new design, clearer and more functional.



New design

Reference

Name of the product

Benefits and advantages of the product

Family & type of product

Format of the product

Usage guide



Everything you need for a healthy and perfect water in 4 steps:



Balance

Maintains water parameters
at optimal levels.

1



Disinfection

Disinfects water and
kills microorganisms.

2



Algicide

Prevents algae, preventing
their appearance.

3



Crystal Water

Removes dirt and cloudiness,
crystal clear water.

4

Take care of the elements of your
pool for a perfect efficacy.

Cleaning products



Take care of your pool
during Winter.

Winter products



And if any type of problem arises, or you need
extra care, a complete range of **CTX Solutions**.



ctx[®]
pro

The caring formula

ctxprofessional.com

Regulators





CTX 10 pH Minus

DESCRIPTION

Reduces pH values over 7.6.

- Enhances bathing comfort, preventing irritation of the eyes and mucous membranes and destruction of the skin's natural protective layer.
- Optimizes disinfectant efficacy.
- Prevents limescale.

GRANULATED	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	IMMEDIATE		150g / -0,2pH / 10m³		
	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m³
CTX 10 pH Minus	1.5 kg	03105	18	600	-
CTX 10 pH Minus	5 kg	74650	4	720	-



CTX 15 pH Minus

DESCRIPTION



Reduces pH values over 7.6.

- Enhances bathing comfort, preventing irritation of the eyes and mucous membranes and destruction of the skin's natural protective layer.
- Optimizes disinfectant efficacy.
- Prevents limescale.
- Ideal for pump dosing.



LIQUID	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	IMMEDIATE		120ml / -0,2pH / 10m³		
	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m³
CTX 15C pH Minus	10 l	28399	1	600	-
CTX 15C pH Minus	20 l	17181	1	480	-
Professional use only					



LIQUID	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	IMMEDIATE		325ml / -0,2pH / 10m³		
	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m³
CTX 15 pH Minus	10 l	73669	1	600	-
CTX 15 pH Minus	20 l	73670	1	480	-

Regulators





CTX 20 pH Plus

ctx[®]
pro

DESCRIPTION

Increases pH values under 7.2.

- Enhances bathing comfort, preventing irritation of the eyes and mucous membranes, and destruction of the skin's natural protective layer.
- Optimizes disinfectant efficacy.
- Prevents metal corrosion.

GRANULATED	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	IMMEDIATE		150g / +0,2pH / 10m ³		
	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 20 pH Plus	1 kg	16723	18	400	-
CTX 20 pH Plus	5 kg	74895	4	720	-

ctx[®]
pro



CTX 25 pH Plus

DESCRIPTION

Increases pH values under 7.2.

- Enhances bathing comfort, preventing irritation of the eyes and mucous membranes, and destruction of the skin's natural protective layer.
- Optimizes disinfectant efficacy.
- Prevents metal corrosion.
- Ideal for pump dosing.



LIQUID	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	IMMEDIATE		350ml / +0,2pH / 10m ³		
Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³	
CTX 25 pH Plus	20 l	17182	1	480	-

Regulators






CTX 21 Alka Plus

DESCRIPTION

Alkalinity has an important role as a regulatory effect of pH changes, correcting an unstable pH in the case of low alkalinity.

- Prevents pH fluctuations when alkalinity is between 125-150 ppm.
- Shores up water balance.
- Enhances bathing comfort.

GRANULATED	EFFICACY	ALL TYPES OF POOLS	DOSAGE			
	IMMEDIATE	 	180g / +10ppm / 10m³			
Format		Code	Standard Pack	Standard weight in kg	Standard volume in m³	
CTX 21 Alka Plus		6 kg	03212	4	864	-






CTX 22 Calc +

DESCRIPTION

Increases water hardness at values below 175 ppm to prevent the corrosion of pool materials.

- Water hardness should be between 175 and 300 ppm.

GRANULATED	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	IMMEDIATE	 	150g / 10ppm / 10m³		
Format	Code	Standard Pack	Standard weight in kg	Standard volume in m³	
CTX 22 Calc +	5 kg	03214	4	720	-

Disinfectants

CTX 200/gr ClorShock

DESCRIPTION

Chlorine treatment for water recovery.

- Fast-dissolving.
- High water solubility makes it quick to obtain the necessary residual chlorine amount.
- Stable chlorine, lasts longer in the water.
- Does not modify pH.



GRANULATED



EFFICACY

IMMEDIATE

ALL, SPECIALLY LINER AND POLIESTER



DOSAGE

150g / 10m³

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 200gr Clor Shock	1 kg	03135	18	400	-
CTX 200gr Clor Shock	5 kg	03137	4	720	-
CTX 200gr Clor Shock	25 kg	10905	1	450	-

CTX 250 ClorShock

DESCRIPTION

Chlorine treatment for water recovery.

- Fast-dissolving.
- The tablets have an effervescent effect ensuring swift rise in chlorine rate.
- Stable chlorine, lasts longer in the water.
- Does not modify pH.
- Recommended for use in tiled pools or in skimmer.



These new codes only affect new formulas with low boric (European legislation)

TABLET



EFFICACY

IMMEDIATE

ALL TYPES OF POOLS



DOSAGE

7 tablet / 10m³

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 250 ClorShock	1 kg	75133	18	432	-
CTX 250 ClorShock	5 kg	75134	4	720	-
CTX 250 ClorShock	25 kg	75135	1	450	-

Disinfectants



CTX 12 Chlorine-bromine neutralizer

ctx
pro

DESCRIPTION

Reduces chlorine or bromine residual excess.

- Quickly removes the disinfectant excess so bathers can enjoy the pool safely.

GRANULATED



EFFICACY

IMMEDIATE

ALL TYPES OF POOLS



DOSAGE

10g / -0.5ppm / 10m³

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 12 Chlorine-bromine neutralizer	6 kg	03211	4	576 C01



CTX 300 ClorLent

ctx
pro

DESCRIPTION

Chlorine treatment for disinfecting the pool.

- Essential for ongoing pool treatment since the disinfectant is released as the water needs it.
- Stable chlorine, lasts longer in the water.
- Suitable for shock treatments and general maintenance.

POWDER



EFFICACY

DAILY

ALL TYPES OF POOLS



DOSAGE

10g / 10m³

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 300 ClorLent	1 kg	03147	18	400 -
CTX 300 ClorLent	5 kg	03149	4	720 -
CTX 300 ClorLent	25 kg	19194	1	450 -

Disinfectants





CTX 300/gr ClorLent

ctx
pro

DESCRIPTION

Chlorine treatment for disinfecting the pool.

- Essential for ongoing pool treatment since the disinfectant is released as the water needs it.
- Stable chlorine, lasts longer in the water.
- Suitable for shock treatments and general maintenance.

GRANULATED	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	DAILY		10g / 10m³		
Format		Code	Standard Pack	Standard weight in kg	Standard volume in m³
CTX 300/gr ClorLent	1 kg	03154	18	400	-
CTX 300/gr ClorLent	5 kg	03156	4	720	-
CTX 300/gr ClorLent	25 kg	19195	1	450	-



These new codes only affect new formulas with low boric (European legislation)



CTX 370 ClorLent

ctx
pro

DESCRIPTION

Chlorine treatment for disinfecting the pool.

- Slow-dissolving and continuous disinfection.
- Stable chlorine, lasts longer in the water.
- Dosing from the skimmer or in a floating dosing device is advised. Avoid direct contact with pools made with a polyester or vinyl liner or painted pools as it can cause discolorations.

TABLET	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	WEEKLY		1 tablet / 25m ³		
Format		Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 370 ClorLent	1 kg	75136	18	540	-
CTX 370 ClorLent	5 kg	75137	4	720	-
CTX 370 ClorLent	25 kg	75138	1	450	-

Disinfectants






ctx[®]
pro

CTX 370SB ClorLent boric free

Chlorine treatment for disinfecting the pool.

- PureDrop technology:
 - 0% boric acid
 - 50% long-lasting than standard tablets
 - Leaves no residue in the water.
- Slow-dissolving and continuous disinfection.
- Stable chlorine, lasts longer in the water.
- Dosing in the skimmer or in a floating dosing device is advised. Avoid direct contact with pools made with a polyester or vinyl liner or painted pools as it can cause discolorations.

TABLET	EFFICACY	ALL TYPES OF POOLS		DOSAGE	
	7 / 10 DAYS			1 tablet / 30m ³	
	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 370SB ClorLent	4 kg	69866	4	864	-






ctx[®]
pro

CTX 120 Hypocal

Calcium hypochlorite treatment for disinfecting the pool.

- Fast-dissolving.
- Unstabilized chlorine, no cyanuric acid is added to the water.
- Suitable for shock treatments and general maintenance.

GRANULATED	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	DAILY	 	10g / 10m ³		
	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 120 Hypocal	5 kg	03130	4	360	-
CTX 120 Hypocal	25 kg	03131	1	600	-

Disinfectants


ctx
pro

CTX 400 ClorProtect

Keeps water disinfected for longer.

- Extends the disinfect action of chlorine since it prevents the rapid destruction caused by ultraviolet sunlight.
- Supplement for salt electrolysis or unstabilized chlorine treatments.
- For outdoor pools.
- Introduce the product in the skimmer or pump prefilter.

POWDER	EFFICACY	ALL TYPES OF POOLS		DOSAGE	
	IMMEDIATE			400g / 10m³	
	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 400 ClorProtect	4.5 kg	73127	4	648	-


ctx
pro

CTX 161 ClorLiquid

DESCRIPTION

Liquid chlorine for continuous water disinfection.

- Unstabilized chlorine, no cyanuric acid is added to the water.
- Suitable for shock treatments and general maintenance.

LIQUID	EFFICACY	ALL TYPES OF POOLS		DOSAGE	
	DAILY			500ml / 10m³	
	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 161 ClorLiquid	20 l	47191	1	560	-

Disinfectants



CTX 390 / gr Multiaction

ctx
pro

DESCRIPTION

Multi-action, occasional-use chlorine treatment.

- Stable chlorine, lasts longer in the water.

GRANULATED



EFFICACY

DAILY

ALL, SPECIALLY TILE POOLS



DOSAGE

15g / 10m³

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 390gr Multiaction	5 kg	07897	4	720	-
CTX 390gr Multiaction	25 kg	19196	1	450	-



These new codes only affect new formulas with low boric (European legislation)

CTX 342 Multiaction 5

ctx
pro

DESCRIPTION

Multi-action chlorine treatment for pool maintenance.

- Slow and continuous dissolution.
- Disinfection, antialgae, flocculant, coagulant, chlorine stabilizer.

TABLET



EFFICACY

WEEKLY

ALL, SPECIALLY LINER AND POLIESTER



DOSAGE

1 tablet / 25m³

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 342 Multiaction 5	1 kg	75140	18	540	-
CTX 342 Multiaction 5	5 kg	75141	4	720	-
CTX 342 Multiaction 5	25 kg	75142	1	450	-

Disinfectants

CTX 393 Multiaction 5






These new codes only affect new formulas with low boric (European legislation)

DESCRIPTION

Multi-action chlorine treatment for pool maintenance.

- Slow and continuous dissolution.
- Disinfection, antialgae, flocculant, coagulant, chlorine stabilizer.

TABLET	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	WEEKLY	 	1 tablet / 25m ³		
Format		Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 393 Multiaction 5	1 kg	75143	18	540	-
CTX 393 Multiaction 5	5 kg	75144	4	720	-
CTX 393 Multiaction 5	25 kg	75145	1	450	-






These new codes only affect new formulas with low boric (European legislation)

CTX 379 Multiaction 5

DESCRIPTION

Multi-action chlorine treatment for pool maintenance.

- Slow and continuous dissolution.
- Disinfection, antialgae, flocculant, coagulant, chlorine stabilizer.

TABLET	EFFICACY	ALL, SPECIALLY CARTIGE FILTERS		DOSAGE		
	WEEKLY	 		1 tablet / 25m ³		
Format		Code	Standard Pack	Standard weight in kg	Standard volume in m ³	
CTX 379 Multiaction 5		5 kg	75146	4	450	-

Disinfectants



These new codes only affect new formulas with low boric (European legislation)



CTX 391 Multiaction 10

ctx
 pro

DESCRIPTION

Multi-action chlorine treatment for pool maintenance.

- Slow and continuous dissolution.
- Disinfection, antialgae, algistatic, flocculant, coagulant, chlorine stabilizer, antical, metal scavenger, corrosion protector, pH reducer.

TABLET	EFFICACY	ALL TYPES OF POOLS		DOSAGE	
	WEEKLY			1 tablet / 25m ³	
Format		Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 391 Multiaction 10		75147	4	720	-



CTX 393SB Multiaction 10 Boric Free

ctx
 pro




DESCRIPTION

Multi-action chlorine treatment for pool maintenance.

- Slow and continuous dissolution.
- Disinfection, antialgae, algistatic, flocculant, coagulant, chlorine stabilizer, antical, metal scavenger, corrosion protector, pH reducer.

Pure Drop technology:

- 0% boric acid
- 50% long-lasting than standard tablets
- Leaves no residue in the water.

TABLET		EFFICACY		ALL TYPES OF POOLS		DOSAGE					
		7-10 days		 		1 tablet / 30m³					
Format		Code		Standard Pack		Standard weight in kg		Standard volume in m³			
CTX 393SB Multi action 10		4 kg		69868		4		864		-	

Disinfectants

CTX 230 Dosilong

DESCRIPTION

Floating dosing device for multi-action treatment for pool maintenance.

- Ensures ongoing and constant dosing, keeping the water disinfected and promoting an algacide and flocculant action.
- Specially designed for pools with a skimmer.
- Easy to use, no product handling.

FLOATING DISPENSER



EFFICACY

3-4 WEEKS

ALL TYPES OF POOLS



DOSAGE

1 / 50m³

These new codes only affect
new formulas with low boric
(European legislation)

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 230 Dosilong	1.75 kg	75149	6	96	-

CTX 130 Bromine

DESCRIPTION

Bromine treatment to disinfect the pool.

- Very slow-dissolving and continuous disinfection.
- Pleasant bathing, no odors.
- Does not irritate eyes.

TABLET



EFFICACY

WEEKLY

ALL TYPES OF POOLS



DOSAGE

1.0 - 3.0 ppm

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 130 Bromine	5 kg	03183	4	400	-
CTX 130 Bromine	20 kg	27129	1	540	-

Disinfectants




ctx
 pro

CTX 17 Genbrom

DESCRIPTION

Inorganic compound that transform the active chlorine generated by a salt electrolysis treatment into bromine to disinfect the pool and keep it clean and hygienically pure.

- Bromine disinfectant efficacy is not reduced in contact with organic matter.
- More pleasant bathing without irritating the eyes or unpleasant odors.
- Ideal for covered pools treated with salt electrolysis.

GRANULATED	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	IMMEDIATE		500g / 10m ³		
Format		Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 17 Genbrom		23117	4	720	-

Algicides





ctx
 pro

CTX 575 Algae destroyer

DESCRIPTION

Concentrated product that successfully removes all type of algae, including hard-to-budge black algae.

- Fast-working, long-lasting.
- Non-foaming.

LIQUID	EFFICACY	ALL, EXCEPT LINER AND POLYESTER		DOSAGE	
 CONCENTRATED	4 to 8h	 	200ml / 10m³		
	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 575 Algae destroyer	1 l	71653	12	480	-
CTX 575 Algae destroyer	3 l	71654	6	576	-

Algicides





CTX Phosfree

DESCRIPTION

Concentrated product to instantly remove algae-producing phosphates by inhibiting their growth.

- Prevents the appearance of algae.
- Compatible with all disinfectants.
- Enhances salt electrolysis output.
- With an easy-to-use dosing bottle.
- Phosphate concentration should be kept below 25ppb to prevent algae formation.



LIQUID	EFFICACY	ALL TYPES OF POOLS	DOSAGE			
 CONCENTRATED	WEEKLY		12ml / 10m³			
Format		Code	Standard Pack	Standard weight in kg	Standard volume in m ³	
CTX Phosfree		11	63108	12	480	-



CTX 500C Algastop Power

Concentrated product that prevents algae formation and growth.

- High bactericide, algaecide, and fungicide power.
- Fast-working, long-lasting.
- With an easy-to-use dosing bottle.

LIQUID	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
 CONCENTRATED	WEEKLY		8ml / 10m³		
	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m³
CTX 500C Algastop Power	1 l	63120	12	480	-

Algicides





CTX 530C Algastop Ultra Power

ctx
 pro

DESCRIPTION

Concentrated product that prevents algae formation and growth, with a flocculant effect.

- High bactericide, algaecide, and fungicide power with a microflocculant power boosting its capacity to prevent the appearance of floating algae.
- Fast-working, long-lasting.
- Non-foaming, making it ideal for pools with counterflow systems or similar, water parks, etc.
- With an easy-to-use dosing bottle.

LIQUID	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
 CONCENTRATED	WEEKLY		12ml / 10m³		
Format		Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 530C Algastop Ultra Power 1 l		63122	12	480	-





CTX 500 Algastop

ctx
 pro

DESCRIPTION

Prevents algae formation and growth.

- High bactericide, algaecide, and fungicide power.
- Fast-working, long-lasting.

LIQUID	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	WEEKLY		50ml / 10m ³		
	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 500 Algastop	5 l	03194	4	640	-
CTX 500 Algastop	25 l	03195	1	600	-

Algicides






CTX 60 AlgaStop Cristal

DESCRIPTION

Prevents algae formation and growth.

- Clarifies the water, increasing transparency.
- Keeps water blue.

LIQUID	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	WEEKLY	 	50ml / 10m ³		
Format		Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 60 AlgaStop Cristal		03190	4	640	-






CTX 530 Algastop Ultra

DESCRIPTION

Prevents algae formation and growth.

- High bactericide, algaecide, and fungicide power.
- Fast-working, long-lasting.
- Non-foaming, making it ideal for pools with counterflow systems or similar, water parks, etc.

LIQUID	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	WEEKLY	 	25ml / 10m³		
Format		Code	Standard Pack	Standard weight in kg	Standard volume in m³
CTX 530 Algastop Ultra 5 l		03204	4	640	-
CTX 530 Algastop Ultra 25 l		03205	1	600	-

Flocculants

CTX 39 Pool Gel

ctx
pro


DESCRIPTION

Single-dose flocculant gel for crystal-clear water.

- Increases filter and disinfectant efficacy.
- Easy to use, no product handling.

MONODOSE



EFFICACY

15 DAYS

ALL TYPES OF POOLS



DOSAGE

**1 MONODOSE /
up to 60m³**

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 39 Pool gel	Pack 36 un.	61363	2	7200	-
CTX 39 Pool gel (un)		61363UN		-	-

CTX Care Pods

ctx
pro


DESCRIPTION

Multifunctional water-soluble film, single-dose.

- Stops water turning cloudy.
- Prevents algae growth.
- Prevents foam generation.
- Immediate effect.
- Efficacy unaltered by possible temperature rises or pH variations.

MONODOSE



EFFICACY

WEEKLY

ALL TYPES OF POOLS



DOSAGE

**1 MONODOSE /
up to 50m³**

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX Care Pods	35 g	73119	-	816	-
CTX Care Pods (un)	35 g	73119UN	-	816	-

Flocculants



CTX Natural Flocculant



DESCRIPTION

Naturally sourced concentrate that keeps water crystal-clear.

- Removes remains of body creams and oils, foam and excess metal.
- Suitable for salt electrolysis, boosting output.
- Compatible with all disinfectants.
- Easy-clean filter.
- With an easy-to-use dosing bottle.

LIQUID	EFFICACY	ALL TYPES OF POOLS		DOSAGE	
	WEEKLY			8ml / 10m ³	
Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³	
CTX Natural Flocculant	1 l	63107	12	480	-






CTX 43 Flocculant Deluxe

DESCRIPTION

Removes the particles from the water that turn it cloudy.

- Clean, crystal-clear water.
- Fast flocculation, continuous clarification.
- Improves disinfectant output.

CARTIDGE	EFFICACY	ALL TYPES OF POOLS		DOSAGE	
	10 DAYS			1 CARTRIDGE / up to 50m ³	
Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³	
CTX 43 Flocculant Deluxe	1 kg	46664	14	490	-

Flocculants






CTX 42 Flocculant



DESCRIPTION

Removes the particles from the water that turn it cloudy.

- Improves water transparency.
- Coagulant action.
- Place tablet in skimmer.

TABLET	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	10 DAYS	 	1 TABLET UP TO 50m³		
Format		Code	Standard Pack	Standard weight in kg	Standard volume in m³
CTX 42 Flocculant 5 kg		03119	4	480	-
CTX 42 Flocculant 25 kg		03120	1	450	-




CTX 37 Xtreme Floc



DESCRIPTION

Shock treatment to completely remove particles from the water.

- For crystal-clear water.
- Slow and controlled dissolution.
- Coagulant and flocculant action.
- Improves filter and disinfectant output.
- Removes metal ions like iron and manganese and eliminates organic matter

TABLET	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	8h	 	1 TABLET / 20m ³		
Format		Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 37 Xtreme Floc		60044	8	144	-

Flocculants






CTX 41 Flocculant

DESCRIPTION

Shock treatment that removes the particles from the water that turn it cloudy.

- Clarifies the water, restoring transparency.
- Fast-acting.
- Improves disinfectant output.

LIQUID	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	8h	 	100ml / 10m³		
	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m³
CTX 41 Flocculant	5 l	03117	4	640	-
CTX 41 Flocculant	25 l	03118	1	600	-

Cleaners






CTX 51 WallCleaner Plus

DESCRIPTION

Cleans the pool basin.

- Detergent cleaner specially formulated to remove the limescale, organic residues, and mineral sediments that form over time and attach to pool surfaces.

LIQUID	EFFICACY	ALL TYPES OF POOLS		DOSAGE	
	30min			2l / 10m³	
Format		Code	Standard Pack	Standard weight in kg	Standard volume in m³
CTX 51 WallCleaner Plus		03124	4	640	-
CTX 51 WallCleaner Plus		03125	1	600	-

Cleaners






CTX 53 WallCleaner Liner



DESCRIPTION

Cleans the pool basin.

- Detergent cleaner specially formulated to remove the limescale, organic residues, and mineral sediments that form over time and attach to pool surfaces.
- Special for liner or polyester pools.

LIQUID	EFFICACY	ALL TYPES OF POOLS		DOSAGE	
	30min			2l / 10m ³	
	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 53 WallCleaner	5 l	07882	4	640	-






CTX 56 Netoline



DESCRIPTION

Cleans the waterline.

- Gel detergent specially formulated to remove oil, dirt, and limescale from pool edges, walls and surrounds as required.
- Due to gel consistency it sticks to the walls, preventing splash-back.

GEL	EFFICACY	ALL TYPES OF POOLS		DOSAGE	
	IMMEDIATE			SPONGE	
	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 56 Netoline	5 l	38811	4	640	-

Cleaners






CTX 75 Waterline Cleaner

ctx
pro

DESCRIPTION

Cleans the waterline.

- Gel detergent specially formulated to remove oil, dirt, and limescale from pool edges, walls and surrounds as required.

LIQUID	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	IMMEDIATE	 	SPONGE		
	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m³
CTX 75 Waterline Cleaner	5 l	03222	4	640	-
CTX 75 Waterline Cleaner	25 l	03223	1	800	-






CTX 70 Surfosan

ctx
pro

DESCRIPTION

Sanitizer multi-surface.

- Does not alter water parameters.
- Respectful with the surface.

LIQUID	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	IMMEDIATE	 	SPONGE		
Format		Code	Standard Pack	Standard weight in kg	Standard volume in m³
CTX 70 Surfosan	1 l	73941	9	432	-
CTX 70 Surfosan	5 l	05453	4	640	-
CTX 70 Surfosan	25 l	05454	1	600	-

Cleaners



CTX 600 Descaler

ctx
pro

DESCRIPTION

Prevents limescale.

- Removes and prevents limescale. Helps stop filters from clogging up and corrosion of metal parts in the recirculation and filter system.

LIQUID



EFFICACY

IMMEDIATE

ALL TYPES OF POOLS



DOSAGE

SPONGE

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 600 Descaler	5 l	03229	4	640	-



CTX 700 Descaler Super

ctx
pro

DESCRIPTION

Prevents limescale and iron stains.

- Prevents limescale formation on walls, ladders, bottoms and filters as a result of hard water.
- Keeps the water recirculation, pump, and heat-exchange circuits clean.
- Prevents stains forming on the basin as a result of iron in the water.
- Non-foaming.

LIQUID



EFFICACY

IMMEDIATE

ALL TYPES OF POOLS



DOSAGE

SPONGE

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 700 Descaler Super	5 l	03231	4	640	-

Cleaners






CTX 800 Inhibical

DESCRIPTION

Prevents the limescale produced by using liquid chlorine that clogs up dosing systems (dosing pumps, tubes, etc.).

- Prevents the corrosion of metal pool parts.

LIQUID	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	DAILY	 	500ml / 50 cl liquid		
Format	Code	Standard Pack	Standard weight in kg	Standard volume in m³	
CTX 800 Inhibical	5 l	20265	4	640	-






CTX 35 Descaler electrolyte cells

DESCRIPTION

Removes limescale that forms and sticks to electrodes and reduces electrochlorinator output and performance.

- Extends electrochlorinator life.

LIQUID	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	8h	 	100ml / 10m³		
Format	Code	Standard Pack	Standard weight in kg	Standard volume in m³	
CTX 35 Descaler	5 l	31127	4	640	-

Cleaners





CTX 57 Netafilter



DESCRIPTION

Cleans the inside of sand filters.

- Removes limescale caused by salts in the water and dirt deposited inside sand filters.
- Non-foaming.
- For stainless steel or sand/polyester, silex or ecoglass.

LIQUID	EFFICACY	POOLS WITH SAND FILTER	DOSAGE			
	4h / 8h		2 l / 10kg sand			
Format		Code	Standard Pack	Standard weight in kg	Standard volume in m³	
CTX 57 Netafilter		5 l	08671	4	640	-

Maintenance Kit





CTX 205 Baby Pool



DESCRIPTION

Complete kit for small inflatable or removable pools.

- Keeps the water clean without having to empty the pool
- It contains 0.5 l of dichlor granules and 0.5 l of concentrated algicide.

KIT		TYPES OF POOLS		DISINFECTION		EFFICACY		ALGICIDE		EFFICACY	
 with dispenser		 Mini Pools				DAILY				WEEKLY	
Format		Code		Standard Pack		Standard weight in kg		Standard volume in m³			
CTX 205 Baby Pool		1 uni.		03176		14		-			

Winterising products






CTX 550 WinterStar

ctx
pro

DESCRIPTION

Complete treatment in winter.

- Prevents algae and bacteria proliferation.
- Prevents the formation of lime.
- Non-foaming.

LIQUID	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	3 MONTHS	 	500ml / 10m³		
	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m³
CTX 550 WinterStar	5 l	03226	4	640	-
CTX 550 WinterStar	25 l	20906	1	600	-






CTX 551 WinterStar Liner

ctx
pro

DESCRIPTION

Complete treatment in winter.

- Prevents algae and bacteria proliferation.
- Non-foaming.

LIQUID	EFFICACY	ALL TYPES OF POOLS	DOSAGE			
	3 MONTHS	 	830ml / 10m³			
Format		Code	Standard Pack	Standard weight in kg	Standard volume in m³	
CTX 551 WinterStar Liner		5 l	17228	4	640	-

Winterising products




ctx
pro

CTX 551C WinterStar Power

DESCRIPTION

Concentrated product for complete treatment in winter.

- Prevents algae and bacteria proliferation.
- Non-foaming.
- With an easy-to-use dosing bottle.

LIQUID	EFFICACY	ALL TYPES OF POOLS	DOSAGE			
	3 MONTHS		200ml / 10m³			
Format		Code	Standard Pack	Standard weight in kg	Standard volume in m³	
CTX 551C WinterStar Power		1 l	63163	12	480	-



These new codes only affect new formulas with low boric (European legislation)




ctx
pro

CTX 235 Sleepy

DESCRIPTION

Floating dosing device for complete treatment in winter.

- Prevents algae and bacteria proliferation.
- Easy to use, no product handling.

FLOATING DISPENSER	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	3 MONTHS	 	1ml / 50m ³		
	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 235 Sleepy	1.75 kg	75150	6	96	-

SPA sensations



The performance of CTX products now available for your spa

SPA range



CTX 911 pH Minus



DESCRIPTION

Granulated product to reduce the pH of the spa water. Fast dissolution without residues.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 911 pH Minus	1 kg	75976	9	324	-



CTX 912 pH Plus



DESCRIPTION

Granulated product to increase the pH of the spa water. Fast dissolution without residues.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 912 pH Plus	1 kg	75977	9	324	-



CTX 913 Hardness Stabilizer



DESCRIPTION

Liquid to prevent limescale. Prevents stains and save water from becoming cloudy.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 913 hardness stabilizer	1 l	75978	9	324	-



CTX 921 Bromine Tablets



DESCRIPTION

Bromine tablets for water disinfection without smell and with a long-lasting effect.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 921 bromine tablets	1 kg	75979	9	324	-

SPA range



CTX 922 Granulate Chlorine

ctx[®]
pro

NEW
2023

DESCRIPTION

Chlorine granules to disinfect and guarantee hygienic spa water.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 922 granulate chlorine	1 kg	75980	9	324	-



CTX 931 Clarifyer

ctx[®]
pro

NEW
2023

DESCRIPTION

Concentrated liquid to prevent cloudy water problems in the spa. For all types of filters.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 931 clarifyer	1 l	75981	9	324	-



CTX 932 Anti Foam

ctx[®]
pro

NEW
2023

DESCRIPTION

Liquid to remove spa foam. Fast and effective action.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 931 anti foam	1 l	75985	9	324	-



CTX 941 Filter Cleaner

ctx[®]
pro

NEW
2023

DESCRIPTION

Liquid for cleaning cartridge filters.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 941 filter cleaner	1 l	75982	9	324	-

SPA range



CTX 942 Surface Cleaner



DESCRIPTION

Concentrated liquid for cleaning the interior lining of spas. For all types of surfaces.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 942 surface cleaner	1 l	75983	9	324	-



CTX 943 Pipework Cleaner



DESCRIPTION

Liquid to degrease and clean hydraulic circuit.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 943 Pipework Cleaner	1 l	75984	9	324	-



CTX 961 Test Strips



DESCRIPTION

Strips to determine the pH value, chlorine, bromine, alkalinity and hardness of the spa water..

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 961 test strips	-	75986	-	-	-



CTX 971 Kit Bromine



DESCRIPTION

Kit for the disinfection of spa water with bromine.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
CTX 971 Kit Bromine	-	75987	72	288	-

COMMERCIAL SOLUTIONS

WATER TREATMEN T PRODUCTS

189 POOL CHEMICALS ASTRALPOOL

- 189 Regulators
- 190 Disinfectants
- 192 Algicides
- 192 Flocculants
- 193 Cleaners
- 195 Winterising products

196 TESTERS

- 196 Pocket gauges
- 196 Test kits and photometers

200 POOL CHEMICALS CTX

- 200 Regulators
- 202 Disinfectants
- 206 Algicides
- 207 Flocculants
- 208 Cleaners
- 209 Winterising products

YOUR POOL CARE STARTS HERE

New AstralPool range

MAINTENANCE

THE 6 STEPS TO MAINTAIN YOUR POOL



- BALANCE** 1 adjust water parameters (pH and alkalinity)
- DISINFECTION** 2 add chlorine
- ALGICIDE** 3 algae prevention
- FLOCCULANT** 4 keep water clean and clear
- CLEANERS** 5 cleaning of pool elements
- WINTER CARE** 6 to maintain your pool in Winter

A GOOD MAINTENANCE IS THE BEST SOLUTION

However if something unexpected happens, RELAX!

CLOUDY WATER?
GREEN WATER OF ALGAE?
ITCHY EYES AND SMELL OF CHLORINE?
UNESTABLE PH?



New AstralPool range

SOLUTION

PREPARED FOR THE UNEXPECTED



Range
MAINTENANCE
or **SOLUTION**

Product benefits

Product name + Description



Formats	Duration Efficacy in the water	Type of pools	Dose Dose per m ³
Granulate	Immediate	All pools	
Tablets	8h	pools with skimmer and sand filter	
Liquid	Daily	Special sand filter	
Concentrated liquid	10 Days	Special liner	
Powder	Recovery	Special tile	

For minimum amounts,
ask your dealer



POOL CHEMICALS ASTRALPOOL

REGULATORS

SOLID PH MINOR



Solid pH reducer. For adjusting the pH to between 7.2 and 7.6.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Square packaging	5 kg	74651	4	720	-
Special product under order	-	-	-	-	-

SOLID PH PLUS



Solid pH enhancer. For adjusting the pH to between 7.2 and 7.6.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Square packaging	5 kg	74896	4	720	-
Special product under order	-	-	-	-	-

LIQUID PH MINOR



Liquid pH reducer. Ideal for dosing with a pump.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
For professional use only	10 l	43290	1	400	-
For professional use only	20 l	73140	1	600	-

LIQUID PH PLUS

Liquid pH enhancer. Ideal for dosing with a pump.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	20 l	74863	1	600	-

ALKALINITY ENHANCER



Powder for increasing water alkalinity when it falls below 125 ppm.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Square packaging	6 kg	15976	4	864	-
Special product under order	-	-	-	-	-

For minimum amounts,
ask your dealer



POOL CHEMICALS ASTRALPOOL

DISINFECTANTS

CHLORINE SHOCK GRANULATE



Dichloride granules with 55% free available chlorine.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Square packaging	5 kg	11394	4	720	-
Special product under order	25 kg	-	-	-	-

CHLORINE LENT GRANULATE



Trichloride granules with 90% free available chlorine.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	30 kg	11406	1	540	-



CHLORINE LENT 250G TABLETS



Slow-dissolving 250 g trichloride blocks with 90% free available chlorine.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	25 kg	75163	1	450	-



These new codes only
affect new formulas with
low boric (European
legislation)

For minimum amounts,
ask your dealer



These new codes only
affect new formulas with
low boric (European
legislation)



POOL CHEMICALS ASTRALPOOL

DISINFECTANTS

MULTI-ACTION GRANULES



Granules that act as a bactericide, algicide and flocculant.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
30 kg	15985	1	540	-

MULTI-ACTION 250-G TABLET



Slow-dissolving, 250 g tablet that acts as an algicide, bactericide and flocculant.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Square packaging	5 kg	4	720	-
	25 kg	1	450	-

BROMINE TABLETS



Slow-dissolving 20 g bromine tablets for the continuous disinfection of pools and spas. Does not smell of chlorine. High tolerance to pH levels. Powerful disinfectant and oxidising agent.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
20 kg	28740	1	540	-

CHLORINE STABILIZER



Prevents the rapid breakdown of chlorine by the sun's UV rays.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
4.5 kg	72812	4	480	-

The transition to the new brand's visuals may take some time. It is possible to get products with visuals which have not yet been updated.

For minimum amounts,
ask your dealer



POOL CHEMICALS ASTRALPOOL

ALGICIDES

ALGICIDE



Prevents the formation of algae in pools.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
25 l	11418	1	600	-

ALGICIDE WITH BRIGHTENER



A powerful bactericide, algicide and fungicide.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
25 l	11415	1	600	-

POOL CHEMICALS ASTRALPOOL

FLOCCULANTS

LIQUID FLOCCULANT



Clarifies water by eliminating the colloidal particles that cause cloudiness in water.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
25 l	11389	1	600	-

For minimum amounts,
ask your dealer



POOL CHEMICALS ASTRALPOOL

CLEANERS

SURFACE CLEANER



Extra strong descaler. Acid.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	25 l	11392	1	600	-

SURFACE CLEANER

for polyester and fibreglass pools



It combats limescale and grease without damaging pool lining.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	5 l	16558	4	640	-
Special product under order	25 l	-	-	-	-



WATER LINE DEGREASER Non-foaming



A specially formulated compound for removing scum and dirt from pool edges and walls, and areas around them that may require cleaning.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	25 l	11427	1	600	-



For minimum amounts,
ask your dealer



POOL CHEMICALS ASTRALPOOL

CLEANERS

NETOLINE Water line



Powerful liquid descaler with degreasing properties for cleaning the water line.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
25 l	40934	1	600	-

LIQUID FILNET



Liquid descaler specially designed for cleaning the inside of sand filters in public pools.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
25 l	73558	1	600	-

STAINLESS STEEL CLEANER-POLISH



Stainless steel cleaner-polish. It removes stains and degreases all types of stainless steel surfaces.

Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
5 l	72846*	4	640	-

* New codes replace old codes 18713 and 16630.

POOL CHEMICALS ASTRALPOOL

WINTERISING PRODUCTS



WINTERIZER



Prevents the proliferation of algae and bacteria in the water. Prevents water from going stagnant and the build-up of limescale. Takes the strain out of spring cleaning. Non-foaming.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	5 l	11430	4	640	-
Special product under order	25 l	-	-	-	-



WINTERIZER COPPER FREE



Prevents water putrefaction and slows the growth of algae and bacteria. Compatible with all treatments. Including the PHMB.

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	5 l	16553	4	640	-
Special product under order	25 l	-	-	-	-

More power in each drop!
Concentrated product:
0.5 L / 40 - 50 m³

TESTERS

POCKET GAUGES



DISSOLVED SOLIDS POCKET GAUGE

ASTRALPOOL

A small, practical pocket gauge for quickly measuring the solids dissolved in the water.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	41928	1	-	-



REDOX POCKET GAUGE

ASTRALPOOL

A small, practical pocket gauge for quickly measuring the redox level in pool water.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	28583	1	-	-



PH POCKET GAUGE

ASTRALPOOL

A small, practical pocket gauge for quickly measuring the pH level in pool water.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	43447	1	-	-



CONDUCTIVITY POCKET GAUGE

ASTRALPOOL

A small, practical pocket gauge for quickly measuring conductivity.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Range: 0.1-19.9 mS/cm.	43428	1	-	-

TESTERS

TEST KITS AND PHOTOMETERS



3-IN-1 PHOTOMETER

ASTRALPOOL

- Chlorine: 0.01-5.0 mg/l
- Isocyanuric acid 2-200 mg/l
- pH: 6.8 - 8.4

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	47189	1	1.0	0.049



6-IN-1 PHOTOMETER

ASTRALPOOL

- Chlorine range: 0.01-5.0 mg/l
- pH range: 6.8-8.4
- Isocyanuric acid 2-200 mg/l
- Calcium hardness: 5-500 mg/l
- Bromine: 0.01-5.0 mg/l
- Alkalinity: 10-500 mg/l

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	47190	1	1.0	0.049

The transition to the new brand's visuals may take some time. It is possible to get products with visuals which have not yet been updated.

TESTERS

TEST KITS AND PHOTOMETERS



3-IN-1 PHOTOMETER PC TEST KIT

ASTRALPOOL

- Chlorine range: 0.05–6.0 mg/l
- ph range: 6.5–8.4
- Cyanuric acid range: 0–80.0 mg/l

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	54567	1	1.0	0.049

POOL-CONTROL-DIRECT

ASTRALPOOL

Multiparameter photometer that enables a wide range of tests to be performed that cover all pool water readings. Intended for pool dealers.

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Pool-Control-Direct	41922	1	1.9	0.023

Parameters tested (the reagents required can be ordered):

Alkalinity: 10 – 500 mg/l	Total copper 0.03–5.0 mg/l
Aluminium: 0.02–0.5 mg/l	Free copper: 0.03–5.0 mg/l
Ammonia: 0.01–1.0 mg/l	Total hardness: 5–500 mg/l
Cyanuric acid: 2–200 mg/l	Phosphates: 0.03–4.0 mg/l
Biguanide: 2–100 mg/l	Iron: 0.01–1.0 mg/l
Bromine: 0.04–10.0 mg/l	Manganese: 0.001–0.03 mg/l
Calcium hardness: 5–500 mg/l	Nitrates: 0.02–20 mg/l
Chloride: 10–500 mg/l	Ozone: 0.01–2.0 mg/l
Free chlorine: 0.01–5.0 mg/l	Hydrogen peroxide: 1–100 mg/l
Total chlorine: 0.01–5.0 mg/l	pH: 6.8 – 8.4
Free chlorine released: 0.01–10 mg/l	Salt level: 0–10.000 mg/l
Total chlorine released: 0.01–10 mg/l	Sulphates: 5–200 mg/l
Chlorine range: 1–250 mg/l	

5-IN-1 PHOTOMETER PC TEST KIT

ASTRALPOOL

- Chlorine range: 0.05–6.0 mg/l
- ph range: 6.5–8.4
- Cyanuric acid range: 0–80.0 mg/l
- Alkalinity range: 5–200 mg/l
- Calcium hardness range: 50–500 mg/l

	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
	54568	1	1.0	0.049

PHOTOMETER REAGENTS

ASTRALPOOL

	Format	Code	Standard Pack	Standard weight in kg	Standard volume in m ³
Phenol reagent tablets (pH)	250 units	03019	1	0.1	0.004
DPD-1 reagent tablets	250 units	03009	1	0.1	0.004
DPD-3 reagent tablets	250 units	03014	1	0.1	0.004
MPS-OUT reagent tablets	250 units	08679	1	0.1	0.004
(test for the amount of chlorine in the presence of Oximines)					
Isocyanuric acid reagent tablets	250 units	08345	1	0.1	0.004
Other reagents		Consult			

The transition to the new brand's visuals may take some time. It is possible to get products with visuals which have not yet been updated.

ctx[®] pro

We know, we take care, we live the water.

Our formula is unique: care, technology, knowledge.
Now with a new design, clearer and more functional.



New design

Reference

Name of the product

Benefits and advantages of the product

Family & type of product



Format of the product

Usage guide



Everything you need for a healthy and perfect water in 4 steps:



Balance

Maintains water parameters at optimal levels.

1



Disinfection

Disinfects water and kills microorganisms.

2



Algicide

Prevents algae, preventing their appearance.

3



Crystal Water

Removes dirt and cloudiness, crystal clear water.

4

Take care of the elements of your pool for a perfect efficacy.

Cleaning products



Take care of your pool during Winter.

Winter products



And if any type of problem arises, or you need extra care, a complete range of **CTX Solutions**.



ctx[®] pro

The caring formula

ctxprofessional.com

POOL CHEMICALS CTX




REGULATORS

ctx[®]
pro

CTX 10 PH MINUS

Reduces pH values over 7.6.

- Enhances bathing comfort, preventing irritation of the eyes and mucous membranes and destruction of the skin's natural protective layer.
- Optimizes disinfectant efficacy.
- Prevents limescale.



GRANULATED	EFFICACY	ALL TYPES OF POOLS		DOSAGE	
	IMMEDIATE			150g / -0.2pH / 10m³	
	Format	Code	Standard Pack	Pallet weight Kg	Standard volume in m³
CTX 10 pH Minus	5 kg	74650	4	720	-

ctx[®]
pro

CTX 15 PH MINUS

Reduces pH values over 7.6.

- Enhances bathing comfort, preventing irritation of the eyes and mucous membranes and destruction of the skin's natural protective layer.
- Optimizes disinfectant efficacy.
- Prevents limescale.
- Ideal for pump dosing.

LIQUID	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	IMMEDIATE		120ml / -0.2pH / 10m³		
	Format	Code	Standard Pack	Pallet weight Kg	Standard volume in m³
CTX 15 pH Minus	10 l	28399	1	600	-
CTX 15 pH Minus	20 l	17181	1	400	-

Professional use only

POOL CHEMICALS CTX




REGULATORS

ctx[®]
pro

CTX 20 PH PLUS

Increases pH values under 7.2.

- Enhances bathing comfort, preventing irritation of the eyes and mucous membranes, and destruction of the skin's natural protective layer.
- Optimizes disinfectant efficacy.
- Prevents metal corrosion.




GRANULATED	EFFICACY	ALL TYPES OF POOLS		DOSAGE	
	IMMEDIATE			150g / -0.2pH / 10m³	
	Format	Code	Standard Pack	Pallet weight Kg	Standard volume in m³
CTX 20 pH Plus	5 kg	74895	4	720	-

ctx[®]
pro

CTX 25 PH PLUS

Increases pH values under 7.2.

- Enhances bathing comfort, preventing irritation of the eyes and mucous membranes, and destruction of the skin's natural protective layer.
- Optimizes disinfectant efficacy.
- Prevents metal corrosion.
- Ideal for pump dosing.

LIQUID	EFFICACY	ALL TYPES OF POOLS		DOSAGE	
	IMMEDIATE	 		350ml / -0.2pH / 10m ³	
	Format	Code	Standard Pack	Pallet weight LT	Standard volume in m ³
CTX 25 pH Plus	20 l	17182	1	480	-



POOL CHEMICALS CTX

DISINFECTANTS




ctx[®]
pro

CTX 200/GR CLORSHOCK

Chlorine treatment for water recovery.

- Fast-dissolving.
- High water solubility makes it quick to obtain the necessary residual chlorine amount.
- Stable chlorine, lasts longer in the water.
- Does not modify pH.



GRANULATED	EFFICACY	ALL, SPECIALLY LINER AND POLIESTER		DOSAGE	
	IMMEDIATE			150g / 10m³	
	Format	Code	Standard Pack	Pallet weight Kg	Standard volume in m ³
CTX 200gr Clor Shock	25 kg	10905	1	450	-




ctx[®]
pro

CTX 300 CLORLENT

Chlorine treatment for disinfecting the pool.

- Essential for ongoing pool treatment since the disinfectant is released as the water needs it.
- Stable chlorine, lasts longer in the water.
- Suitable for shock treatments and general maintenance.



POWDER	EFFICACY	ALL TYPES OF POOLS		DOSAGE	
	DAILY			10g / 10m³	
	Format	Code	Standard Pack	Pallet weight Kg	Standard volume in m ³
CTX 300 ClorLent	25 kg	19194	1	450	-




ctx[®]
pro

CTX 300/GR CLORLENT

Chlorine treatment for disinfecting the pool.

- Essential for ongoing pool treatment since the disinfectant is released as the water needs it.
- Stable chlorine, lasts longer in the water.
- Suitable for shock treatments and general maintenance.



GRANULATED	EFFICACY	ALL TYPES OF POOLS		DOSAGE	
	DAILY			10g / 10m³	
	Format	Code	Standard Pack	Pallet weight Kg	Standard volume in m ³
CTX 300/gr ClorLent	25 kg	19195	1	450	-

POOL CHEMICALS CTX

DISINFECTANTS




ctx^{pro}

These new codes only affect new formulas with low boric (European legislation)

CTX 370 CLORLENT

Chlorine treatment for disinfecting the pool.

- Slow-dissolving and continuous disinfection.
- Stable chlorine, lasts longer in the water.
- Dosing from the skimmer or in a floating dosing device is advised. Avoid direct contact with pools made with a polyester or vinyl liner or painted pools as it can cause discolorations.




TABLET	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	WEEKLY	 	1 tablet / 25m ³		
Format	Code	Standard Pack	Pallet weight Kg	Standard volume in m ³	
CTX 370 ClorLent	25 kg	75138	1	450	-

ctx^{pro}

CTX 120 HYPOCAL

Calcium hypochlorite treatment for disinfecting the pool.

- Fast-dissolving.
- Unstabilized chlorine, no cyanuric acid is added to the water.
- Suitable for shock treatments and general maintenance.




GRANULATED	EFFICACY	ALL TYPES OF POOLS		DOSAGE	
	DAILY			10g / 10m³	
	Format	Code	Standard Pack	Pallet weight Kg	Standard volume in m³
CTX 120 Hypocal	25 kg	03131	1	450	-

ctx^{pro}

CTX 400 CLORPROTECT

Keeps water disinfected for longer.

- Extends the disinfect action of chlorine since it prevents the rapid destruction caused by ultraviolet sunlight.
- Supplement for salt electrolysis or unstabilized chlorine treatments.
- For outdoor pools.
- Introduce the product in the skimmer or pump prefilter.

POWDER	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	IMMEDIATE	 	400g / 10m ³		
Format	Code	Standard Pack	Pallet weight Kg	Standard volume in m ³	
CTX 400 ClorProtect	4.5 kg	73127	4	648	-

The transition to the new brand's visuals may take some time. It is possible to get products with visuals which have not yet been updated.



POOL CHEMICALS CTX




DISINFECTANTS

ctx^{pro}

CTX 161 CLORLIQUID

Liquid chlorine for continuous water disinfection.

- Unstabilized chlorine, no cyanuric acid is added to the water.
- Suitable for shock treatments and general maintenance.




LIQUID	EFFICACY	ALL TYPES OF POOLS		DOSAGE	
	DAILY	 		500ml / 10m ³	
	Format	Code	Standard Pack	Pallet weight Kg	Standard volume in m ³
CTX 161 ClorLiquid	20 l	47191	1	560	-

ctx^{pro}

CTX 390 MULTIACTION

Multi-action, occasional-use chlorine treatment.

- Stable chlorine, lasts longer in the water.




GRANULATED	EFFICACY	ALL, SPECIALLY TILE POOLS		DOSAGE	
	DAILY	 		15g / 10m ³	
	Format	Code	Standard Pack	Pallet weight Kg	Standard volume in m ³
CTX 390 Multiaction	25 kg	19196	1	450	-

ctx^{pro}

CTX 342 MULTIACTION 5

Multi-action chlorine treatment for pool maintenance.

- Slow and continuous dissolution.
- Disinfection, antialgae, flocculant, coagulant, chlorine stabilizer.

TABLET	EFFICACY	ALL, SPECIALLY LINER AND POLIESTER		DOSAGE	
	WEEKLY	 		1 tablet / 25m ³	
	Format	Code	Standard Pack	Pallet weight Kg	Standard volume in m ³
CTX 342 Multiaction 5	25 kg	75142	1	450	-

These new codes only affect new formulas with low boric (European legislation)

POOL CHEMICALS CTX

DISINFECTANTS

ctx^{pro}

CTX 393 MULTIACTION 5

Multi-action chlorine treatment for pool maintenance.

- Slow and continuous dissolution.
- Disinfection, antialgae, flocculant, coagulant, chlorine stabilizer.

TABLET	EFFICACY	ALL TYPES OF POOLS	DOSAGE
	WEEKLY		1 tablet / 25m ³

These new codes only affect new formulas with low boric (European legislation)

	Format	Code	Standard Pack	Pallet weight Kg	Standard volume in m ³
CTX 393 Multiaction 5	25 kg	75145	1	450	-

ctx^{pro}

CTX 130 BROMINE

Bromine treatment to disinfect the pool.

- Very slow-dissolving and continuous disinfection.
- Pleasant bathing, no odors.
- Does not irritate eyes.

TABLET	EFFICACY	ALL TYPES OF POOLS	DOSAGE
	WEEKLY		1.0 - 3.0 ppm

	Format	Code	Standard Pack	Pallet weight Kg	Standard volume in m ³
CTX 130 Bromine	20 kg	27129	1	540	-

POOL CHEMICALS CTX

ALGICIDES




ctx^{pro}

CTX PHOSFREE

Concentrated product to instantly remove algae-producing phosphates by inhibiting their growth.

- Prevents the appearance of algae.
- Compatible with all disinfectants.
- Enhances salt electrolysis output.
- With an easy-to-use dosing bottle.
- Phosphate concentration should be kept below 25ppb to prevent algae formation.



LIQUID	EFFICACY	ALL TYPES OF POOLS		DOSAGE	
 CONCENTRATED	WEEKLY	 		12ml / 10m³	
Format		Code	Standard Pack	Pallet LT	Standard volume in m ³
CTX Phosfree		63108	12	480	-




CTX 500 ALGASTOP

ctx^{pro}

Prevents algae formation and growth.

- High bactericide, algaecide, and fungicide power.
- Fast-working, long-lasting.



LIQUID	EFFICACY	ALL TYPES OF POOLS		DOSAGE	
 CONCENTRATED	WEEKLY	 		50ml / 10m³	
Format		Code	Standard Pack	Pallet LT	Standard volume in m ³
CTX 500 Algastop	25 l	03195	1	600	-




CTX 60 ALGASTOP CRISTAL

ctx^{pro}

Prevents algae formation and growth.

- Clarifies the water, increasing transparency.
- Keeps water blue.



LIQUID	EFFICACY	ALL TYPES OF POOLS		DOSAGE	
 CONCENTRATED	WEEKLY	 		50ml / 10m³	
Format		Code	Standard Pack	Pallet LT	Standard volume in m ³
CTX 60 Algastop Cristal	5 l	03190	4	640	-
Special product under order	25 l	-	-	-	-

POOL CHEMICALS CTX

ALGICIDES

ctx^{pro}

CTX 530 ALGASTOP ULTRA

Prevents algae formation and growth.

- High bactericide, algaecide, and fungicide power.
- Fast-working, long-lasting.
- Non-foaming, making it ideal for pools with counterflow systems or similar, water parks, etc.



LIQUID	EFFICACY	ALL TYPES OF POOLS		DOSAGE	
	WEEKLY			25ml / 10m ³	
	Format	Code	Standard Pack	Pallet LT	Standard volume in m ³
CTX 500C Algastop Power	25 l	03205	1	600	-

POOL CHEMICALS CTX

FLOCCULANTS

ctx^{pro}

CTX 42 FLOCCULANT

Removes the particles from the water that turn it cloudy.

- Improves water transparency.
- Coagulant action.
- Place tablet in skimmer.



TABLET	EFFICACY	ALL TYPES OF POOLS		DOSAGE	
	10 DAYS			1 TABLET UP TO 50m ³	
	Format	Code	Standard Pack	Pallet weight Kg	Standard volume in m ³
CTX 42 Flocculant	25 kg	03120	1	450	-

CTX 41 FLOCCULANT

ctx^{pro}

Shock treatment that removes the particles from the water that turn it cloudy.

- Clarifies the water, restoring transparency.
- Fast-acting.
- Improves disinfectant output.



LIQUID	EFFICACY	ALL TYPES OF POOLS		DOSAGE	
	8h			100ml / 10m ³	
	Format	Code	Standard Pack	Pallet weight Kg	Standard volume in m ³
CTX 41 Flocculant	25 l	03118	1	600	-



POOL CHEMICALS CTX




CLEANERS

ctx^{pro}

CTX 51 WALLCLEANER PLUS

Cleans the pool basin.

- Detergent cleaner specially formulated to remove the limescale, organic residues, and mineral sediments that form over time and attach to pool surfaces.




LIQUID	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	30min	 	2l / 10m ³		
	Format	Code	Standard Pack	Pallet LT	Standard volume in m ³
CTX 51 WallCleaner Plus	25 l	03125	1	600	-

ctx^{pro}

CTX 75 WATERLINE CLEANER

Cleans the waterline.

- Gel detergent specially formulated to remove oil, dirt, and limescale from pool edges, walls and surrounds as required.




LIQUID	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	IMMEDIATE	 	SPONGE		
	Format	Code	Standard Pack	Pallet LT	Standard volume in m³
CTX 75 Waterline Cleaner	25 l	03223	1	600	-

ctx^{pro}

CTX 70 SURFOSAN

Sanitizer multi-surface.

- Does not alter water parameters.
- Respectful with the surface.

LIQUID	EFFICACY	ALL TYPES OF POOLS	DOSAGE		
	IMMEDIATE	 	SPONGE		
	Format	Code	Standard Pack	Pallet weight Kg	Standard volume in m ³
CTX 70 Surfosan	25 l	05454	1	600	-

POOL CHEMICALS CTX

CLEANERS





CTX 57 NETAFILTER

ctx[®]
pro

Cleans the inside of sand filters.

- Removes limescale caused by salts in the water and dirt deposited inside sand filters.
- Non-foaming.
- For stainless steel or sand/polyester, silex or ecoglass.

LIQUID		EFFICACY		POOLS WITH SAND FILTER		DOSAGE	
		4h / 8h				2 l / 10kg sand	
Format		Code		Standard Pack		Pallet LT	
Standard volume in m³							
CTX 57 Netafilter		5 l		08671		4	
						640	
						-	

POOL CHEMICALS CTX

WINTERISING PRODUCTS






CTX 550 WINTERSTAR

ctx[®]
pro

Complete treatment in winter.

- Prevents algae and bacteria proliferation.
- Prevents the formation of lime.
- Non-foaming.

LIQUID	EFFICACY	ALL TYPES OF POOLS		DOSAGE	
	3 MONTHS			500ml / 10m³	
Format		Code	Standard Pack	Pallet weight Kg	Standard volume in m³
CTX 550 WinterStar		20906	1	600	-





CTX 551 WINTERSTAR LINER

ctx[®]
pro

Complete treatment in winter.

- Prevents algae and bacteria proliferation.
- Non-foaming.

LIQUID	EFFICACY	ALL TYPES OF POOLS	DOSAGE			
	3 MONTHS		830ml / 10m³			
Format		Code	Standard Pack	Pallet weight Kg	Standard volume in m³	
CTX 551 WinterStar Liner		5 l	17228	4	640	-
Special product under order		25 l	-	-	-	-