



WATER FEATURES

Water Descent

Five models for different water effects

MAKE YOUR POOL ALIVE!

Water Descent is one of the most beautiful ornamental features for your pool or spa. Creating a water movement in your pool, it may be adjusted from a peaceful sheet of water falling into the pool, to a relaxing water massage for your back, adding elegance and style to your pool. Available in five different models, you can enjoy different water effects and trajectories, from our standard waterfall, to rain sheer or arc trajectory.

With the optional RGB LED strip, the unit provides you vibrant colorful waterfall which adds visual interest and soothing sound of flowing water to your landscape.

LED Strip Power

12V DC

Remote Control


10 Lighting Patterns

Widths

25/150 mm

Lengths

300/600/900/1200mm



Features:

1. Available in two different widths: 25 mm and 150 mm, they are suitable for different wall sizes.
2. Four different lengths: 300 mm, 600 mm, 900 mm, and 1200mm.
3. LED strip is powered by external 12V DC, which is safe and reliable.
4. The LEDs can be operated through panel or remote control and 10 lighting patterns are available.
5. Multiple water descents can share the same controller for synchronized color effects.



LED Water Descent Control Box

Instead of using fiber optics, the LED strip is built into the unit placing the light source as close as possible to the waterfall. This design creates a wonderful illumination to the water falling into the pool.


10 pre-programmed LED lighting effects allow you to create the best luminous water features in your hands.

5 different models available for different water effects:


1. PB Series: Sheet of water with standard trajectory.
2. PBA Series: Sheet of water with arc trajectory.
3. PBS Series: Sheet of water with sheer trajectory.
4. RA Series: Rain fall effect with arc trajectory.
5. RS Series: Rain fall effect with sheer trajectory.




VIBRANT COLORFUL WATERFALL




PB Series




PBA Series



PBS Series



RA Series





RS Series

Production information

Code: 08080035
Model: WTD-CB
Input power: 110-220V AC $\pm$ 15%; 50/60Hz
Output power: 12V DC: 60W
With remote controller


PB Series

This model provides an excellent water effect with a fine sheet of water falling like a mountain spring waterfall



Product Information and Dimensions



Code (LED)	Model (LED)	Code	Model	A(mm)	B(mm)	C(mm)	D(mm)	Remark
88480101	PB300-25(L)	88485001	PB300-25	306	138	76	25	12V DC 4W
88480102	PB300-150(L)	88485002	PB300-150		263		150	
88480111	PB600-25(L)	88485011	PB600-25	606	138	76	25	12V DC 8W
88480112	PB600-150(L)	88485012	PB600-150		263		150	
88480121	PB900-25(L)	88485021	PB900-25	906	138	76	25	12V DC 12W
88480122	PB900-150(L)	88485022	PB900-150		263		150	
88480131	PB1200-25(L)	88485031	PB1200-25	1206	138	76	25	12V DC 16W
88480132	PB1200-150(L)	88485032	PB1200-150		263		150	



PBA & PBS Series


PBA Series

The water descent produces a beautiful arc of water before projecting away from the pool wall and falling the pool creating a relaxing sound of water and a hypnotized scenario, especially at night.





Product Information and Dimensions

Code (LED)	Model (LED)	Code	Model	A(mm)	B(mm)	C(mm)	D(mm)	Remark
88480401	PBA300-25(L)	88485401	PBA300-25	306	152	76	39	12V DC 4W
88480402	PBA300-150(L)	88485402	PBA300-150		277		164	
88480411	PBA600-25(L)	88485411	PBA600-25	606	152	76	39	12V DC 8W
88480412	PBA600-150(L)	88485412	PBA600-150		277		164	
88480421	PBA900-25(L)	88485421	PBA900-25	906	152	76	39	12V DC 12W
88480422	PBA900-150(L)	88485422	PBA900-150		277		164	




PBS Series

Elegant waterfall created by a thin sheet of water descending gracefully to the pool surface.



Product Information and Dimensions

Code (LED)	Model (LED)	Code	Model	A(mm)	B(mm)	C(mm)	D(mm)	Remark
88480501	PBS300-25(L)	88485501	PBS300-25	306	152	76	39	12V DC 4W
88480502	PBS300-150(L)	88485502	PBS300-150		277		164	
88480511	PBS600-25(L)	88485511	PBS600-25	606	152	76	39	12V DC 8W
88480512	PBS600-150(L)	88485512	PBS600-150		277		164	
88480521	PBS900-25(L)	88485521	PBS900-25	906	152	76	39	12V DC 12W
88480522	PBS900-150(L)	88485522	PBS900-150		277		164	





NOTE 2 : Water descent(s) only to be used filtered water. Water flow rate or water pressure is higher, it has to be diverted to the pool. Check the charts or each water descent which relate flow rate, trajectory and height of water descent.

RA & RS Series


RA Series

Water Descent Rainfall Arc adds character and style to your pool. The water rain falls up from the unit at an angle 45° and then naturally arcs and fall to the water surface.





Product Information and Dimensions

Code (LED)	Model (LED)	Code	Model	A(mm)	B(mm)	C(mm)	D(mm)	Remark
88480201	RA300-25(L)	88485201	RA300-25	306	159	85	46	12V DC 4W
88480202	RA300-150(L)	88485202	RA300-150		284		171	
88480211	RA600-25(L)	88485211	RA600-25	606	159	85	46	12V DC 8W
88480212	RA600-150(L)	88485212	RA600-150		284		171	
88480221	RA900-25(L)	88485221	RA900-25	906	159	85	46	12V DC 12W
88480222	RA900-150(L)	88485222	RA900-150		284		171	




RS Series

This water descent can be adapted to blend in harmoniously with your pool and its surroundings to create the perfect ambience.



Product Information and Dimensions

Code (LED)	Model (LED)	Code	Model	A(mm)	B(mm)	C(mm)	D(mm)	Remark
88480301	RS300-25(L)	88485301	RS300-25	306	159	78	46	12V DC 4W
88480302	RS300-150(L)	88485302	RS300-150		284		171	
88480311	RS600-25(L)	88485311	RS600-25	606	159	78	46	12V DC 8W
88480312	RS600-150(L)	88485312	RS600-150		284		171	
88480321	RS900-25(L)	88485321	RS900-25	906	159	78	46	12V DC 12W
88480322	RS900-150(L)	88485322	RS900-150		284		171	



Countercurrent Jet

For small size training pools

ENDLESS NO-LAP SWIMMING TRAINING

Perfect for small pools where space is limited. Excellent for fitness training, underwater massage, endless no-lap swimming and unnecessary tumble turns.

1. Countercurrent Jet Face Plate




Underwater on/off Switch



Adjustable Nozzle and LED Light

Product Dimensions



Code	Model	Description
88093212	EM0055	Countercurrent Jet with LED Light RGB
88093412	EM0055	Countercurrent Jet with LED Light white




RGB Color Water Light



LED White Water Light

Product Features:

1. Powerful counter current.
2. Product can be used as a single or double jet system with one or two pumps.
3. Counter current face plate with LED Light.
4. All controls are on the face plate and can be operated in perfect safety while you are in the water
5. Adjust the valve to control the bubble effect.
6. Water flow direction can be changed through the adjustable nozzle.



Accessories For Emaux Countercurrent Jet

2. Pumps

SR Series Pump

1. Class insulation: 130(B)
2. IPX5 Waterproof standard
3. Built-in thermal protection
4. Overload protection



UPH Series Pump

1. Waterproof: IPX5
2. Self Priming: 3 m
3. Flow rate: Up to 110 m³/h
4. Working Voltage: 380-400Vac
5. Premium Efficiency IE3 Class Motor
6. Bearing: High temperature resistant up to 160 °C

Technical Information

Water Pump Selection	Qmax		Hmax meter	V/Hz	Power	
	m ³ /h	l/min			kW	Horsepower
UPH400 pump x 1	75	1300	13	380/50	3.00	4.0
UPH550 pump x 1	90	1500	17.5	380/50	4.00	5.5
SR30 pump x 1	28	480	20	220/50	2.18	3.0
SR30 pump x 2	50	850	25	220/50	2 x 2.18	2 x 3.0

3. Control Box




Countercurrent Jet Control Box

Code	Model	Main Power input	Pump Power output	Lighting Power output
08080020	SWJ-CB	AC 220V/50Hz	AC 220V/50Hz, 4.4kW	AC12V, 1W
08080021	SWJ-CB	AC 380V/50Hz	AC 380V/50Hz, 4.4kW	AC12V, 1W

Installation

1. Setting with one pump



1 X UPH400

*Optional item

Item	Code	Model	Qty	Description
1	9024401	UPH400	1	Ultra-Power Pump 4hp, 380V/50Hz, Three Phase, 3"/90mm Unions
2*	88093212	EM0055	1	Countercurrent Jet with LED Light RGB
2*	88093412	EM0055	1	Countercurrent Jet with LED Light white
3	08030109	/	1	Piping kit for UPH pump
4	08080021	SWJ-CB	1	Countercurrent Jet Control Box 380V

1 X UPH550

Item	Code	Model	Qty	Description
1	9024402	UPH550	1	Ultra-Power Pump 5.5hp, 380V/50Hz, Three Phase, 3"/90mm Unions
2*	88093212	EM0055	1	Countercurrent Jet with LED Light RGB
2*	88093412	EM0055	1	Countercurrent Jet with LED Light white
3	08030109	/	1	Piping kit for UPH pump
4	08080021	SWJ-CB	1	Countercurrent Jet Control Box 380V

1 X SR30

Item	Code	Model	Qty	Description
1	88023609	SR30	1	Pump 3.0hp, 220V/50Hz, Single Phase
2*	88093212	EM0055	1	Countercurrent Jet with LED Light RGB
2*	88093412	EM0055	1	Countercurrent Jet with LED Light white
3	08030108	/	1	Piping kit for 1 x SR30 pump
4	08080020	SWJ-CB	1	Countercurrent Jet Control Box 220V

2. Setting with two pumps



2 X SR30

Item	Code	Model	Qty	Description
1	88023609	SR30	2	Pump 3.0hp, 220V/50Hz, Single Phase
2*	88093212	EM0055	1	Countercurrent Jet with LED Light RGB
2*	88093412	EM0055	1	Countercurrent Jet with LED Light white
3	08030107	/	1	Piping kit for 2 x SR30 pump
4	08080020	SWJ-CB	1	Countercurrent Jet Control Box 220V



***SURROUNDING
EQUIPMENT***

LADDER

Quality ladders provide safety and ease for your pool

ROBUST STEEL ARMS OF POOLS

Ladder handrails are made of $\varnothing 42\text{mm}$ tubes in polished stainless steel 304 (or 316 for saltwater pools). Correct selection and proper placement of handrails and ladders add a significant measure of safety to every pool area. Three kinds of step are available: Plastic, stainless steel, and stainless steel with anti-slip pads. All ladders are available with anchor or flange type fixtures for easy installation.



Step Options:

1. Stainless Steel



2. Stainless Steel (with anti-slip pad)



3. Plastics



Installation Options:

1. Anchor Type



2. Flange Type




Ancillary Shoring

- is provided with a supporting construction on the wall.

Pool ladders can be easily installed either with anchors embedded in the concrete deck or bolted flanges. The fixtures are concealed by stainless steel escutcheons.

NSL SERIES



Anchor Type Stainless Steel Step

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm	D mm	E mm
88072601	88072606	NSL215-S	493	1320	686	788	708
88072602	88072607	NSL315-S	493	1570	686	788	708
88072603	88072608	NSL415-S	493	1820	686	788	708
88072604	88072609	NSL515-S	493	2070	686	788	708
88072613	88072616	NSL815-S	493	2830	692	699	619


Anchor Type Stainless Steel Step (with Anti-Slip Pad)

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm	D mm	E mm
88076501	88076506	NSL215-SR	493	1320	686	788	708
88076502	88076507	NSL315-SR	493	1570	686	788	708
88076503	88076508	NSL415-SR	493	1820	686	788	708
88076504	88076509	NSL515-SR	493	2070	686	788	708
88076513	88076516	NSL815-SR	493	2830	692	699	619

Anchor Type Plastic Step

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm	D mm	E mm
88072701	88072706	NSL215-P	476	1320	686	788	708
88072702	88072707	NSL315-P	476	1570	686	788	708
88072703	88072708	NSL415-P	476	1820	686	788	708
88072704	88072709	NSL515-P	476	2070	686	788	708
88072713	88072716	NSL815-P	476	2830	692	699	619

SLF SERIES



Flange Type Stainless Steel Step

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm	D mm
88072001	88072006	SLF215-S	493	1320	686	788
88072002	88072007	SLF315-S	493	1570	686	788
88072003	88072008	SLF415-S	493	1820	686	788
88072004	88072009	SLF515-S	493	2070	686	788
88072013	88072016	SLF815-S	493	2830	692	699

Flange Type Stainless Steel Step (with Anti-Slip Pad)


Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm	D mm
88077201	88077206	SLF215-SR	493	1320	686	788
88077202	88077207	SLF315-SR	493	1570	686	788
88077203	88077208	SLF415-SR	493	1820	686	788
88077204	88077209	SLF515-SR	493	2070	686	788
88077213	88077216	SLF815-SR	493	2830	692	699

Flange Type Plastic Step

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm	D mm
88072101	88072106	SLF215-P	476	1320	686	788
88072102	88072107	SLF315-P	476	1570	686	788
88072103	88072108	SLF415-P	476	1820	686	788
88072104	88072109	SLF515-P	476	2070	686	788
88072113	88072116	SLF815-P	476	2830	692	699

* Handrails in polished stainless steel 304 or 316 (φ42mm) tube. Steps made of stainless steel and plastic are available. Complete with anchoring or flange fixtures.

NSF SERIES



Anchor Type Stainless Steel Step

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
88072401	88072406	NSF215-S	493	1330
88072402	88072407	NSF315-S	493	1580
88072403	88072408	NSF415-S	493	1830
88072404	88072409	NSF515-S	493	2080


Anchor Type Stainless Steel Step (with Anti-Slip Pad)

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
88076701	88076706	NSF215-SR	493	1330
88076702	88076707	NSF315-SR	493	1580
88076703	88076708	NSF415-SR	493	1830
88076704	88076709	NSF515-SR	493	2080

Anchor Type Plastic Step

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
88072501	88072506	NSF215-P	476	1330
88072502	88072507	NSF315-P	476	1580
88072503	88072508	NSF415-P	476	1830
88072504	88072509	NSF515-P	476	2080

SFF SERIES



Flange Type Stainless Steel Step

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
88071801	88071806	SFF215-S	493	1330
88071802	88071807	SFF315-S	493	1580
88071803	88071808	SFF415-S	493	1830
88071804	88071809	SFF515-S	493	2080


Flange Type Stainless Steel Step (with Anti-Slip Pad)

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
88077401	88077406	SFF215-SR	493	1330
88077402	88077407	SFF315-SR	493	1580
88077403	88077408	SFF415-SR	493	1830
88077404	88077409	SFF515-SR	493	2080

Flange Type Plastic Step

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
88071901	88071906	SFF215-P	476	1330
88071902	88071907	SFF315-P	476	1580
88071903	88071908	SFF415-P	476	1830
88071904	88071909	SFF515-P	476	2080

NMU SERIES



Anchor Type Stainless Steel Step

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
88072801	88072806	NMU215-S	493	1330
88072802	88072807	NMU315-S	493	1580
88072803	88072808	NMU415-S	493	1830
88072804	88072809	NMU515-S	493	2080


Anchor Type Stainless Steel Step (with Anti-Slip Pad)

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
88076601	88076606	NMU215-SR	493	1330
88076602	88076607	NMU315-SR	493	1580
88076603	88076608	NMU415-SR	493	1830
88076604	88076609	NMU515-SR	493	2080

Anchor Type Plastic Step

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
88072901	88072906	NMU215-P	476	1330
88072902	88072907	NMU315-P	476	1580
88072903	88072908	NMU415-P	476	1830
88072904	88072909	NMU515-P	476	2080

MUF SERIES



Flange Type Stainless Steel Step

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
88072201	88072206	MUF215-S	493	1330
88072202	88072207	MUF315-S	493	1580
88072203	88072208	MUF415-S	493	1830
88072204	88072209	MUF515-S	493	2080

Flange Type Stainless Steel Step (with Anti-Slip Pad)


Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
88077301	88077306	MUF215-SR	493	1330
88077302	88077307	MUF315-SR	493	1580
88077303	88077308	MUF415-SR	493	1830
88077304	88077309	MUF515-SR	493	2080

Flange Type Plastic Step

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
88072301	88072306	MUF215-P	476	1330
88072302	88072307	MUF315-P	476	1580
88072303	88072308	MUF415-P	476	1830
88072304	88072309	MUF515-P	476	2080

* Handrails in polished stainless steel 304 or 316 (φ42mm) tube. Steps made of stainless steel and plastic are available. Complete with anchoring or flange fixtures.

OF SERIES



Anchor Type Stainless Steel Step

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm
88073201	88073206	OF215-S	493	1460	561
88073202	88073207	OF315-S	493	1710	811
88073203	88073208	OF415-S	493	1960	1061
88073204	88073209	OF515-S	493	2210	1311


Anchor Type Stainless Steel Step (with Anti-Slip Pad)

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm
88076801	88076806	OF215-SR	493	1460	561
88076802	88076807	OF315-SR	493	1710	811
88076803	88076808	OF415-SR	493	1960	1061
88076804	88076809	OF515-SR	493	2210	1311

Anchor Type Plastic Step

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm
88073301	88073306	OF215-P	476	1460	561
88073302	88073307	OF315-P	476	1710	811
88073303	88073308	OF415-P	476	1960	1061
88073304	88073309	OF515-P	476	2210	1311

OFF SERIES



Flange Type Stainless Steel Step

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm
88073401	88073406	OFF215-S	493	1460	561
88073402	88073407	OFF315-S	493	1710	811
88073403	88073408	OFF415-S	493	1960	1061
88073404	88073409	OFF515-S	493	2210	1311

Flange Type Stainless Steel Step (with Anti-Slip Pad)


Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm
88077501	88077506	OFF215-SR	493	1460	561
88077502	88077507	OFF315-SR	493	1710	811
88077503	88077508	OFF415-SR	493	1960	1061
88077504	88077509	OFF515-SR	493	2210	1311

Flange Type Plastic Step

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm
88073501	88073506	OFF215-P	476	1460	561
88073502	88073507	OFF315-P	476	1710	811
88073503	88073508	OFF415-P	476	1960	1061
88073504	88073509	OFF515-P	476	2210	1311

* Made of polished Stainless Steel tube (φ42mm) with a polished finish. Specially designed for overflow pool. Easily installed with anchoring or flange fixtures.

BHK SERIES (Lower Part)



Stainless Steel Step

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm
88075001	88075006	BHK215-S	493	642	181
88075002	88075007	BHK315-S	493	922	181
88075003	88075008	BHK415-S	493	1207	183.5
88075004	88075009	BHK515-S	493	1487	183.5


Stainless Steel Step (with Anti-Slip Pad)

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm
88077001	88077006	BHK215-SR	493	642	181
88077002	88077007	BHK315-SR	493	922	181
88077003	88077008	BHK415-SR	493	1207	183.5
88077004	88077009	BHK515-SR	493	1487	183.5

Plastic Step

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm
88075101	88075106	BHK215-P	476	642	181
88075102	88075107	BHK315-P	476	922	181
88075103	88075108	BHK415-P	476	1207	183.5
88075104	88075109	BHK515-P	476	1487	183.5

BHL SERIES (Lower Part)



Stainless Steel Step

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
88073801	88073806	BHL215-S	493	530
88073802	88073807	BHL315-S	493	780
88073803	88073808	BHL415-S	493	1030
88073804	88073809	BHL515-S	493	1280

Stainless Steel Step (with Anti-Slip Pad)

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
88077101	88077106	BHL215-SR	493	530
88077102	88077107	BHL315-SR	493	780
88077103	88077108	BHL415-SR	493	1030
88077104	88077109	BHL515-SR	493	1280

Plastic Step


Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
88073901	88073906	BHL215-P	476	530
88073902	88073907	BHL315-P	476	780
88073903	88073908	BHL415-P	476	1030
88073904	88073909	BHL515-P	476	1280

* Handrails in polished stainless steel 304 or 316 (φ42mm) tube. Steps made of stainless steel and plastic are available. Complete with anchoring or flange fixtures

Exit Handrail


ARA SERIES

Code (AISI-304)	Code (AISI-316)	Model No.	Type
88074105	88074110	ARA	Anchor
88074005	88074010	ARA-F	Flange




ARG SERIES

Code (AISI-304)	Code (AISI-316)	Model No.	Type
88074505	88074510	ARG	Anchor
88074405	88074410	ARG-F	Flange




ARB SERIES

Code (AISI-304)	Code (AISI-316)	Model No.	Type
88074205	88074210	ARB-F	Flange




ARN SERIES

Code (AISI-304)	Code (AISI-316)	Model No.	Type	No. of Steps	L mm	A mm	B mm
88074703	88074708	ARN415	Anchor	4	1220	882	608
88074704	88074709	ARN515	Anchor	5	1524	882	855
88074603	88074608	ARN415-F	Flange	4	1220	882	608
88074604	88074609	ARN515-F	Flange	5	1524	882	855




ARP SERIES

Code (AISI-304)	Code (AISI-316)	Model No.	Type
88073005	88073010	ARP	Anchor
88073605	88073610	ARP-F	Flange




ARV SERIES

Code (AISI-304)	Code (AISI-316)	Model No.	Type
88073105	88073110	ARV	Anchor



ARS SERIES

Code (AISI-304)	Code (AISI-316)	Model No.	Type
88074905	88074910	ARS	Anchor
88074805	88074810	ARS-F	Flange




Anchor Type

Flange Type

STRAIGHT GRABRAIL

Code (AISI-304)	Code (AISI-316)	Model No.	L mm
88076417	88076423	L50	500
88076418	88076424	L100	1000
88076419	88076425	L150	1500
88076420	88076426	L200	2000
88076421	88076427	L250	2500
88076422	88076428	L300	3000



OTHER EQUIPMENT

Straight Handrails

Handrail length in 1m

Code	Type
03016221	AISI-304
03016220	AISI-316



Straight Connector

For joining the $\phi 42$ mm pipe

Code	Type
03016223	AISI-304
03016222	AISI-316



Curved Connector


For joining the $\phi 42$ mm pipe

Code	Type
03016225	AISI-304
03016224	AISI-316



Flange Connection for Anchor Ladder (Pair)

Code	Type
08070007	AISI-304
08070008	AISI-316



End Cap

For the end of $\phi 42$ mm pipe

Code	Type
03016227	AISI-304
03016226	AISI-316



Straight Bracket with Base Plate

Applicable for both concrete and vinyl pool

Code	Type
08070002	AISI-304
08070001	AISI-316



Shower Head

7 water patterns are available for your choice



FAST SPRAY
EM4401



FULL BODY SPRAY
EM4402



JET MASSAGE
EM4405

EXPERIENCE WATER IN DIFFERENT WAYS!

Enjoy hydrotherapy shower using all physical properties of water to create a new experience. Emaux powerful shower heads are designed to offer excellent showering massage experience.

Product Features:

1. Stainless Steel AISI-304 tube
2. Chrome plated heads
3. Hydrotherapy shower effects
4. Unique design with excellent waterproofing and corrosion resistance
5. Easy installation and maintenance



MASSAGE SPRAY
EM4406





JET SPRAY
EM4404



INTENSE JET SPRAY
EM4403

Code	Model No.	Product Name	Connection Dimeneseions	Pressure (Kpa)	Flow Rate (m ³ /h)	Pattern	Min Pump Head	A mm	B mm
88093513	EM4401	Fast Spray	1.5" / 50mm		14.0 - 48.4	Universal Type	2m	663	946
88093613	EM4402	Full Body Spray	1.5" / 50mm		14.0 - 48.4	Universal Type	2m	705	902
88093713	EM4403	Intense Jet Spray	1.5" / 50mm		5.8 - 24.0	Universal Type	2m	630	962
88093813	EM4404	Jet Spray	1.5" / 50mm		18.0 - 50.0	Fixed Type	2m	628	968
88093913	EM4405	Jet Massage	1.5" / 50mm		14.0 - 48.4	Fixed Type	2m	553	1016
88094013	EM4406	Massage Spray	1.5" / 50mm		5.7 - 12.0	Fixed Type	2m	598	986




STARTING PLATFORM

The ideal solution for deck-level swimming pool


ACHIEVE THE BEST RESULTS

- 1. Stainless Steel AISI-316 pedestal and backstroke handle
- 2. Solidly built fiberglass platform
- 3. Anti-slip tread step



Product Information

Code	Model No.	Description
88520101	STP30R	Starting Platform 30 degree
88520102	STP60R	Starting Platform 60 degree




WATER CASCADE

Creates a curtain of water









ENJOYABLE WATERFALL MASSAGE

1. Stainless Steel AISI-316
2. Floor anchoring system, gaskets and stainless steel screw fittings



Product Information

Code	Model No.	Connection	Dimension	Flow Rate
91601231	EM4416	1.5" / 50mm	345 x 470mm	12-14 m ³ /h
91601232	EM4417	1.5" / 50mm	500 x 680mm	12-14 m ³ /h





EMAUX WATER TECHNOLOGY CO., LTD

ADDRESS: 2/F, LOCKHART CENTRE, NO. 301-307 LOCKHART ROAD,
WANCHAI, HONG KONG
PHONE +852 2832 9880
<https://www.emauxgroup.com>

 **YOUR PREMIER SUPPLIER**



ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

© 2025 EMAUX WATER TECHNOLOGY CO., LTD. ALL RIGHTS RESERVED.

Websites and Social Media