

SPAS AND SAUNAS



| | | | |
|-----|------------------------------------------------|-----|---------------------------------------------|
| 604 | Our range of spas | 620 | In-ground residential spas |
| 605 | Colour chart for spas | 622 | Compact filtration for spas |
| 605 | Coding structure for private spas with cabinet | 623 | Complements for spas |
| 605 | Types of coatings | 625 | Liner accessories |
| 606 | Optional equipment | 629 | Pool Jet accessories |
| 607 | Standard equipment | 630 | Accessories for minispas |
| 612 | Spa range - Ocean Dreams range | 633 | Electrical accessories for spas / mini spas |
| 615 | Spa range - Essential range | 634 | Air blowers |
| 617 | Spa range - Swimsa range | 637 | Saunas |
| | | 643 | Accessories - Saunas |



ALBA
INTERNATIONAL (PVT) LTD.

Your Trustworthy Partner
www.alba.com.mv

Our range of spas



Ocean Dreams range

- + A range of spas intended for the most demanding users.
- + Ergonomic spas, with numerous features and configuration settings.



Swimspa range

- + Swimspas are small residential pools.
- + Versatile, powerful and compact. A health and wellness centre available all year round.



Essential range








- + The Essential range seeks to strike a balance between functionality, performance and cost.



Commercial range

- + Spas designed for commercial spaces, wellness centres, hotels...
- + A wide range of options and finishes that cover all needs. Spas with both an acrylic and mosaic tile finish.

Colour chart for spas

| | | | | | | |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |
| N° 44 WHITE | N° 46 BLUE MARBLE | N° 59 STERLING | N° 64 PEARL SHADOW While stocks last | N° 72 PEARL CAMEO While stocks last | N° 27 SILVER | N°18 SAND While stocks last |

Coding structure for private spas with cabinet

The coding structure for the wood cabinet spas is made up of 10 digits. The first 5 digits refer to the Spa model and the following ones indicate the range, coating and the colour of the accessories as it is also necessary to specify the colour.

This coding system will be structured in the following way:

| XXXXX | X | X | X | XX | CL | XX |
|-----------|-------|--------------|------------------|-------------|-----------|--------|
| Spa Model | Range | Coating type | Accessory colour | Accessories | Variation | Colour |

Position 1 to 5: Standard code 5 figure code

Position 6: Product range definition

| | |
|---|----------|
| S | Standard |
| A | Plus |

Position 7: Coating type definition

| | |
|---|----------------------------------------|
| 1 | Coastal Grey portable spa with cabinet |
| 4 | Portable spa without cabinet |
| E | In-ground spa, compact kit version |
| B | Urban Grey cabinet |
| K | Graphite cabinet |
| P | Graphite cabinet with screw |
| R | Thunder cabinet |
| Q | Thunder cabinet with screw |
| T | Creek cabinet |
| C | Infinity cabinet |
| S | Solid Surface |
| W | Butterfly cabinet |









Position 8: Accessories colour definition

| | |
|---|-----------------|
| 3 | Stainless steel |
|---|-----------------|

Positions 9 to 10: Options configuration definition

| | |
|----|------------------------------------------------------------------------------------------------------------------|
| 00 | Std + Cover |
| 05 | Std + Cover + ECOspa |
| 20 | Std + Cover + LumiPlus |
| 21 | Std + Cover + ECOspa + LumiPlus |
| 23 | Std + Cover + LumiPlus + Audio |
| 32 | Std + Cover + LumiPlus + Stainless steel bar on cabinet |
| 27 | Std + Cover + LumiPlus + ECOspa + Stainless steel bar on cabinet |
| 33 | Std + Cover + LumiPlus + Audio + Stainless steel bar on cabinet |
| 34 | Std + Cover + LumiPlus + ECOspa + Audio |
| 35 | Std + Cover + LumiPlus + ECOspa + Audio + Stainless steel bar on cabinet |
| 56 | Std + Cover + LumiPlus + EcoSpa + Audio + Stainless Steel Bar on Cabinet + Wi-Fi Touch Panel |
| 55 | Std + Cover + LumiPlus + EcoSpa + Nordic Insulation + Audio + Stainless Steel Bar on Cabinet + Wi-Fi Touch Panel |
| 0J | Std + Cover + LumiPlus + EcoSpa + Stainless Steel Bar on Cabinet + Blue Connect Plus |

Types of coatings

| | | | | | | | |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Graphite | Coastal Grey | Thunder | Creek | Butterfly | Urban Grey | Infinity | Solid Surface |
|  |  |  |  |  |  |  |  |



OPTIONAL EQUIPMENT

EcoSpa thermal insulation

EcoSpa is one of the best thermal insulation systems currently available in the market. This comprehensive system manages to minimize heat loss by convection and conduction, and to use the heat generated by the heater and pumps found in the spa. The walls have an exclusive 30 mm thick layer of polyurethane foam insulation. A strong ABS substructure of insulating plastic at the bottom of the spa ensures total water tightness. Finally, an isothermal cover of between 100 and 130 cm thick gives extra insulation.

All of these features reduce heat loss to a minimum and maximize the recovery of the heat generated by the spa's components, thus reducing energy consumption by up to 67%. With ECOSpa, consumption to maintain the water at 38° with a room temperature of 20° is 6.48 kW/h, while without this system it is 19.52 kW/h.

EcoSpa option



Nordic Insulation System


NORDIC INSULATION SYSTEM is designed for cold environments and can enhance your spa's energy efficiency.

The Nordic insulation system comprises a 10mm insulating material composed of five layers. This insulation layer is positioned in the sides and curves of the spa to create an insulating air chamber inside. The five layers are made from:


- Aluminium.
- RC9 bubble + low-density polyethylene (double layer).
- FONPEX non-crosslinked polyethylene foam (20 kg/m³).
- RC9 bubble + low-density polyethylene (double layer).
- Aluminium.

This system is an improvement over the EcoSpa class as it minimizes temperature leak zones and optimizes spa energy performance in extreme temperature situations.

Difference between the EcoSpa and Nordic insulation systems in thermal imaging:



Spa with EcoSpa



Spa with Nordic insulation system



Wi-Fi Touch panel

The Balboa Wi-Fi control panel is an app for your smart device (Android™ or iPhone®) which lets you access your spa over the internet from anywhere, home or away. All you need is a 3G, 4G or Wi-Fi connection to access and control your spa over your mobile phone or tablet.

By using the Wi-Fi control panel, you can make sure that your spa is ready for use every time you want to take a dip. Instead of having to go outside and fiddle around with the buttons on the control panel, this app will enable you to change your spa's settings from your mobile phone or tablet.

The app has a full control interface so you can set the water temperature, run the massage pumps and even control the filtration cycle.


OPTIONAL EQUIPMENT

LumiPlus + Bluetooth Audio System, only available for fully skirted portable spas



Natural treatments are one of the main sources of health provided by a spa. Chromotherapy and music therapy are the perfect accompaniment to any hot tub.

Chromotherapy is the natural technique based on the use of colours to help your mind and body find their natural physical, mental and emotional balance. By choosing the LumiPlus option, 5 LED spotlights are added to your spa so that you can enjoy a spectacular ambient lighting system. Thanks to the 5 LED spotlights, you can choose the colours that match your mood at any given time.



The Bluetooth Audio System enables music to be played from any mobile phone, MP4 Player or audio equipment via a simple Bluetooth connection, without the need for any cables and with coverage of up to 7 metres. Now you can truly make your spa a centre of relaxation, health and beauty.

The Advance range has a 4.1 Bluetooth Audio system made up of 4 external loudspeakers, an internal subwoofer and a Bluetooth receiver.

The Essential range has a 2.1 Bluetooth Audio system made up of 2 external loudspeakers, an internal subwoofer and a Bluetooth receiver.

LumiPlus + Bluetooth Audio System option

Blue Connect Plus

Enjoy your Hot Tub with peace of mind

Blue Connect analyzes the quality of the water and shows you the needed chemicals for the maintenance of your Hot Tub.

Advanced technology connected to your smartphone

Blue Connect Plus is a smart hot tub water analyser that controls the quality of your water and informs you about the number of products available for your hot tub. All from your smartphone.

Sit back and relax. Thanks to Blue Connect, your Hot Tub is at your fingertips

Monitor your Hot Tub wherever you are with the connected Hot Tub water analyzer and the free Blue Connect app.



STANDARD EQUIPMENT

Balboa Electronics, standard in all spas




BALBOA
WATER GROUP

AstralPool only uses new generation control systems made by BALBOA, a leading supplier of electronic controls for hydromassage tubs and spas.

With the continual improvement made to its designs and its innovative solutions to increase the quality and reliability of its systems, the Balboa EL/GL and VS/GS family of control systems has been designed using patented M7 technology for temperature and flow sensors, and its new universal control system increases the flexibility of its functions and reduces installation and configuration problems.

These characteristics make the controls even more reliable, easier to install and easier to use.



Ozone disinfection system

Ozone is "active oxygen", a special element found in nature. Ozone is a powerful oxidising agent and, unlike traditional chemical products, it does not leave toxic waste behind, and when it has done its work it simply turns back into oxygen. Moreover, tests have proved that it effectively kills bacteria and mould.

AstralPool manufactures spas that give high quality performance and supplies an integrated ozone generator as a standard feature in all of its portable spas. The ozonator has numerous benefits: the water in spas will be safer, cleaner, purer, free of chloramines, trihalomethane and other chlorine by-products, with a high redox potential. Greater water clarity and algae control are obtained using lower concentrations of chemical substances.

A spa with water purified with ozone is one of the most pleasant relaxation and hydrotherapy experiences.



Ultraviolet disinfection system

Spas equipped with the ultraviolet system are disinfected using UV technology. Thanks to a UV lamp, all bacteria in the water are destroyed. The advantages of the ultraviolet system can be summarized as follows:

- It ensures water remains fresh, clean and clear.
- It is an efficient and safe way of disinfecting the water.
- Its UV-C light breaks down combined chlorine.
- It protects the water from germs.
- It keeps the formation of mould, bacteria and algae under control.
- It can reduce the amount of chlorine and other chemical products used by up to 80%.
- It prevents the smell of chlorine and irritation to the skin and eyes (bloodshot eyes).
- It is more environmentally friendly than traditional methods.

Using this system, all bacteria, mould and algae will automatically be removed from your spa, and it will be protected from germs without the need for any kind of maintenance.

Aroma, only available for spas with a blower



Aromatherapy offers the therapeutic properties of pure aromas for a natural treatment and makes a significant contribution in helping to restore your natural state of balance and harmony.

Nobody is indifferent to smells. They bring to mind emotions, memories and ideas. Increase the relaxing effect of your tub by adding a fragrance!











Model comparison




| MODELS | Ocean Dreams range | | | | | | Essential range | | | |
|---------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|------------------------|-------------------------|
| | Pure | New'Art | Evolution | Atlantida 70 | Pacific 70 | Ocean 70 | Select E | Emotion E | Equilibre E | Balance E |
| Code | 68450 | 68449 | 32474 | 62399 | 69130 | 69863 | 76894 | 69122 | 73076 | 74134 |
| General Information | | | | | | | | | | |
| Size cm (± 2 cm) | 220 x 220 x 78 | 220 x 220 x 78 | 233 x 233 x 91 | 216 x 216 x 90 | 216 x 216 x 90 | 216 x 167 x 74 | 216 x 216 x 90 | 216 x 216 x 90 | 216 x 167 x 74 | 198 x 198 x 74 |
| Places (Seats/Loungers) | 4 (4 / -) | 5 (3 / 2) | 5 (3 / 2) | 5 (3 / 2) | 6 (5 / 1) | 3 (1 / 2) | 6 (5 / 1) | 5 (3 / 2) | 3 (2 / 1) | 5 (3 / 2) |
| Graphite Cabinet | - | - | • | • | • | • | • | • | - | - |
| Coastal Grey cabinet | - | - | - | - | - | - | - | - | - | - |
| Thunder Cabin | - | - | Optional | Optional | Optional | Optional | Optional | Optional | - | - |
| Creek Cabinet | - | - | Optional | Optional | Optional | Optional | - | - | - | - |
| Butterfly Cabinet | - | - | Optional | Optional | Optional | Optional | - | - | - | - |
| Infinity Cabinet | - | - | - | - | - | - | - | - | • | • |
| Solid surface Cabinet | • | • | - | - | - | - | - | - | - | - |
| Without cabinet | - | - | Optional | Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Options | | | | | | | | | | |
| EcoSpa thermal insulation | • | • | Optional | Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Nordic Insulation | Optional | Optional | Optional | Optional | Optional | Optional | - | - | - | - |
| Bluetooth Audio system | Optional (Sist. 4.1) | Optional (Sist. 4.1) | Optional (Sist. 4.1) | Optional (Sist. 4.1) | Optional (Sist. 4.1) | Optional (Sist. 4.1) | Optional (Sist. 2.1) | Optional (Sist. 2.1) | - | Optional (Sist. 2.1) |
| LumiPlus LED lighting system | • | • | • | • | • | • | Optional | Optional | - | - |
| Stainless steel jets | • | • | • | • | • | • | • | • | • | • |
| Stainless steel bar | - | - | • | • | • | • | - | - | - | - |
| Wi-Fi Touch Panel | Optional | Optional | Optional | Optional | Optional | Optional | - | - | - | - |
| Blue Connect Plus | - | - | Optional | Optional | Optional | Optional | - | - | - | - |
| Configurations | | | | | | | | | | |
| No of jets | 27 | 28 | 56 | 52 | 51 | 42 | 51 | 32 | 26 | 31 |
| No. of blower nozzles | 12 | 14 | 16 | 14 | 10 | - | - | 12 | - | 12 |
| Waterfalls | - | - | - | 2 | 2 | - | 1 | - | - | - |
| Water Fountain | - | - | 2 | - | - | - | - | - | - | - |
| Headrests | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| Digital control panel | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Oxynator | - | - | - | - | - | - | • | • | • | • |
| Ultraviolet | • | • | • | • | • | • | - | - | - | - |
| Aromatherapy | • | - | • | • | • | - | - | - | - | - |
| Chromotherapy | 5 LEDs + light Tab | 5 LEDs + light Tab | 5 LEDs + light Tab | 5 LEDs + light Tab | 5 LEDs + light Tab | 5 LEDs + light Tab | 1 LED | 1 LED | 1 LED | 1 LED |
| Structure and Cover | | | | | | | | | | |
| High-resistance metal structure | • | • | • | • | • | • | • | • | • | • |
| Insulating ABS base | • | • | • | • | • | • | • | • | • | • |
| Isothermal cover | • | • | • | • | • | • | • | • | • | • |
| Technical equipment | | | | | | | | | | |
| Filter pump | 200 W | 200 W | 200 W | 200 W | 200 W | 200 W | 200 W | 200 W | - | - |
| Massage pump | 1.8 kW / 2.5 HP | 1.8 kW / 2.5 HP | 2 x 2.2 kW / 3 HP | 2 x 1.8 kW / 2.5 HP | 2 x 1.8 kW / 2.5 HP | 2.2 kW / 3 HP | 2 x 1.8 kW / 2.5 HP | 1 x 1.8 kW / 2.5 HP | 1,8 kW / 2,5 HP, 2 Vel | 1,8 kW / 2.5 HP, 2 Vel. |
| Blower pump | 1150 W | 1150 W | 400 W | 400 W | 400 W | - | - | 400 W | - | 400 W |
| Electric heater | 3 kW | 3 kW | 3 kW | 3 kW | 3 kW | 3 kW | 3 kW | 3 kW | 3 kW | 3 kW |
| Power consumption and capacity | | | | | | | | | | |
| Consumption in low amps (W) | 3400 W | 3400 W | 5200 W | 4400 W | 4400 W | 3400 W | 3780 W | 3400 W | 3.400 W | 3400 W |
| Required power (A) at 230 V | 14.6 A | 14.6 A | 22.4 A | 19.1 A | 19.1 A | 14.6 A | 16.8 A | 14.6 A | 14.6 A | 14.6 A |
| 230 V or 400 V III connection | • | • | • | • | • | • | • | • | • | • |
| Water capacity (litres) | 975 l | 975 l | 1.610 l | 1.138 l | 1.138 l | 780 l | 930 l | 930 l | 780 l | 935 l |
| Spa weight (Empty / Full) | 450 kg / 1425 kg | 450 kg / 1425 kg | 378 kg / 1988 kg | 327 kg / 1227 kg | 327 kg / 1465 kg | 229 kg / 1009 kg | 327 kg / 1257 kg | 327 kg / 1257 kg | 307 kg / 1087kg | 246 kg / 1181 kg |

Model comparison

| MODELS |  |  |  |  |  |  |  |  |
|---------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| | Swimspa range | | | | | IN-GROUND range | | |
| | Swimspa Dual | Swimspa Mediterranean | Swimspa Creta | Swimspa Compact | Swimspa Lagoon | Evolution 70 | Thalassa E | Ronda 30 |
| Code | 74238 | 64414 | 67203 | 69128 | 74237 | 49722 | 78678 | 49859 |
| General Information | | | | | | | | |
| Size cm (± 2 cm) | 600 x 230 x 138 | 500 x 230 x 138 | 400 x 230 x 138 | 400 x 230 x 138 | 400 x 230 x 138 | 216 x 216 x 90 | 216 x 216 x 90 | Ø 205 |
| Places (Seats/Loungers) | 1 Vertical + 4 (2 / 2) | 4 (2 / 2) | 4 (2 / 1 / 1) | 1 Vertical | 1 Vertical | 5 (3 / 2) | 6 (5 / 1) | 5 (5 / 0) |
| Graphite Cabinet | - | - | - | - | - | - | - | - |
| Coastal Grey cabinet | YES | YES | YES | YES | YES | - | - | - |
| Thunder Cabin | - | - | - | - | - | - | - | - |
| Creek Cabinet | - | - | - | - | - | - | - | - |
| Butterfly Cabinet | - | - | - | - | - | - | - | - |
| Urban Grey | Optional | Optional | Optional | Optional | - | - | - | - |
| Solid surface Cabinet | - | - | - | - | - | - | - | - |
| Without cabinet | Optional | Optional | Optional | Optional | Optional | Yes | Yes | Yes |
| Options | | | | | | | | |
| EcoSpa thermal insulation | Optional | Optional | Optional | Optional | Optional | - | - | - |
| Nordic Insulation | - | - | - | - | - | - | - | - |
| Bluetooth Audio system | Optional (Sist. 4.1) | Optional (Sist. 4.1) | Optional (Sist. 4.1) | Optional (Sist. 4.1) | - | - | - | - |
| LumiPlus LED lighting system | • | • | • | • | • | - | - | - |
| Stainless steel jets | • | • | • | • | • | • | • | • |
| Stainless steel bar | • | • | • | • | - | - | - | - |
| Wi-Fi Spa Control | Optional | Optional | Optional | Optional | - | - | - | - |
| Blue Connect Plus | Optional | Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Rowing Kit | Optional. Code: 74496 | - | Optional | - | Optional | - | - | - |
| Configurations | | | | | | | | |
| No of jets | 16 + 5 Turbo Jets + 30 Jets | 27 + 5 Turbo Jets | 54 + 4 Turbo Jets | 16+5 Turbo Jets | 12 | 56 | 28 | 20 + 10 |
| No. of blower nozzles | - | - | - | - | - | 16 | 16 | - |
| Waterfalls | - | 1 | - | - | - | - | - | - |
| Headrests | 3 | 1 | 3 | - | - | 3 | 3 | - |
| Touch Panel | 2 | 1 +aux | 1 | 1 | Balboa TP600 | 1+ aux | 1 | 1 |
| Oxynator | - | - | - | - | - | - | - | - |
| Ultraviolet | Yes | Yes | Yes | Yes | Yes | - | - | - |
| Aromatherapy | - | - | - | - | - | - | - | - |
| Chromotherapy | 5 LEDs + light Tab | 5 LEDs + light Tab | 5 LEDs + light Tab | 5 LEDs + light Tab | 1 LED | Yes | 1 LED (CHROMO-THERAPY) | 1 LED (CHROMO-THERAPY) |
| Structure and Cover | | | | | | | | |
| High-resistance metal structure | • | • | • | • | • | • | • | • |
| Insulating base | • | • | • | • | • | Yes | Yes | Yes |
| Isothermal cover | • | • | • | • | • | • | Optional | Optional |
| Technical equipment | | | | | | | | |
| Filter pump | 400 W + 200 W | 400 W | 400 W | 400 W | 400 W | 600 W | 600 W | 600 W |
| Massage pump | 3 x 2.2 kW / 3 HP + 2.2 kW / 3 HP | 3 x 2.2 kW / 3 HP | 3 x 2.2 kW / 3 HP | 3 x 2.2 kW / 3 HP | 1,5 kW / 2HP | 2 x 2.2 kW / 3 HP | 1 x 1.8 kW / 2.5 HP | 1 x 1.8 kW / 2.5 HP |
| Blower pump | - | - | - | - | - | 900 W | 900 W | 900 W |
| Electric heater | 3 kW + 3 kW | 3 kW | 3 kW | 3 kW | 3 kW | 3 kW | 3 kW | 3 kW |
| Power consumption and capacity | | | | | | | | |
| Consumption in low amps (W) | 9500 W | 7000 W | 7000 W | 7000 W | 3400 W | 5927 W | 3650 W | 3650 W |
| Required power (A) at 230 V | 41.3 A | 30.4 A | 30.4 A | 30.4 A | 14.78 A | 25.8 A | 15.9 A | 15.9 A |
| 230 V or 400 V III connection | • | • | • | • | • | • | • | • |
| Water capacity (litres) | 6780 l | 8500 l | 6000 l | 6000 l | 6000 l | 1610 l | 980 l | 780 l |
| Spa weight (Empty / Full) | 1379 kg / 8159 kg | 1177 kg / 9677 kg | 1177 kg / 7177 kg | 1150 kg / 7150 kg | 1150 kg / 7150 kg | 378 kg / 1988 Kg | 330 kg / 1310 kg | 307 kg / 1445 kg |

Pure - Code 68450


 White (44)
Solid surface Cabinet


TECHNICAL FEATURES

| | |
|-----------------------------------------------|-----------------|
| Size in cm (± 2cm) | 220 x 220 x 78 |
| Positions (Seats / Loungers) | 4 (4 / -) |
| Jets + blower nozzles | 27 + 12 |
| Maximum consumption in low amp - (A) at 230 V | 3400 W - 14.6 A |

Spa coding with options generated from the table on page 605.

Options:

- Audio Bluetooth 4.1
- Nordic Insulation
- Wi-Fi Touch Panel
- Blue Connect Plus

PURE

White Solid Surface Cabinet + PureLine + ECOSpa

White Solid Surface Cabinet + PureLine + Bluetooth Audio+ ECOSpa

| Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|------|---------------|-----------------------|-----------------------|
|------|---------------|-----------------------|-----------------------|

68450SS336

-

-

-

68450SS337

-

-

-

New'Art - Code 68449


 White (44)
Solid surface Cabinet


TECHNICAL FEATURES

| | |
|-----------------------------------------------|-----------------|
| Size in cm (± 2cm) | 220 x 220 x 78 |
| Positions (Seats / Loungers) | 5 (3 / 2) |
| Jets + blower nozzles | 28 + 14 |
| Maximum consumption in low amp - (A) at 230 V | 3400 W - 14.6 A |

Spa coding with options generated from the table on page 605.

Options:

- Audio Bluetooth 4.1
- Nordic Insulation
- Wi-Fi Touch Panel
- Blue Connect Plus

| Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|------|---------------|-----------------------|-----------------------|
|------|---------------|-----------------------|-----------------------|

NEW'ART

White Solid Surface Cabinet + PureLine + ECOSpa

White Solid Surface Cabinet + PureLine + Bluetooth Audio + ECOSpa

68449SS336

-

-

-

68449SS337

-

-

-

Evolution - Code 32474


 White Colour (44)
Graphite Cabinet


TECHNICAL FEATURES

| | |
|-----------------------------------------------|-------------------------|
| Size in cm (± 2cm) | 233 x 233 x 90 |
| Positions (Seats / Loungers) | 5 (3 / 2) |
| Jets + blower nozzles | 56+16+2 water fountains |
| Maximum consumption in low amp - (A) at 230 V | 5200 W - 22.4 A |

Spa coding with options generated from the table on page 605.

Options:

- ECOSpa
- Audio Bluetooth 4.1
- Nordic Insulation
- Wi-Fi Touch Panel
- Blue Connect Plus

| Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|------|---------------|-----------------------|-----------------------|
|------|---------------|-----------------------|-----------------------|

EVOLUTION

Metallic structure without furniture + Stainless steel jets + LumiPlus + Cover
 Graphite cabinet + Stainless steel jets + Stainless steel bar + LumiPlus + Cover
 Thunder cabinet + Stainless steel jets + Stainless steel bar + LumiPlus + Cover
 Creek cabinet + Stainless steel jets + Stainless steel bar + LumiPlus + Cover
 Butterfly Cabinet + Stainless Steel Jets + Stainless Steel Bar + LumiPlus + Cover

| | | | |
|------------|---|---|---|
| 32474A4320 | - | - | - |
| 32474AK332 | - | - | - |
| 32474AR332 | - | - | - |
| 32474AT332 | - | - | - |
| 32474AW332 | - | - | - |

Atlantida 70 - Code 62399


 Silver Colour (27)
Thunder Cabinet


TECHNICAL FEATURES

| | |
|-----------------------------------------------|------------------------|
| Size in cm (± 2cm) | 216 x 216 x 90 |
| Positions (Seats / Loungers) | 5 (3 / 2) |
| Jets + blower nozzles | 52 + 14 + 2 waterfalls |
| Maximum consumption in low amp - (A) at 230 V | 4400 W / 19.1 A |

Spa coding with options generated from the table on page 605.

Options:

- ECOSpa
- Audio Bluetooth 4.1
- Nordic Insulation
- Wi-Fi Touch Panel
- Blue Connect Plus

| Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|------|---------------|-----------------------|-----------------------|
|------|---------------|-----------------------|-----------------------|

ATLANTIDA 70

Metallic structure without furniture + Stainless steel jets + LumiPlus + Cover
 Graphite cabinet + Stainless steel jets + Stainless steel bar + LumiPlus + Cover
 Thunder cabinet + Stainless steel jets + Stainless steel bar + LumiPlus + Cover
 Creek cabinet + Stainless steel jets + Stainless steel bar + LumiPlus + Cover
 Butterfly Cabinet + Stainless Steel Jets + Stainless Steel Bar + LumiPlus + Cover

| | | | |
|------------|---|---|---|
| 62399A4320 | - | - | - |
| 62399AK332 | - | - | - |
| 62399AR332 | - | - | - |
| 62399AT332 | - | - | - |
| 62399AW332 | - | - | - |

Pacific 70 - Code 69130


 White Colour (44)
Butterfly Cabinet


TECHNICAL FEATURES

| | |
|-----------------------------------------------|----------------------|
| Size in cm (± 2cm) | 216 x 216 x 90 |
| Positions (Seats / Loungers) | 6 (5 / 1) |
| Jets + blower nozzles | 51+10 + 2 waterfalls |
| Maximum consumption in low amp - (A) at 230 V | 4400 W / 19.1 A |

Spa coding with options generated from the table on page 605.

Options:

- ECOSpa
- Audio Bluetooth 4.1
- Nordic Insulation
- Wi-Fi Touch Panel
- Blue Connect Plus

PACIFIC 70

Metallic structure without furniture + Stainless Steel Jets + LumiPlus + Cover
Graphite Cabinet + Stainless Steel Jets + Stainless Steel Bar + LumiPlus + Cover
Thunder Cabinet + Stainless Steel Jets + Stainless Steel Bar + LumiPlus + Cover
Creek Cabinet + Stainless Steel Jets + Stainless Steel Bar + LumiPlus + Cover
Butterfly Cabinet + Stainless Steel Jets + Stainless Steel Bar + LumiPlus + Cover

| Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|------------|---------------|-----------------------|-----------------------|
| 69130A4320 | - | - | - |
| 69130AK332 | - | - | - |
| 69130AR332 | - | - | - |
| 69130AT332 | - | - | - |
| 69130AW332 | - | - | - |

Ocean 70 - Code 69863


 White (44)
Creek Cabinet


TECHNICAL FEATURES

| | |
|-----------------------------------------------|-----------------|
| Size in cm (± 2cm) | 216 x 167 x 74 |
| Positions (Seats / Loungers) | 3 (1 / 2) |
| Jets | 42 |
| Maximum consumption in low amp - (A) at 230 V | 3400 W / 14.6 A |

Spa coding with options generated from the table on page 605.

Options:

- ECOSpa
- Audio Bluetooth 4.1
- Nordic Insulation
- Wi-Fi Touch Panel
- Blue Connect Plus

OCEAN 70

Metallic structure without furniture + Stainless Steel Jets + LumiPlus + Cover
Graphite Cabinet + Stainless Steel Jets + Stainless Steel Bar + LumiPlus + Cover
Thunder Cabinet + Stainless Steel Jets + Stainless Steel Bar + LumiPlus + Cover
Creek Cabinet + Stainless Steel Jets + Stainless Steel Bar + LumiPlus + Cover
Butterfly Cabinet + Stainless Steel Jets + Stainless Steel Bar + LumiPlus + Cover

| Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|------------|---------------|-----------------------|-----------------------|
| 69863A4320 | - | - | - |
| 69863AK332 | - | - | - |
| 69863AR332 | - | - | - |
| 69863AT332 | - | - | - |
| 69863AW332 | - | - | - |

Select E - Code 76894


 White (44)
Thunder Cabinet

TECHNICAL FEATURES

| | |
|-----------------------------------------------|------------------|
| Size in cm (± 2cm) | 216 x 216 x 90 |
| Positions (Seats / Loungers) | 6 (5 / 1) |
| Jets | 51 + 1 waterfall |
| Maximum consumption in low amp - (A) at 230 V | 3.780 W / 16.8 A |

Spa coding with options generated from the table on page 605.

Options:

- LumiPlus
- ECOSpa
- Audio Bluetooth 2.1

| Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|------|---------------|-----------------------|-----------------------|
|------|---------------|-----------------------|-----------------------|

SELECT E

SELECT E Metallic structure without furniture + Stainless steel jets + Cover

SELECT E Graphite cabinet + Stainless steel jets + Cover

SELECT E Thunder cabinet + Stainless steel jets + Cover

76894A4300

-

-

-

76894AP300

-

-

76894AQ300

-

-

Emotion E - Code 69122


 White (44)
Thunder cabinet

TECHNICAL FEATURES

| | |
|-----------------------------------------------|------------------|
| Size in cm (± 2cm) | 216 x 216 x 90 |
| Positions (Seats / Loungers) | 5 (3 / 2) |
| Water Jets | 32 |
| Air Jets | 12 |
| Maximum consumption in low amp - (A) at 230 V | 3.400 W - 14.8 A |

Spa coding with options generated from the table on page 605.

Options:

- ECOSpa
- LumiPlus
- Audio Bluetooth 2.1

| Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|------|---------------|-----------------------|-----------------------|
|------|---------------|-----------------------|-----------------------|

EMOTION E

Metallic structure without furniture + Stainless steel jets + Cover

Graphite cabinet + Stainless steel jets + Cover

Thunder cabinet + Stainless steel jets + Cover

69122A4300

-

-

-

69122AP300

-

-

69122AQ300

-

-

Equilibre E - Code 73076


 White (44)
Infinity Cabinet


TECHNICAL FEATURES

| | |
|-----------------------------------------------|-----------------|
| Size in cm (± 2cm) | 216 x 167 x 74 |
| Positions (Seats / Loungers) | 3 (1 / 2) |
| Jets | 26 |
| Maximum consumption in low amp - (A) at 230 V | 3400 W - 14.8 A |

Spa coding with options generated from the table on page 605.

Options:
• ECOSpa

EQUILIBRE E

Metallic structure without furniture + stainless steel jets + cover
Infinity cabinet + stainless steel jets + cover

| Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|------|---------------|-----------------------|-----------------------|
|------|---------------|-----------------------|-----------------------|

| | | | |
|------------|---|---|---|
| 73076A4300 | - | - | - |
| 73076AC300 | - | - | - |

Balance E - Code 74134


 White (44)
Infinity Cabinet


TECHNICAL FEATURES

| | |
|-----------------------------------------------|-----------------|
| Size in cm (± 2cm) | 198 x 198 x 74 |
| Positions (Seats / Loungers) | 5 (3 / 2) |
| Jets | 31 |
| Maximum consumption in low amp - (A) at 230 V | 3400 W - 14.6 A |

Spa coding with options generated from the table on page 605.

Options:
• ECOSpa
• Audio Bluetooth 2.1

BALANCE E

Metallic structure without furniture + stainless steel jets + cover
Infinity cabinet + stainless steel jets + cover

| Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|------|---------------|-----------------------|-----------------------|
|------|---------------|-----------------------|-----------------------|

| | | | |
|------------|---|---|---|
| 74134A4300 | - | - | - |
| 74134AC300 | - | - | - |

Swimspa Dual - Code 74238



White (44)
coastal grey cabinet



White (44)
Urban Grey Cabinet

TECHNICAL FEATURES

| | |
|--------------------------------------------------|----------------------------|
| Size in cm (± 2cm) | 600 x 230 x 138 |
| Places (Seats/Loungers) | 1 Vertical 4 (2/2) |
| - Swimming area: | |
| - Spa area: | |
| Places (Seats/Loungers) | 30 Jets 16+5 Turbo jets |
| - Swimming area: | |
| - Spa area: | |
| Maximum consumption in low amp - (A) at 230 V | 9500 W / 41.3 A |

Coding generated with the initial table on page 605.

Options:

- ECOSpa
- Audio Bluetooth 4.1
- Blue Connect Plus
- Rowing Kit code 74496
- Wi-Fi Spa Control

| Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|------|---------------|-----------------------|-----------------------|
|------|---------------|-----------------------|-----------------------|

DUAL SWIMSPA

Coastal Grey Cabinet + Stainless Steel Jets + LumiPlus + Cover
Urban Grey Cabinet + Stainless Steel Jets + LumiPlus + Cover
Metallic structure without furniture + Stainless steel jets + LumiPlus + Cover

| | | | |
|------------|---|---|---|
| 74238A1320 | - | - | - |
| 74238AB320 | - | - | - |
| 74238A4320 | - | - | - |

Swimspa Mediterranea - Code 64414



White (44)
Coastal Grey cabinet



White (44)
Urban Grey Cabinet

TECHNICAL FEATURES

| | |
|--------------------------------------------------|---------------------------|
| Size in cm (± 2cm) | 500 x 230 x 138 |
| Positions (Seats / Loungers) | 4 (2 / 2) |
| Jets | 27 jets + 5 Turbo jets |
| Maximum consumption in low amp - (A) at 230 V | 7000 W / 30.5 A |

Coding generated with the initial table on page 605.

Options:

- ECOSpa
- Audio Bluetooth 4.1
- Blue Connect Plus
- Wi-Fi Spa Control



| Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|------|---------------|-----------------------|-----------------------|
|------|---------------|-----------------------|-----------------------|

MEDITERRANEA SWIMSPA

Coastal Grey Cabinet + Stainless Steel jets + LumiPlus + Cover
Urban Grey Cabinet + Stainless Steel jets + LumiPlus + Cover
Metallic structure without furniture + Stainless Steel jets + LumiPlus + Cover
For Kit + Stainless Steel jets + Colour LEDS + Digital Control Panel + Cover

| | | | |
|------------|---|---|---|
| 64414A1320 | - | - | - |
| 64414AB320 | - | - | - |
| 64414A4320 | - | - | - |
| 65353SE311 | - | - | - |

Model 65353 must be supplied with the compact kit, code 64972CE001.

Swimspa Creta - Code 67203


 White (44)
Coastal Grey cabinet

 White (44)
Urban Grey Cabinet


TECHNICAL FEATURES

| | |
|-----------------------------------------------|------------------------|
| Size in cm (± 2cm) | 400 x 230 x 138 |
| Positions (Seats / Loungers) | 4 (2 / 1 / 1) |
| Jets + blower nozzles | 54 jets + 4 Turbo jets |
| Maximum consumption in low amp - (A) at 230 V | 7000 W / 30.5 A |



Coding generated with the initial table on page 605.

Options:

- ECOSpa
- Audio Bluetooth 4.1
- Blue Connect Plus
- Rowing Kit
- Wi-Fi Spa Control

CRETA SWIMSPA

Coastal Grey Cabinet + Stainless Steel jets + LumiPlus + Cover

Urban Grey Cabinet + White LumiPlus

Metallic structure without furniture + Stainless steel jets + LumiPlus + Cover

For Kit + Stainless Steel jets + Colour LEDS + Digital Control Panel + Cover

| Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|------------|---------------|-----------------------|-----------------------|
| 67203A1320 | - | - | - |
| 67203AB320 | - | - | - |
| 67203A4320 | - | - | - |
| 67587SE311 | - | - | - |

Model Creta must be supplied with the compact kit, code 64972CE001

Swimspa Compact - Code 69128


 White (44)
Coastal Grey cabinet

 White (44)
Urban Grey Cabinet


TECHNICAL FEATURES

| | |
|-----------------------------------------------|-----------------|
| Size in cm (± 2cm) | 400 x 230 x 138 |
| Positions (Seats / Loungers) | 1 Vertical |
| Jets + blower nozzles | 16+5 Turbo Jets |
| Maximum consumption in low amp - (A) at 230 V | 7000 W / 30.5 A |

Coding generated with the initial table on page 605.

Options:

- EcoSpa
- Audio Bluetooth 4.1
- Blue Connect Plus
- Wi-Fi Spa Control

COMPACT SWIMSPA

Coastal Grey Cabinet + Stainless Steel Jets + LumiPlus + Cover

Urban Grey Cabinet + White LumiPlus

Metallic structure without furniture + Stainless Steel Jets + LumiPlus + Cover

For kit + Stainless Steel jets + color LEDS + Digital Control Panel+ Cover

| Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|------------|---------------|-----------------------|-----------------------|
| 69128A1320 | - | - | - |
| 69128AB320 | - | - | - |
| 69128A4320 | - | - | - |
| 69129SE311 | - | - | - |

Model Compact must be supplied with the compact kit, code 64972CE001

We reserve the right to change, wholly or partially, the features of our products and the contents of this document, without prior notice

Swimspa Lagoon - Code 74237



Blue Marble (46)
Coastal Grey Cabinet

TECHNICAL FEATURES

| | |
|-----------------------------------------------|----------------------------------------|
| Size in cm (± 1cm) | 400 x 230 x 138 |
| Positions (Seats / Loungers) | 1 vertical |
| Jets + blower nozzles | 12 |
| Maximum consumption in low amp - (A) at 230 V | 3400 W / 14.78 A |
| Color available (Acrylic) | 44-White 59-Sterling 46-Blue Marble |
| Cabinet color | Coastal Grey |
| Water capacity (lit)0 | 6.000 |

Coding generated with the initial table on page 605.

Options:

- ECOSpa
- Blue Connect Plus
- Fitness Kit and Swimming Kit

SWIMSPA LAGOON

Swimspa Lagoon

| Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|------|---------------|-----------------------|-----------------------|
|------|---------------|-----------------------|-----------------------|


74237

-


-

-

Evolution 70 inground - code 49722



White (44)



TECHNICAL FEATURES

| | |
|------------------------------|-------------------|
| Size | 233 x 233 x 90 |
| Jets | 56+16 |
| Drain | 1 |
| Electronic control panel | 2 |
| Positions (Seats / Loungers) | 5 (3 / 2) |
| Water Capacity | 1.610 l |
| Empty/full Spa weight | 378 Kg / 1.988 Kg |
| Headrest | 3 |
| Cover | Yes |
| LED Chromotherapy projector | Yes |
| Jets | Stainless steel |
| Aromatherapy | No |
| Cascade | No |
| Metallic structure | Yes |

EVOLUTION 70

Standard + light + digital control panel

Standard + light + digital control panel + cover

49722SE310

-

-

-

49722SE311

-

-

-

The Spa must be supplied with the filter kit, code 49849CE000

Thalassa E inground - code 78678



Blue Marble (46)



TECHNICAL FEATURES

| | |
|------------------------------|------------------|
| Size | 216 x 216 x 90 |
| Jets | 28+16 |
| Drain | 1 |
| Electronic control panel | Yes |
| Positions (Seats / Loungers) | 6 (5 / 1) |
| Water Capacity | 980 l |
| Empty/full Spa weight | 330 Kg / 1310 Kg |
| Headrest | 3 |
| Cover | Yes |
| LED Chromotherapy projector | Yes |
| Jets | Stainless steel |
| Cascade | No |
| Metallic structure | Yes |

Code

 Standard
Pack

 Standard weight
in kg

 Standard volume
in m³

THALASSA E

Standard + Light + Digital control panel

Standard + Light + Digital control panel + cover

78678SE310

-

-

-

78678SE311

-

-

-

The Spa must be supplied with the filter kit, code 41993CE000 or 41993CE001.


Spa cover sold separately. See section "Spa accessories".

We reserve the right to change, wholly or partially, the features of our products and the contents of this document, without prior notice

Ronda 30 - Code 49859



White (44)



TECHNICAL FEATURES

| | |
|------------------------------|------------------|
| Size | Ø 205 (± 2 cm) |
| Jets + nozzles | 20 + 10 |
| Drain | 1 |
| Digital control panel | Yes |
| Positions (Seats / Loungers) | 5 (5 / 0) |
| Water Capacity | 780 l |
| Empty/full Spa weight | 307 kg / 1445 kg |
| Chromotherapy LED light | Yes |
| Jets | Stainless steel |
| Metallic structure | Yes |
| Cover | Yes |

Fully fitted with pipe assembly, skimmer, main drain, filtering, hydromassage and blower nozzles, hydromassage digital control buttons and two Venturi inlets. With adjustable bracket for easy installation.

| Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|------------|---------------|-----------------------|-----------------------------------|
| 49859SE310 | - | - | - |
| 49859SE311 | - | - | - |

RONDA 30

Standard + Light + Digital control panel

Standard + Light + Digital control panel + Cover

The Spa must be supplied with the filter kit, code 41993CE000 or 41993CE001.

Compact kit

for Thalassa, Evolution 70 and Ronda 30



| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-------------|------------|---------------|-----------------------|-----------------------------------|
| Compact kit | 41993CE000 | - | - | - |
| Compact kit | 41993CE001 | - | - | - |
| Compact kit | 41993 | - | - | - |

TECHNICAL FEATURES

| Code | | Oxynator | Digital control panel* | | Compact weight | Assembly volume | Max. spa volume | Massage pump |
|------------|-------------|--------------------|------------------------|-----------------|--------------------|--------------------|-------------------------|--------------|
| 41993CE000 | | | - | | 60 kg | 2.05 m³ | 1000 l | 2.2 kW |
| 41993CE001 | | • | - | | | | | |
| Code | Filter (mm) | Filtration pump | Blower pump | Electric heater | Voltage | Power requirements | Length x width x height | |
| 41993 | 500 | 0.6 kW 7000 l/h | 0.9 kW | 3 kW | 230 V or 400 V III | 3852 W / 16.7 A* | 115 x 75 x 105 mm | |

Consumption in Low Amp at 230 V.

* In the Spa + Compact Kit option, the digital control option must be selected.

Compact kit

for Evolution 70 inground



| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-------------|-------|---------------|-----------------------|-----------------------------------|
| Compact kit | 41849 | - | - | - |

TECHNICAL FEATURES

| Code | Oxynator | Digital control panel* | Chromotherapy | Compact weight | Assembly volume | Max. spa volume | Massage pump |
|-------|----------|------------------------|---------------|----------------|---------------------|-----------------|--------------|
| 41849 | Optional | - | • | 70 kg | 2.05 m ³ | 1610 l | 2.2 kW x 2 |

* In the Spa + Compact Kit option, the digital control option must be selected.

Compact kit

for Swimspa Mediterranea



| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-------------|------------|---------------|-----------------------|-----------------------------------|
| Compact kit | 64972CE001 | - | - | - |
| Compact kit | 64972 | - | - | - |

TECHNICAL FEATURES

| Code | Oxynator | Digital control panel* | | Chromotherapy | Compact weight | Assembly volume | Max. spa volume | Massage pump |
|------------|-------------|------------------------|-----------------|--------------------|----------------|--------------------|-----------------|-------------------------|
| 64972CE001 | • | - | | • | 70 kg | 2.05 m³ | 8500 l | 3 x 2.2 kW / 3hp |
| Code | Filter (mm) | Filtration pump | Electric heater | Voltage | | Power requirements | | Length x width x height |
| 64972 | 500 | 0.6 kW 7000 l/h | 3 kW | 230 V or 400 V III | | 7352 W / 31.9 A* | | 114 x 100 x 112 mm |

Consumption in Low Amp at 230 V.

* In the Spa + Compact Kit option, the digital control option must be selected.

Covers for spas



Portable spa cover

DESCRIPTION

| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|---------------------------------|-------|---------------|-----------------------|-----------------------------------|
| THALASSA E spa cover | 65977 | 1 | 17 | 0.40 |
| EVOLUTION 70 inground spa cover | 32690 | 1 | 16 | 0.36 |
| RONDA 30 spa cover | 51288 | 1 | 15 | 0.27 |

Cover Stand



DESCRIPTION

Metal Stand for simple handling of the cover.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-------------|-------|---------------|-----------------------|-----------------------------------|
| Cover Stand | 28462 | 1 | 10 | 0.118 |

Spa access steps

| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|---------------------------------|-----------|---------------|-----------------------|-----------------------------------|
| Basic staircase coastal grey | 60194 | 1 | 5 | 0.07 |
| Swimspa staircase | 57000CL01 | 1 | 35 | 0.59 |
| Synthetic wood staircase | | | | |
| In Graphite | 42002CL0K | 1 | 15 | 0.09 |
| In Thunder | 42002CL0R | 1 | 15 | 0.09 |
| In Creek | 42002CL0T | 1 | 15 | 0.09 |
| In Butterfly | 42002CL0W | 1 | 15 | 0.09 |



42002CL0K



60194



57000CL01



42002CL0R



42002CL0T



42002CL0W



Spa parasol in Cameo with LED



| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-------------------------------|-------|---------------|-----------------------|-----------------------------------|
| Spa parasol in Cameo with LED | 60220 | 2 | 15 | 2 |



Portable spa handrail holder



| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|------------------------------|-------|---------------|-----------------------|-----------------------------------|
| Portable spa handrail holder | 60226 | 2 | 8 | 0.95 |



Spa filter cartridge cleaner



| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|------------------------------|-------|---------------|-----------------------|-----------------------------------|
| Spa filter cartridge cleaner | 60197 | 1 | 2 | 0.04 |



2 1/2" adjustable jet

ASTRALPOOL 

DESCRIPTION

Regulates proportion of air-water outlet. 50 mm diameter water inlet and 32 mm air inlet. Flow: 4 m³/hour. Pressure 0.8 a.t.m.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|--|-------|---------------|-----------------------|-----------------------|
| | 32641 | 12 | 7.625 | 0.028 |



2" threaded jet

ASTRALPOOL 

DESCRIPTION

Water inlet diameter of 50 mm and air inlet diameter of 32 mm. Flow rate of 4 m³/hour. Atm pressure of 0.8.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|--|-------|---------------|-----------------------|-----------------------|
| | 33586 | 12 | 7.625 | 0.028 |



2" jet thread for liner

ASTRALPOOL 

DESCRIPTION

Water inlet diameter of 50 mm and air inlet diameter of 32 mm. Flow rate of 4 m³/hour Atm pressure of 0.8.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|--|-------|---------------|-----------------------|-----------------------|
| | 70532 | 12 | 7.625 | 0.028 |



2" main drain

ASTRALPOOL 

DESCRIPTION

With elbow for gluing to Ø 50 mm pipe.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|--|-------|---------------|-----------------------|-----------------------|
| | 04042 | 15 | 4.8 | 0.028 |



Adjustable air inlet

ASTRALPOOL 

DESCRIPTION

1"for air regulation to Venturi system for jet function.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|--|-------|---------------|-----------------------|-----------------------|
| | 04045 | 25 | 6.0 | 0.028 |

Adjustable silent air inlet



DESCRIPTION

Silent Venturi for jet air flow control. Air intake is through embedded part. Attaches to air distributor code 33937.

| Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-------|---------------|-----------------------|-----------------------------------|
| 33938 | 25 | 8.5 | 0.028 |

5 outlet air distributor for Venturi system



DESCRIPTION

5 outlet air distributor for gluing to Venturi system with code 33938. Outlets for clamping a flexible hosepipe of 10 mm inner diameter.

| Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-------|---------------|-----------------------|-----------------------------------|
| 33937 | 25 | 8.5 | 0.028 |

6 outlet air distributor for Venturi system



DESCRIPTION

6 outlet air distributor to attach to pipes with a 10 mm inner diameter and glue to 15 mm pipes.

| Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-------|---------------|-----------------------|-----------------------------------|
| 33936 | 25 | 8.5 | 0.028 |

10 outlet air distributor



DESCRIPTION

10 outlet air distributor to attach to pipes with a 10 mm inner diameter and glue to 50 mm pipes.

| Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-------|---------------|-----------------------|-----------------------------------|
| 35346 | 25 | 8.5 | 0.028 |

4 water outlet manifold



DESCRIPTION

Manifold for gluing to 50 mm pipe, 4 outlets for clamping a hosepipe of 20 mm inner diameter.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|--|-------|---------------|-----------------------|-----------------------------------|
| | 33934 | 25 | 8.5 | 0.028 |

8 water outlet manifold



DESCRIPTION

Manifold for gluing to 50 mm pipe, 8 outlets for clamping a hosepipe of 20 mm inner diameter.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|--|-------|---------------|-----------------------|-----------------------------------|
| | 33935 | 25 | 8.5 | 0.028 |

Threaded blower nozzle



DESCRIPTION

For air distribution into the SPA from the blowers. Flow rate 5.4 to 7.5 m³/h.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-----------------------------|-------|---------------|-----------------------|-----------------------------------|
| White plastic front panel | 27602 | 80 | 1.6 | 0.03 |
| Stainless steel front panel | 43440 | 80 | 1.6 | 0.03 |

Blower nozzle for gluing



DESCRIPTION

For air distribution into the SPA from the blowers. Flow rate 5.4 to 7.5 m³/h.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-----------------------------|-------|---------------|-----------------------|-----------------------------------|
| White plastic front panel | 28460 | 80 | 1.6 | 0.03 |
| Stainless steel front panel | 43441 | 80 | 1.6 | 0.03 |

Blower nozzle lateral outlet 3/8"



DESCRIPTION

For air distribution into the SPA from the blowers. Flow rate 5.4 to 7.5 m³/h.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-----------------------------|-------|---------------|-----------------------|-----------------------------------|
| White plastic front panel | 34318 | 80 | 1.6 | 0.03 |
| Stainless steel front panel | 43442 | 80 | 1.6 | 0.03 |

2" return unit



DESCRIPTION

For return line and massage.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|--|-------|---------------|-----------------------|-----------------------------------|
| | 04034 | 25 | 5.0 | 0.028 |

Pneumatic push button



DESCRIPTION

For starting and stopping massage and hydromassage functions.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|----------------------------------|-------|---------------|-----------------------|-----------------------------------|
| For max. 15 m | 04047 | 20 | 0.5 | 0.028 |
| For max. 7 m simple | 04048 | 40 | 1.6 | 0.028 |
| For max. 7 m simple, with thread | 09667 | 20 | 0.5 | 0.028 |

Plastic tube



DESCRIPTION

For pneumatic signal from press button to switch. Inner Ø 3.5 mm.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|--|-------|---------------|-----------------------|-----------------------------------|
| | 04054 | 50 | 3.33 | 0.006 |

Stainless steel accessories should not be used in pools with salt electrolysis systems

Rotating jet

ASTRALPOOL


DESCRIPTION

Flow rate 2 to 2.5 m³/h.

| Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-------|---------------|-----------------------|-----------------------------------|
| 20297 | 25 | 3.33 | 0.028 |

Twin rotating jet

ASTRALPOOL


DESCRIPTION

Flow rate 2 to 2.5 m³/h.

| Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-------|---------------|-----------------------|-----------------------------------|
| 20296 | 25 | 3.83 | 0.028 |

Rotating jet housing

ASTRALPOOL


| Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-------|---------------|-----------------------|-----------------------------------|
| 20299 | 15 | 3.33 | 0.028 |

Jet housing for linear pool

ASTRALPOOL


| Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-------|---------------|-----------------------|-----------------------------------|
| 63144 | 12 | 3.33 | 0.028 |

2 1/2" wall conduit for rotating jet

ASTRALPOOL


DESCRIPTION

Made up of: The jet body, 20 cm wall conduit, niche, threaded fitting, front body. Jet not included.

Flow rate 5 m³/h at 1 bar.

| Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-------|---------------|-----------------------|-----------------------------------|
| 20295 | 4 | 4 | 0.018 |

Chrome accessories only
suitable for tubs that do not
use any chemical treatment.
Not suitable for pools.

Pool Jet accessories are
designed for pools that have a
hydromassage section.

ACCESSORIES FOR MINISPAS

Pool Jet 1 Directional Jet



DESCRIPTION

Flow rate 2.4 to 3.6 m³/h. Accessories compatible with 2½" handrail for Pool Jet.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-------------------------|-------|---------------|-----------------------|-----------------------------------|
| Stainless steel finish* | 63148 | 25 | 3.83 | 0.028 |
| White finish | 63149 | 25 | 3.83 | 0.028 |

Pool Jet 1 Rotating Jet



DESCRIPTION

Flow rate 2.4 to 3.6 m³/h. Accessories compatible with 2½" handrail for Pool Jet.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-------------------------|-------|---------------|-----------------------|-----------------------------------|
| Stainless steel finish* | 63150 | 25 | 3.83 | 0.028 |
| White finish | 63151 | 25 | 3.83 | 0.028 |

Pool Jet 2 Rotating Jets



DESCRIPTION

Flow rate 2.4 to 3.6 m³/h. Accessories compatible with 2½" handrail for Pool Jet.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-------------------------|-------|---------------|-----------------------|-----------------------------------|
| Stainless steel finish* | 63152 | 25 | 3.83 | 0.028 |
| White finish | 63153 | 25 | 3.83 | 0.028 |

Pool Jet Rotating Beehive



DESCRIPTION

Flow rate 2.4 to 3.6 m³/h. Accessories compatible with 2½" handrail for Pool Jet.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-------------------------|-------|---------------|-----------------------|-----------------------------------|
| Stainless steel finish* | 63154 | 25 | 3.83 | 0.028 |
| White finish | 63155 | 25 | 3.83 | 0.028 |

Wall conduit for Pool Jet



DESCRIPTION

Made up of: The jet Straight body (20 mm Air x 32 mm Water), 20 cm wall conduit, niche, front body. Jet not included.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|--|-------|---------------|-----------------------|-----------------------------------|
| | 63146 | 4 | 4 | 0.018 |



Chrome accessories only
suitable for tubs that do not
use any chemical treatment.
Not suitable for pools.



1 1/2" main drain

ASTRALPOOL 

DESCRIPTION

With elbow for gluing Ø 50 mm pipe.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|----------------------------------|-------|---------------|-----------------------|-----------------------|
| Chrome-plated bronze front panel | 04104 | 3 | 7.5 | 0.028 |



Adjustable air inlet

ASTRALPOOL 

DESCRIPTION

3/4" to control air massage to Venturi system for jet function.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|----------------------------------|-------|---------------|-----------------------|-----------------------|
| Chrome-plated bronze front panel | 04108 | 10 | 9.0 | 0.028 |
| White plastic front panel | 04110 | 10 | 3.0 | 0.028 |



Pneumatic push button

ASTRALPOOL 

DESCRIPTION

For starting and stopping massage and hydromassage functions.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|----------------------------------|-------|---------------|-----------------------|-----------------------|
| Chrome-plated bronze front panel | 04111 | 10 | 6.0 | 0.028 |
| White plastic front panel | 04113 | 12 | 6.0 | 0.028 |



Blower Inlet

ASTRALPOOL 

DESCRIPTION

For minispa air distribution from the blower. 1 1/2" thread.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|----------------------------------|-------|---------------|-----------------------|-----------------------|
| Chrome-plated bronze front panel | 04114 | 20 | 7.5 | 0.028 |

Chrome accessories only
suitable for tubs that do not
use any chemical treatment.
Not suitable for pools.



1 1/4" jet with adaptor to water return

ASTRALPOOL

DESCRIPTION

Jet with adaptor to return water to pipe. Also adaptor to connect to water return and air circulation pipe, solvent for inner Ø 32 mm, directional.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|----------------------------------|-------|---------------|-----------------------|-----------------------|
| Chrome-plated bronze front panel | 04095 | 8 | 12.0 | 0.028 |
| White plastic front panel | 04097 | 12 | 12.0 | 0.028 |



1 1/4" jet

ASTRALPOOL

DESCRIPTION

With adaptor to connect to return water pipe and Venturi system to glue to Ø 32 mm pipe, directional.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|----------------------------------|-------|---------------|-----------------------|-----------------------|
| Chrome-plated bronze front panel | 04092 | 8 | 10.0 | 0.028 |
| White plastic front panel | 04094 | 24 | 5.0 | 0.028 |



1 1/4" return inlet

ASTRALPOOL

| | Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|------------------------|-------|---------------|-----------------------|-----------------------|
| Built in chrome brass | 04100 | 4 | 15.0 | 0.028 |
| Built in white plastic | 04103 | 12 | 3.5 | 0.028 |



Programmable digital thermostat

ASTRALPOOL 

DESCRIPTION

To operate ON/OFF contactor.

| Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-------|---------------|-----------------------|-----------------------------------|
| 11288 | 20 | 0.5 | 0.003 |



Electric press button

ASTRALPOOL 

DESCRIPTION

230 V 50 Hz.

| Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-------|---------------|-----------------------|-----------------------------------|
| 74467 | 1 | 1.5 | 0.003 |



Electropneumatic equipment

ASTRALPOOL 

DESCRIPTION

With two switches. Up to 1.47 kW (2HP).

| Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-------|---------------|-----------------------|-----------------------------------|
| 04053 | 2 | 4.0 | 0.028 |



Pneumatic switch

ASTRALPOOL 

DESCRIPTION

For starting and stopping massage and hydromassage functions.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|--------------------------------|-------|---------------|-----------------------|-----------------------------------|
| Pneumatic switch | 04050 | 25 | 1.0 | 0.028 |
| Pneumatic switch and presostat | 11290 | 6 | 0.5 | 0.028 |
| Pneumatic presostat | 11291 | 12 | 1.0 | 0.028 |

Continuous operation

lateral turbo blower pump



DESCRIPTION

Air pump designed for spas, hydromassage tubs and similar which produces a constant stream of air bubbles at medium and high air volume levels. It can also be used to stir up the filter bed, for example in backwash cycles where a low intensity air current is required. The filter casing and impeller are made from an injected aluminium alloy whilst the motor spindle is manufactured from stainless steel, with the impeller dynamically balanced and directly adapted to the spindle. The motors, 2 single phase or 3 phase for continuous use, are made from steel in compliance with CEI 2/3 1988 regulations, and feature IP54 external protection and class-F insulation. The pumps can be mounted horizontally or vertically. Moreover, since there is no contact between the mobile parts and the pump static discharges, neither lubrication nor maintenance is necessary and it also doesn't cause wear on the parts.

The turbines have a maximum working temperature of 40°C. Do not use in conjunction with aggressive, inflammable or explosive gases.

| Model | Code | Frequency (Hz) | Power supply (V) | Phase | Flow rate (m³/h) | Maximum pressure (mbar) | Standard weight (kg) | Standard volume (m³) |
|-------------------|-------|----------------|---------------------|-------|------------------|-------------------------|----------------------|----------------------|
| Blower 0.4 kW | 33970 | 50 | Δ 200-240 Y 345-415 | 3 | 80 | 130 | 10 | 0.045 |
| Blower 0.5 kW | | 60 | Δ 220-275 Y 380-480 | 3 | 98 | 170 | | |
| Blower 0.85 kW | 35388 | 50 | 200-240 | 1 | 145 | 160 | 17 | 0.059 |
| Blower 0.95 kW | | 60 | 200-240 | 1 | 175 | 160 | | |
| Blower 0.85 kW | 35387 | 50 | Δ 200-240 Y 345-415 | 3 | 145 | 160 | 16 | 0.045 |
| Blower 0.95 kW | | 60 | Δ 220-275 Y 380-480 | 3 | 175 | 160 | | |
| Blower 1.3 kW | 31090 | 50 | 200-240 | 1 | 210 | 170 | 23 | 0.059 |
| Blower 1.5 kW | | 60 | 200-240 | 1 | 255 | 140 | | |
| Blower 1.3 kW | 31091 | 50 | Δ 200-240 Y 345-415 | 3 | 210 | 170 | 22 | 0.059 |
| Blower 1.5 kW | | 60 | Δ 220-275 Y 380-480 | 3 | 255 | 140 | | |
| Blower 1.5 kW | 33971 | 50 | 200-240 | 1 | 210 | 220 | 24 | 0.064 |
| Blower 1.75 kW | | 60 | 200-240 | 1 | 255 | 220 | | |
| Blower 1.6 kW | 31092 | 50 | Δ 200-240 Y 345-415 | 3 | 210 | 220 | 23 | 0.064 |
| Blower 2.1 kW | | 60 | Δ 220-275 Y 380-480 | 3 | 255 | 220 | | |
| Blower 1.6 kW 2V | 35389 | 50 | Δ 200-240 Y 345-415 | 3 | 150 | 300 | 25 | 0.087 |
| Blower 2.06 kW 2V | | 60 | Δ 220-275 Y 380-480 | 3 | 180 | 310 | | |
| Blower 2.2 kW | 31093 | 50 | Δ 200-240 Y 345-415 | 3 | 318 | 230 | 30 | 0.097 |
| Blower 2.55 kW | | 60 | Δ 220-275 Y 380-480 | 3 | 376 | 220 | | |
| Blower 3.0 kW 2V | 31094 | 50 | Δ 200-240 Y 345-415 | 3 | 230 | 410 | 40 | 0.126 |
| Blower 3.45 kW 2V | | 60 | Δ 220-275 Y 380-480 | 3 | 275 | 400 | | |
| Blower 3.0 kW | 31095 | 50 | Δ 200-240 Y 345-415 | 3 | 318 | 280 | 36 | 0.097 |
| Blower 3.45 kW | | 60 | Δ 220-275 Y 380-480 | 3 | 376 | 280 | | |
| Blower 4.3 kW 2V | 31096 | 50 | Δ 345-415 Y 600-720 | 3 | 520 | 600 | 54 | 0.217 |
| Blower 4.8 kW 2V | | 60 | Δ 380-480 Y 660-720 | 3 | 385 | 320 | | |
| Blower 5.5 kW | 31097 | 50 | Δ 345-415 Y 600-720 | 3 | 530 | 320 | 63 | 0.16 |
| Blower 6.3 kW | | 60 | Δ 380-480 Y 660-720 | 3 | 620 | 340 | | |
| Blower 5.5 kW 2V | 33972 | 50 | Δ 345-415 Y 600-720 | 3 | 320 | 515 | 66 | 0.201 |
| Blower 6.3 kW 2V | | 60 | Δ 380-480 Y 660-720 | 3 | 385 | 530 | | |
| Blower 7.5 kW | 31098 | 50 | Δ 345-415 Y 600-720 | 3 | 530 | 400 | 66 | 0.16 |
| Blower 8.6 kW | | 60 | Δ 380-480 Y 660-720 | 3 | 620 | 400 | | |
| Blower 11 kW 2V | 33973 | 50 | Δ 345-415 Y 600-720 | 3 | 520 | 600 | 104 | 0.353 |
| Blower 12.6 kW 2V | | 60 | Δ 380-480 Y 660-720 | 3 | 620 | 600 | | |
| Blower 12.5 kW | 33974 | 50 | Δ 345-415 Y 600-720 | 3 | 1050 | 270 | 116 | 0.353 |
| Blower 14.5 kW | | 60 | Δ 380-480 Y 660-720 | 3 | 1250 | 260 | | |

AIR BLOWERS


Intermittent operation

air blower, 900 W


| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-------------------------------------------------------|-------|---------------|-----------------------|-----------------------------------|
| 0.90 kW flow 54 m ³ /h at 1.5 m water head | 19289 | 1 | 3.5 | 0.028 |



Water pump


DESCRIPTION

ABS (25%) and fibreglass (75%) housing. A 0.37 kW (0.5 hp) motor. IP-55 electrical connection rating of 24 V 220 V 1~ 50Hz . 2" male suction connection. 1½" male return connection.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|------------|-------|---------------|-----------------------|-----------------------------------|
| Water pump | 04091 | 1 | 6.0 | 0.016 |

TECHNICAL FEATURES

| Water head | m ³ /h |
|------------|-------------------|
| 2 | 16.5 |
| 4 | 14.8 |
| 6 | 12.6 |
| 8 | 10 |
| 10 | 7 |



Intermittent operation

air blower


| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-------------------------------------|-------|---------------|-----------------------|-----------------------------------|
| At 1 m water head | | | | |
| 0.74 kW, Flow 65 m ³ /h | 06862 | 1 | 3.5 | 0.028 |
| 1.10 kW, Flow 133 m ³ /h | 06863 | 1 | 3.5 | 0.028 |

Cala Pump




DESCRIPTION

Centrifugal pump for spas, backwashes and other applications.

- Pump body manufactured in polypropylene reinforced with fibreglass, resistant to pool chemical products thus guaranteeing long and excellent duration.
- Turbine in Noryl.
- Graphite and ceramic mechanical seal.
- AISI 316L stainless steel motor spindle.
- Enclosed motor, completely silent, with IP-55 protection at 2850 r.p.m. Single phase power voltage at 230V-50Hz or triphase at 230/400-50Hz.
- Versions from 1.5 to 4.5 HP.
- Suction and return connections for gluing hoses included with the pump.
- Suction and return at Ø63.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-------------------------------|--------|---------------|-----------------------|-----------------------------------|
| Single phase 1.1 kW Cala Pump | CA150M | 1 | 15.0 | 0.058 |
| Tri phase 1.1 kW Cala Pump | CA150T | 1 | 15.0 | 0.058 |
| Single phase 1.5 kW Cala Pump | CA200M | 1 | 16.5 | 0.058 |
| Tri phase 1.5 kW Cala Pump | CA200T | 1 | 16.5 | 0.058 |
| Single phase 2.2 kW Cala Pump | CA300M | 1 | 19.5 | 0.058 |
| Tri phase 2.2 kW Cala Pump | CA300T | 1 | 19.5 | 0.058 |
| Single phase 2.9 kW Cala Pump | CA400M | 1 | 22.5 | 0.058 |
| Tri phase 3.3 kW Cala Pump | CA450T | 1 | 22.5 | 0.058 |



TECHNICAL FEATURES

| Code | Power | | Size | | | | | | |
|--------|-------|-----|------|-----|-----|-----|-----|-----|-----|
| | kW | HP | L | WV | HV | WH | HH | DA | DI |
| CA150M | 1.1 | 1.5 | 350 | 225 | 237 | 235 | 228 | Ø63 | Ø63 |
| CA150T | | | | | | | | | |
| CA200M | 1.5 | 2.0 | 365 | 225 | 237 | 235 | 228 | Ø63 | Ø63 |
| CA200T | | | | | | | | | |
| CA300M | 2.2 | 3.0 | 385 | 225 | 237 | 235 | 228 | Ø63 | Ø63 |
| CA300T | | | | | | | | | |
| CA400M | 2.9 | 4.0 | 415 | 225 | 237 | 235 | 228 | Ø63 | Ø63 |
| CA450T | 3.3 | 4.5 | | | | | | | |

The sauna pictures do not show the standard product (some accessories can be included from table Accessories Summary).

Please note the codes of the accessories when ordering.

- The benefits of an AstralPool sauna range from muscle relaxation to sweat stimulation thanks to their hot and dry environment (relative humidity between 20% and 50%).
- AstralPool saunas are made from prefabricated panels with interior insulation in mineral wool and aluminium.
- The wall coating is covered with pre-treated wood that has been fired and dried to last for many years.



2 seats, code 70470-70471



4 seats, code 70439-70442



The Miramonte sauna can be made to order in the following woods: spruce, thermo Aspen, Canadian spruce and red cedar.

Miramonte sauna

ASTRALPOOL 

DESCRIPTION

Miramonte sauna reflects the excellence of a Finnish sauna formed of high-quality white pinewood vertical panels and abachi timber flooring. The entire front panel of the Miramonte sauna is glazed to showcase the LED lighting inside. Also includes 2 benches with abachi headrests and a heater adapted to each size.

| Dimensions (mm) | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|---------------------------------------------------|-------|---------------|-----------------------|-----------------------------------|
| Saunas | | | | |
| 200 x 150 x 210 | 70470 | - | - | - |
| 200 x 200 x 210 | 70471 | - | - | - |
| 250 x 200 x 210 | 70439 | - | - | - |
| 250 x 250 x 210 | 70440 | - | - | - |
| 300 x 250 x 210 | 70441 | - | - | - |
| 300 x 300 x 210 | 70442 | - | - | - |
| Accessories | | | | |
| Stainless steel accessories set | 70443 | un. | - | - |
| Set of decorative salt elements | 70444 | un. | - | - |
| Outside wall finished with vertical timber panels | 70447 | metre length | - | - |
| Stone-based decorative wall protection | 70456 | un. | - | - |
| Remote control kit for RGB colours | 70457 | un. | - | - |

TECHNICAL FEATURES

| Code | Type | Dimensions (cm) | Heating (kW) | Control unit |
|-------|-----------------|-----------------|---------------------|------------------------|
| 70470 | Miramonte sauna | 200 x 150 x 210 | 7 kW 230/400V 3~ | Touchscreen / Exterior |
| 70471 | Miramonte sauna | 200 x 200 x 210 | 7 kW 230/400V 3~ | Touchscreen / Exterior |
| 70439 | Miramonte sauna | 250 x 200 x 210 | 9 kW 230/400V 3~ | Touchscreen / Exterior |
| 70440 | Miramonte sauna | 250 x 250 x 210 | 9 kW 230/400V 3~ | Touchscreen / Exterior |
| 70441 | Miramonte sauna | 300 x 250 x 210 | 10.8 kW 230/400V 3~ | Touchscreen / Exterior |
| 70442 | Miramonte sauna | 300 x 300 x 210 | 13.5 kW 230/400V 3~ | Touchscreen / Exterior |

Classic Select sauna



The Classic sauna can be made to order in the following woods: white pine, thermo Aspen, Canadian spruce and red cedar.

Optional: glass panel follow-on from door.

DESCRIPTION

The Classic sauna is designed with vertical panels and spruce wood flooring. It has a timber-framed glass door, two seats with a backrest against the wall and an abachi headrest. Includes: Wooden accessories kit, ergonomic seating, rounded backrest, heater with premium protection.

| Dimensions (mm) | Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|---------------------------------------------------|-------|---------------|-----------------------|-----------------------|
| Saunas | | | | |
| 150 x 150 x 210 | 70431 | - | - | - |
| 200 x 150 x 210 | 70432 | - | - | - |
| 200 x 200 x 210 | 70433 | - | - | - |
| 250 x 200 x 210 | 70455 | - | - | - |
| 250 x 250 x 210 | 70434 | - | - | - |
| 300 x 250 x 210 | 70436 | - | - | - |
| 300 x 300 x 210 | 70437 | - | - | - |
| 400 x 300 x 210 | 70438 | - | - | - |
| Accessories | | | | |
| Stainless steel accessories set | 70443 | un. | - | - |
| Set of decorative salt elements | 70444 | un. | - | - |
| Remote control kit for RGB LED colours | 70445 | un. | - | - |
| Touchscreen control unit for sauna heater | 70446 | un. | - | - |
| Outside wall finished with vertical timber panels | 70447 | metre length | - | - |
| Roof extension | 70448 | m² | - | - |
| Tinted/transparent glass window | 70449 | m² | - | - |
| Concealed heater for sauna up to 300 x 250 cm | 70450 | un. | - | - |
| Concealed heater for sauna more than 300 x 250 cm | 70451 | un. | - | - |
| Extra wall for concealed heater | 70452 | metre length | - | - |
| Aroma dosing system | 70453 | un. | - | - |

TECHNICAL FEATURES

| Code | Type | Dimensions (cm) | Heating (kW) | Control unit |
|-------|---------------|-----------------|-------------------|--------------|
| 70431 | Classic sauna | 150 x 150 x 210 | 4.5kW 230/400 3~ | Exterior |
| 70432 | Classic sauna | 200 x 150 x 210 | 6kW 230/400 3~ | Exterior |
| 70433 | Classic sauna | 200 x 200 x 210 | 6kW 230/400 3~ | Exterior |
| 70455 | Classic sauna | 250 x 200 x 210 | 8kW 230/400 3~ | Exterior |
| 70434 | Classic sauna | 250 x 250 x 210 | 9kW 230/400 3~ | Exterior |
| 70436 | Classic sauna | 300 x 250 x 210 | 10.5kW 230/400 3~ | Exterior |
| 70437 | Classic sauna | 300 x 300 x 210 | 13.5kW 230/400 3~ | Exterior |
| 70438 | Classic sauna | 400 x 300 x 210 | 16.5kW 230/400 3~ | Exterior |

SAUNAS

St. Moritz sauna



The St. Moritz sauna can be made to order in the following woods:

- Standard wood: Hemlock Playwood
- Bench wood: Abichi

DESCRIPTION

- Hemlock playwood panels 14 mm.
- Console benches and backrest of Abichi 21 mm.
- Secured transparent glass 8 mm.
- Wall mounted Harvia sauna heater.
- Outdoor touch control panel.
- Led light Warm White 3000 K.

| Dimensions (mm) | Code | Standard Pack | Standard weight in kg | Standard volume in m³ |
|------------------------------------------|-------|---------------|-----------------------|-----------------------|
| Saunas | | | | |
| 180 x 180 x 210 | 72908 | - | - | - |
| 220 x 220 x 210 | 72909 | - | - | - |
| 260 x 220 x 210 | 72910 | - | - | - |
| 300 x 250 x 210 | 72911 | - | - | - |
| Accessories | | | | |
| Stainless steel accessories set | 70443 | un. | - | - |
| RGB Led lighting kit with remote control | 70445 | un. | - | - |
| Salt decorative elements set | 70444 | lin.m | - | - |
| Hidden heater | 70450 | un. | - | - |
| Additional Wall for hidden heater | 70452 | lin.m | - | - |

TECHNICAL FEATURES

| Code | Dimensions (cm) | Light | Control Unit | Heater |
|-------|-----------------|-----------------|----------------------|----------------------|
| 72908 | 180 x 180 x 210 | Led White / RGB | Touchscreen Exterior | 6 kW 230 / 400 3~ |
| 72909 | 220 x 220 x 210 | Led White / RGB | Touchscreen Exterior | 8 kW 230 / 400 3~ |
| 72910 | 260 x 220 x 210 | Led White / RGB | Touchscreen Exterior | 9 kW 230 / 400 3~ |
| 72911 | 300 x 250 x 210 | Led White / RGB | Touchscreen Exterior | 10.5 kW 230 / 400 3~ |

Innsbruck sauna



The Innsbruck sauna can be made to order in the following woods:

- Standard wood: Hemlock Playwood
- Bench wood: Abichi

DESCRIPTION

- Hemlock playwood panels 14 mm.
- Ergonomic benches and backrest of Abichi 21 mm.
- Secured transparent glass 8 mm.
- Wall mounted Harvia sauna heater.
- Outdoor touch control panel.
- Led light Warm White 3000 K.
- Ceiling led light with optional chromotherapy.

| Dimensions (mm) | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-----------------------------------------------------|------------|---------------|-----------------------|-----------------------------------|
| Saunas | | | | |
| 135 x 135 x 210 | 72901 | - | - | - |
| 180 x 180 x 210 | 72902 | - | - | - |
| 220 x 220 x 210 | 72903 | - | - | - |
| 260 x 220 x 210 | 72904 | - | - | - |
| 300 x 250 x 210 | 72905 | - | - | - |
| Accessories | | | | |
| Stainless steel accessories set | 70443 | un. | - | - |
| RGB Led lighting kit with remote control | 70445 | un. | - | - |
| Outside Wall finished with vertical playwood panels | To consult | lin.m | - | - |
| Salt decorative elements set | To consult | un. | - | - |
| Hidden heater | To consult | un. | - | - |
| Additional Wall for hidden heater | To consult | lin.m | - | - |

TECHNICAL FEATURES

| Code | Dimensions (cm) | Light | Control Unit | Heater |
|-------|-----------------|-----------------|----------------------|----------------------|
| 72901 | 135 x 135 x 210 | Led White / RGB | Touchscreen Exterior | 6 kW 230 / 400 3~ |
| 72902 | 180 x 180 x 210 | Led White / RGB | Touchscreen Exterior | 6 kW 230 / 400 3~ |
| 72903 | 220 x 220 x 210 | Led White / RGB | Touchscreen Exterior | 8 kW 230 / 400 3~ |
| 72904 | 260 x 220 x 210 | Led White / RGB | Touchscreen Exterior | 9 kW 230 / 400 3~ |
| 72905 | 300 x 250 x 210 | Led White / RGB | Touchscreen Exterior | 10.5 kW 230 / 400 3~ |

SAUNAS

Bella sauna



The Bella sauna can be made to order in the following woods:

- Standard wood: Hemlock Playwood
- Bench wood: Thermo Aspen

DESCRIPTION

- Hemlock playwood panels 14 mm.
- Curved decorative elements of Thermo Aspen 21 mm.
- Benches of thermos Aspen 21 mm.
- Secured transparent glass 8 mm.
- Harvia design sauna heater.
- Outdoor touch control panel.
- Aromatherapy/Salt Metal Bowl.
- Led light warm white 3000 K.
- Option for glass ceiling.

| Dimensions (mm) | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-----------------------------------------------------|------------|---------------|-----------------------|-----------------------------------|
| Saunas | | | | |
| 180 x 180 x 210 | 72916 | - | - | - |
| 230 x 180 x 210 | 72917 | - | - | - |
| 230 x 230 x 210 | 72918 | - | - | - |
| 280 x 230 x 210 | 72919 | - | - | - |
| Accessories | | | | |
| Stainless steel accessories set | 70443 | un. | - | - |
| RGB Led lighting kit with remote control | 70445 | un. | - | - |
| Outside wall finished with vertical playwood panels | To consult | lin.m | - | - |
| Glass roof panel | To consult | sq.m | - | - |
| Heater safety railing | To consult | un. | - | - |

TECHNICAL FEATURES

| Code | Dimensions (cm) | Light | Control Unit | Heater |
|-------|-----------------|-----------------|----------------------|----------------------|
| 72916 | 180 x 180 x 210 | Led White / RGB | Touchscreen Exterior | 6.9 kW 230 / 400 3~ |
| 72917 | 230 x 180 x 210 | Led White / RGB | Touchscreen Exterior | 6.9 kW 230 / 400 3~ |
| 72918 | 230 x 230 x 210 | Led White / RGB | Touchscreen Exterior | 10.5 kW 230 / 400 3~ |
| 72919 | 280 x 230 x 210 | Led White / RGB | Touchscreen Exterior | 10.5 kW 230 / 400 3~ |

Lobos sauna



The Lobos sauna can be made to order in the following woods:

- Standard wood: Hemlock Playwood
- Bench wood: Abichi

DESCRIPTION

- Hemlock playwood panels 14 mm.
- Benches of Abachi 21 mm.
- Secured transparent glass 8 mm.
- Exclusive Harvia sauna heater.
- Outdoor touch control panel.
- Led light Warm White 3000 K.

| Dimensions (mm) | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|---------------------------------------------------|-------|---------------|-----------------------|-----------------------------------|
| Saunas | | | | |
| 134 x 254 x 210 | 72913 | - | - | - |
| 194 x 195 x 210 | 72914 | - | - | - |
| 254 x 254 x 210 | 72915 | - | - | - |
| Accessories | | | | |
| Stainless steel accessories set | 70443 | un. | - | - |
| Salt decorative elements set | 70444 | un. | - | - |
| Remote control kit for RGB LED colours | 70445 | un. | - | - |
| Outside wall finished with vertical timber panels | 70447 | lin.m | - | - |
| Roof extension | 70448 | sq.m | - | - |
| Tintes/transparent glass window | 70449 | sq.m | - | - |


TECHNICAL FEATURES

| Code | Dimensions (cm) | Light | Control Unit | Heater |
|-------|-----------------|-----------------|----------------------|-------------------|
| 72913 | 134 x 254 x 210 | Led White / RGB | Touchscreen Exterior | 6 kW 230 / 400 3~ |
| 72914 | 194 x 195 x 210 | Led White / RGB | Touchscreen Exterior | 8 kW 230 / 400 3~ |
| 72915 | 254 x 254 x 210 | Led White / RGB | Touchscreen Exterior | 9 kW 230 / 400 3~ |

Sauna accessories



70443



70444



70446



70447


 70450
70451


70453



70456



70457



2nd full glass side


 Heater safety
railing

TECHNICAL FEATURES

| Code | Accessory type | Measure | CLASSIC | MIRAMONTE | INNSBRUCK | ST.MORITZ | LOBOS | BELLA |
|---------|---------------------------------------------------|---------|----------|-----------|-----------|-----------|----------|----------|
| 70443 | Stainless steel sauna accessories set | un. | optional | optional | optional | optional | optional | optional |
| 70444 | Salt decorative elements set | un. | optional | optional | optional | optional | optional | N/A |
| 70445 | RGB Led lighting kit with remote control | un. | optional | optional | optional | optional | optional | optional |
| 70446 | Touchscreen control unit for sauna heater | un. | optional | Standard | Standard | Standard | Standard | Standard |
| 70447 | Outside wall finished with vertical timber panels | lin.m. | optional | optional | optional | optional | optional | optional |
| 70448 | Roof extension | sq.m. | optional | optional | optional | optional | optional | optional |
| 70449 | Tintes / transparent glass window | sq.m. | optional | optional | optional | optional | optional | optional |
| 70450 | Concealed heater for sauna up to 300 x 250 cm | un. | optional | optional | optional | optional | optional | N/A |
| 70451 | Concealed heater for sauna more than 300 x 250 cm | un. | optional | optional | optional | optional | optional | N/A |
| 70452 | Additional wall for hidden heater | lin.m. | optional | optional | optional | optional | optional | N/A |
| 70453 | Aroma dosing system | un. | optional | optional | optional | optional | optional | optional |
| 70456 | Decorative wall protection made of stones | un. | optional | optional | optional | optional | optional | N/A |
| 70457 | RGB Chromo therapy kit with remote control | un. | optional | optional | optional | optional | optional | N/A |
| Request | 2nd full glass side | sq.m. | N/A | N/A | N/A | N/A | optional | optional |
| Request | Glass roof panel | sq.m. | optional | optional | optional | optional | optional | optional |
| Request | Heater safety railing | un. | Standard | optional | Standard | Standard | Standard | optional |

Standard: Included with sauna code.

Optional: Additional code.

N/A: Not available.



Harvia Helix steam generators

DESCRIPTION

Includes control panel and temperature sensor.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-------------------------------------|-------|---------------|-----------------------|-----------------------------------|
| Steam generator Harvia Helix | | | | |
| 4.5 kW | 61400 | 1 | - | - |
| 6 kW | 61401 | 1 | - | - |
| 9 kW | 61402 | 1 | - | - |
| 11 kW | 60327 | 1 | - | - |
| 15 kW | 61403 | 1 | - | - |

Harvia Helix Pro steam generators

DESCRIPTION

Includes control panel, temperature sensor, automatic discharge valve and fragrance pump.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|-----------------------------------------|-------|---------------|-----------------------|-----------------------------------|
| Steam generator Harvia Helix Pro | | | | |
| 22 kW | 61404 | 1 | - | - |
| 30 kW | 61405 | 1 | - | - |
| Auto Clean Valve Harvia | 60328 | 1 | - | - |



Steam Pack

DESCRIPTION

The new generation of Steam room equipment. Single unit with metal structure. Compact design. Easy and simple installation.

| Description | Heating (kW) |
|------------------------------------------|---------------------|
| Steam pack for room 2-5 m ³ | 4.5 kW 230/400V 3~ |
| Steam pack for room 3-8 m ³ | 5.7 kW 230/400V 3~ |
| Steam pack for room 6-12 m ³ | 9 kW 230/400V 3~ |
| Steam pack for room 10-15 m ³ | 10.8 kW 230/400V 3~ |
| Steam pack for room 12-20 m ³ | 15 kW 230/400V 3~ |
| Steam pack for room 20-29 m ³ | 22 kW 230/400V 3~ |
| Steam pack for room 20-29 m ³ | 30 kW 230/400V 3~ |

Harvia Vega sauna heater



DESCRIPTION

Stones included.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|---------------------------------|-------|---------------|-----------------------|-----------------------------------|
| Harvia Vega sauna heater | | | | |
| 4.5 kW | 61387 | 1 | - | - |
| 4.5 kW E | 61388 | 1 | - | - |
| 6 kW | 61389 | 1 | - | - |
| 6 kW E | 61390 | 1 | - | - |
| 8 kW | 60323 | 1 | - | - |
| 8 kW E | 60325 | 1 | - | - |
| 9 kW | 60324 | 1 | - | - |
| 9 kW E | 60326 | 1 | - | - |



Xenio Control

DESCRIPTION

Harvia Xenio is a control unit with a touch control panel. Xenio provides a modern and subtly stylish user interface for controlling the heart of the sauna, the heater. The stylishly small yet clear touch control panel is easy to install where you want it: in the sauna, the shower room, the dressing room, or even the living room. The control panel enables you to see with just one look when your sauna is at the right temperature for you.

| | Code | Standard Pack | Standard weight in kg | Standard volume in m ³ |
|------------------------------------------|------|---------------|-----------------------|-----------------------------------|
| XENIO 110 max. for 11kW electric heaters | - | - | - | - |
| XENIO 170 for up to 17 kW heaters | - | - | - | - |