



ALBA
INTERNATIONAL (PVT) LTD.

Your Trustworthy Partner
www.alba.com.mv



POOL FITTINGS

Outlet Fittings

HEAVY DUTY SKIMMER


Standard Wall Heavy Duty Skimmer (EM0030)



EM0030RV EM0030RC



EM0030SV EM0030SC



Code	Model	Application	Flow Rate (L/min)
88150912	EM0030-RV	Vinyl Pool (Round Cover)	150 - 200
88151012	EM0030-RC	Concrete Pool (Round Cover)	150 - 200
88151112	EM0030-SV	Vinyl Pool (Square Cover)	150 - 200
88151212	EM0030-SC	Concrete Pool (Square Cover)	150 - 200


Wide Mouth Wall Heavy Duty Skimmer (EM0040)



EM0040RV EM0040RC



EM0040SV EM0040SC



Code	Model	Application	Flow Rate (L/min)
88151312	EM0040-RV	Vinyl Pool (Round Cover)	150 - 200
88151412	EM0040-RC	Concrete Pool (Round Cover)	150 - 200
88151512	EM0040-SV	Vinyl Pool (Square Cover)	150 - 200
88151612	EM0040-SC	Concrete Pool (Square Cover)	150 - 200


Heavy Duty Skimmer With Extension (EM0050)



EM0050RV EM0050RC



EM0050SV EM0050SC



Code	Model	Application	Flow Rate (L/min)
88151712	EM0050-RV	Vinyl Pool (Round Cover)	150 - 200
88151812	EM0050-RC	Concrete Pool (Round Cover)	150 - 200
88151912	EM0050-SV	Vinyl Pool (Square Cover)	150 - 200
88152012	EM0050-SC	Concrete Pool (Square Cover)	150 - 200

Corrosion-Proof Unibody Construction

The heavy-duty skimmer can be used for residential and commercial swimming pools suitable for concrete, fiberglass, and vinyl surfaces. The 3 models are injection molded and made with UV resistant ABS material; the reinforced material provides the maximum strength and durability for all weather conditions. The design allows 1.5" or 2" suction connections to the piping.

Exploded diagram



Product Features:

1. Suitable for 1.5" and 2" piping
2. Knockout overflow / fill port
3. A large debris collection basket
4. Snap-in and removable weir
5. Optional accessories:
 - a. Stackable extension collar allows infinite vertical height
 - b. Stackable extension throat allows variable horizontal length

Heavy Duty Skimmer Accessories



Wide Mouth Extension
Code: 01051183



Extension Throat
(wide) Code: 01050023
(narrow) Code: 01050032



Extension Collar
Code: 01050004



Basket with Plastic Handle
Code: 89150501



Square Dress Ring
Code: 01211036



Round Dress Ring
Code: 01211035



Skimmer Cover
Code: 89150509





Vacuum Plate
Code: 01051180



90° Vacuum
Hose Connector
Code: 01050007




9.5L Wide Mouth Wall Skimmer (EM0020)



Code	Model	Connection	Application	Flow Rate (L/min)
91600302	EM0010-RV	1.5" Internal Threaded	Vinyl Pool	150
91600301	EM0010-RC	1.5" Internal Threaded	Concrete Pool	150



Code	Model	Connection	Application	Flow Rate (L/min)
91601002	EM0020-RV	1.5" Internal Threaded	Vinyl Pool	150
91601001	EM0020-RC	1.5" Internal Threaded	Concrete Pool	150
91601015	EM0020T-RV	1.5" Internal Threaded	Vinyl Pool (with brass inserts)	150

15L Standard Wall Skimmer (EM0130)



Code	Model	Connection	Application	Flow Rate (L/min)
91600315	EM0130-SC	1.5" and 2" Internal Threaded and 1.5" Solvent Internal	Concrete Pool	150 - 200
91600316	EM0130-SV	1.5" and 2" Internal Threaded and 1.5" Solvent Internal	Vinyl Pool	150 - 200
91600320	EM0130TS-SV	1.5" and 2" Internal Threaded and 1.5" Solvent Internal	Vinyl Pool (without brass inserts)	150 - 200

15L Wide Mouth Wall Skimmer (EM0140)





Code	Model	Connection	Application	Flow Rate (L/min)
91601013	EM0140-SC	1.5" and 2" Internal Threaded and 1.5" Solvent Internal	Concrete Pool	150 - 200
91601014	EM0140-SV	1.5" and 2" Internal Threaded and 1.5" Solvent Internal	Vinyl Pool	150 - 200
91601016	EM0140TS-SC	1.5" and 2" Internal Threaded and 1.5" Solvent Internal	Concrete Pool (without brass inserts)	150 - 200
91601017	EM0140TS-SV	1.5" and 2" Internal Threaded and 1.5" Solvent Internal	Vinyl Pool (without brass inserts)	150 - 200


SURFACE SKIMMER

Elegant & functional

This 600mm wide surface skimmer enables the water line to be close to the pool deck level and creates an elegant finish similar to an overflow pool. A wide skimmer mouth and a large basket maximize water circulation and skimming efficiency.



15L Surface Wall Skimmer (EM0180)




Code	Model	Connection	Application	Flow Rate (L/min)
91601022	EM0180-SC	1.5" and 2" Internal Threaded and 1.5" Solvent Internal	Concrete Pool	150 - 200
91601023	EM0180-SV	1.5" and 2" Internal Threaded and 1.5" Solvent Internal	Vinyl Pool	150 - 200
91601024	EM0180TS-SC	1.5" and 2" Internal Threaded and 1.5" Solvent Internal	Concrete Pool (without brass inserts)	150 - 200
91601025	EM0180TS-SV	1.5" and 2" Internal Threaded and 1.5" Solvent Internal	Vinyl Pool (without brass inserts)	150 - 200

VGB ANTI-VORTEX MAIN DRAIN

High Quality Standard


This series of Main Drains comply with provisions of ANSI/APSP-16 2011 standard and the Virginia Graeme Baker Pool and Spa Safety Act. High quality main drains are made of chemical and UV resistant ABS.

Main Drain (EM2813)




Code	Model	Size	Flow Rate (L/min)
91600509	EM2813	260 x 260mm	900



Main Drain (EM2816) (with AISI 316 Stainless Steel Frame)



Code	Model	Size	Flow Rate (L/min)
91600510	EM2816	531 x 531mm	3600



Main Drain (EM2815)



Code	Model	Connection	Application	Flow Rate (L/min)
91600511	EM2815C	1.5" / 2" Internal Threaded	Concrete Pool	240
91600512	EM2815V	1.5" / 2" Internal Threaded	Vinyl Pool	240




ALBA
INTERNATIONAL (PVT) LTD.

Your Trustworthy Partner
www.alba.com.mv



MAIN DRAIN

2" Main Drain (EM2833)



EM2833C / EM2833V

89140501


01051155

EM2833HC

Code	Model	Connection	Description	Flow Rate (L/min)
91600504	EM2833HC	2" Internal Threaded	For Concrete Pool with Hydrostatic Relief Valve & Collection Tube	240
91600505	EM2833HV	2" Internal Threaded	For Vinyl Pool with Hydrostatic Relief Valve & Collection Tube	240
91600503	EM2833C	2" Internal Threaded	For Concrete Pool	240
91600506	EM2833V	2" Internal Threaded	For Vinyl Pool	240
89140501	--	--	Hydrostatic Relief Valve	N/A
01051155	--	--	Hydrostatic Relief Valve Collection Tube Only	N/A




1.5" Main Drain




Code	Model	Connection	Application	Flow Rate (L/min)
91600507	EM2832C	1.5" Internal Threaded	Concrete Pool	150
91600508	EM2832V	1.5" Internal Threaded	Vinyl Pool	150

Gutter Drain




Code	Model	Connection	Measure	Flow Rate (L/min)
91600801	EM2819(A1)	1.25" Solvent	Imperial	92
91600802	EM2819(A2)	1.5" Solvent	Imperial	150
91600803	EM2819(A3)	2" Solvent	Imperial	240
91600804	EM2819(E1)	50mm Solvent	Metric	150
91600805	EM2819(E2)	63mm Solvent	Metric	240

Round Drain Cover (EM2830)





Code	Model	Size	Flow Rate (L/min)
91600502	EM2830	195mm Diameters	558

Square Drain Cover (EM2812)





Code	Model	Size	Flow Rate (L/min)
91600501	EM2812	276 x 276 mm	558

Main Drain EM2837





Code	Model	Connection	Application	Flow Rate (L/min)
91600514	EM2837	G2A Internal Threaded	Vinyl and Liner Pool	217
91600523	EM2837TS	G2A Internal Threaded	Vinyl and Liner Pool (without brass inserts)	217

Main Drain EM2838





Code	Model	Connection	Application	Flow Rate (L/min)
91600515	EM2838	G2A Internal Threaded	Concrete Pool	217

Main Drain EM2839



Code	Model	Connection	Application	Flow Rate (L/min)
91600516	EM2839	G2A Internal Threaded	Concrete Pool	217


Main Drain EM2840



Code	Model	Connection	Application	Flow Rate (L/min)
91600517	EM2840	G2A Internal Threaded	Vinyl Pool	217


SUCTION FITTING AND VACUUM

Suction Fitting




Code	Model	Flow Rate (L/min)
91601501	EM2822	150

Cover of Suction Fitting



EM2822A




EM2822B




Code	Model	Flow Rate (L/min)
91601502	EM2822A	115
91601503	EM2822B	Nil

Vacuum Fitting (EM2827C) (Concrete Pool)




Code	Model	Connection	Measure	Flow Rate (L/min)
91601504	EM2827C(A)	1.5"	Imperial	150
91601506	EM2827C(E)	50mm	Metric	150

Vacuum Fitting (EM2827V) (Vinyl Pool)




Code	Model	Connection	Measure	Flow Rate (L/min)
91601505	EM2827V(A)	1.5"	Imperial	150
91601507	EM2827V(E)	50mm	Metric	150

Outlet Fitting (EM2828C) (Concrete Pool)




Code	Model	Connection	Measure	Flow Rate (L/min)
91601201	EM2828C(A)	1.5"	Imperial	69
91601203	EM2828C(E)	50mm	Metric	69

Outlet Fitting (EM2828V) (Vinyl Pool)




Code	Model	Connection	Measure	Flow Rate (L/min)
91601202	EM2828V(A)	1.5"	Imperial	69
91601204	EM2828V(E)	50mm	Metric	69

Vacuum Fitting (EM2831) Concrete Pool




Code	Model	Connection	Flow Rate (L/min)
91601508	EM2831(A)	1.5" Solvent, G2A Screwthread	150-240
91601509	EM2831(E)	50mm Solvent, G2A Screwthread	150-240

Vacuum Fitting (EM2848) (Concrete Pool)




Code	Model	Connection	Measure	Flow Rate (L/min)
91601518	EM2848(A)	1.5" / 2" Class 12 Solvent	Imperial	150-240
91601520	EM2848(A1)	2" Class 15 Solvent	Imperial	150-240
91601519	EM2848(E)	50mm / 63mm PN10 Solvent	Metric	150-240
91601521	EM2848(E1)	63mm PN16 Solvent	Metric	150-240

Vacuum Fitting (EM2836) (Vinyl Pool)




Code	Model	Connection	Brass Inserts	Flow Rate (L/min)
91601510	EM2836A	1.5" Solvent, G2A Screwthread	Yes	150-240
91601511	EM2836E	50mm Solvent, G2A Screwthread	Yes	150-240
91601516	EM2836A TS	1.5" Solvent, G2A Screwthread	No	150-240
91601517	EM2836E TS	50mm Solvent, G2A Screwthread	No	150-240

Vacuum Lock Safety Wall Fitting (EM2855)



Code	Model	Connection	Measure	Flow Rate (L/min)
91601522	EM2855	38mm Solvent, G1.5A Screwthread	Imperial	150-240




Inlet Fittings

RETURN INLET

Return Inlet (EM4408)


1. For concrete pool
2. Adjustable angle



Code	Model	Connection	Flow Rate (L/min)
91601211	EM4408(A)	1"/1.5" Class 12 Solvent	50/150
91601234	EM4408(A1)	1"/1.5" Class 15 Solvent	50/150
91601212	EM4408(E)	32mm/50mm PN10 Solvent	50/150
91601235	EM4408(E1)	32mm/50mm PN16 Solvent	50/150

Return Inlet (EM4409)


1. For concrete pool
2. Adjustable angle



Code	Model	Connection	Flow Rate (L/min)
91601213	EM4409(A)	1.5"/2" Class 12 Solvent	150/240
91601236	EM4409(A1)	2" Class 15 Solvent	150/240
91601214	EM4409(E)	50mm/63mm PN10 Solvent	150/240
91601237	EM4409(E1)	63mm PN16 Solvent	150/240

Return Inlet (EM4412)

1. For vinyl pool
2. Recommended wall conduit EM2842
3. Adjustable angle



Code	Model	Connection	Brass Inserts	Flow Rate (L/min)
91601219	EM4412(A)	1.5" Solvent, G2A Screwthread	Yes	150
91601220	EM4412(E)	50mm Solvent, G2A Screwthread	Yes	150
91601227	EM4412A TS	1.5" Solvent, G2A Screwthread	No	150
91601228	EM4412E TS	50mm Solvent, G2A Screwthread	No	150

Return Inlet (EM4413)


1. For concrete pool
2. Adjustable angle



Code	Model	Connection	Flow Rate (L/min)
91601221	EM4413(A)	1.5"/2" Class 12 Solvent	150
91601238	EM4413(A1)	2" Class 15 Solvent	150
91601222	EM4413(E)	50mm/63mm PN10 Solvent	150
91601239	EM4413(E1)	63mm PN16 Solvent	150

Return Inlet (EM4410)


1. For concrete pool
2. Recommended wall conduit EM2841/EM2842
3. Adjustable angle



Code	Model	Connection	Flow Rate (L/min)
91601215	EM4410(A)	1.5" Solvent, G2A Screwthread	150
91601216	EM4410(E)	50mm Solvent, G2A Screwthread	150

Return Inlet (EM4411)


1. For concrete pool
2. Recommended wall conduit EM2841/EM2842
3. Adjustable angle



Code	Model	Connection	Flow Rate (L/min)
91601217	EM4411(A)	1.5" Solvent, G2A Screwthread	150
91601218	EM4411(E)	50mm Solvent, G2A Screwthread	150

Return Inlet (EM4414)


1. For vinyl pool
2. Recommended wall conduit EM2842
3. Adjustable angle



Code	Model	Connection	Brass Inserts	Flow Rate (L/min)
91601223	EM4414(A)	1.5" Solvent, G2A Screwthread	Yes	150
91601224	EM4414(E)	50mm Solvent, G2A Screwthread	Yes	150
91601229	EM4414A TS	1.5" Solvent, G2A Screwthread	No	150
91601230	EM4414E TS	50mm Solvent, G2A Screwthread	No	150

Return Inlet (EM4415)


1. For concrete & fibreglass pools
2. Recommended wall conduit EM2842
3. Adjustable angle



Code	Model	Connection	Flow Rate (L/min)
91601225	EM4415(A)	1.5" Solvent, G2A Screwthread	150
91601226	EM4415(E)	50mm Solvent, G2A Screwthread	150

WALL RETURN

Wall Return (EM2824)



Code	Model	Connection	Measure	Flow Rate (L/min)
91600806	EM2824(A1)	1.25" Solvent	Imperial	92
91600807	EM2824(A2)	1.5" Solvent	Imperial	150
91600808	EM2824(A3)	2" Solvent	Imperial	240
91600809	EM2824(E1)	50mm Solvent	Metric	150
91600810	EM2824(E2)	63mm Solvent	Metric	240
91600828	EM2824(A4)	1.5"/2" Class 12	Imperial	240

Wall Return (EM2825)



Code	Model	Connection	Measure	Flow Rate (L/min)
91600811	EM2825(A1)	1.25" Solvent	Imperial	92
91600813	EM2825(A2)	1.5" Solvent	Imperial	150
91600812	EM2825(A3)	2" Solvent	Imperial	240
91600814	EM2825(E1)	50mm Solvent	Metric	150
91600815	EM2825(E2)	63mm Solvent	Metric	240
91600829	EM2825(A4)	1.5"/2" Class 12	Imperial	240

Wall Return (EM2826)



Code	Model	Connection	Measure	Flow Rate (L/min)
91600816	EM2826(A1)	1.5" Class 12	Imperial	122
91600817	EM2826(A2)	2" Class 12	Imperial	200
91600818	EM2826(E1)	50mm PN10	Metric	150

FLOOR INLET, SPA JET, EYEBALL JET AND JET BODY

FLOOR INLET


Floor Inlet (EM2817)

Safety Suction Cover

Comply with Australian standard: AS 1926.3-2012

1.5" test no.: 8180009


2" test no.: 817024.2



EM2817C(A1) / EM2817C(A2)
EM2817C(E1) / EM2817C(E2)


Code	Model	Connection	Application	Flow Rate (L/min)
91600520	EM2817V(A1)	1.5" Solvent	Vinyl Pool	328
91600521	EM2817V(A2)	2.0" Solvent	Vinyl Pool	328
91600518	EM2817C(A1)	1.5" Class 12	Concrete Pool	328
91600519	EM2817C(A2)	2.0" Class 9	Concrete Pool	328
91600526	EM2817C(A3)	1.5" Class 15	Concrete Pool	328
91600527	EM2817C(A4)	2.0" Class 15	Concrete Pool	328
91600530	EM2817C(A5)	1.5" Class 9	Concrete Pool	328
91600531	EM2817C(A6)	2.0" Class 12	Concrete Pool	328
91600524	EM2817C(E1)	50mm PN10	Concrete Pool	328
91600525	EM2817C(E2)	63mm PN10	Concrete Pool	328
91600528	EM2817C(E3)	50mm PN16	Concrete Pool	328
91600529	EM2817C(E4)	63mm PN16	Concrete Pool	328

Floor Inlet (EM2864(E))




Code	Model	Connection	Application	Flow Rate (L/min)
91600825	EM2864(E)	50mm/63mm PN10 Solvent	Concrete Pool	150/240

Floor Inlet (EM2861)




Code	Model	Connection	Application	Flow Rate (L/min)
91600819	EM2861(A)	2" Class 12 Solvent	Concrete Pool	200
91600826	EM2861(A1)	2" Class 15 Solvent	Concrete Pool	200
91600820	EM2861(E)	63mm PN10 Solvent	Concrete Pool	200
91600827	EM2861(E1)	63mm PN16 Solvent	Concrete Pool	200

Floor Inlet (EM2862)



Code	Model	Connection	Application	Flow Rate (L/min)
91600821	EM2862(A)	1.5" Solvent, G2A Screwthread	Concrete Pool	200
91600822	EM2862(E)	GB50 Solvent, G2A Screwthread	Concrete Pool	200


Floor Inlet (EM2863)



Code	Model	Connection	Application	Flow Rate (L/min)
91600823	EM2863(A)	1.5" Solvent, G2A Screwthread	Vinyl Pool	200
91600824	EM2863(E)	GB50 Solvent, G2A Screwthread	Vinyl Pool	200


SPA JET, EYEBALL JET AND JET BODY

φ10mm Barb Air & φ20mm Barb Water, Ell Body




Code	Model	Flow Rate (L/min)
88100112	EM0021	53

φ32mm Air & φ50mm Water, Tee Body




Code	Model	A	B	Flow Rate (L/min)
91601302	EM0031(A)	1.5"	1"	76
91601303	EM0031(E)	50mm	32mm	76

Eyeball Standard Jet



Code	Model	D	Flow Rate (L/min)
91601205	EM3301(A1)	1.5" Class 12	69
91601206	EM3301(A2)	2" Class 12	69
91601207	EM3301(E1)	50mm PN10	69
91601240	EM3301(E2)	50mm PN16	69


Eyeball Jet




Code	Model	D	Flow Rate (L/min)
91601208	EM3302(A)	1.5"	69
91601209	EM3302(E)	50mm	69

Eyeball Jet

Eyeball Jet




Code	Model	Connection	Flow Rate (L/min)
91601244	EM4420(A)	1.5" Solvent G2A Screwthread	240
91601245	EM4420(E)	50mm Solvent G2A Screwthread	240




Code	Model	D	Flow Rate (L/min)
91601249	EM4421 1"	1"	350
91601248	EM4421 3/4"	3/4"	200
91601247	EM4421 1/2"	1/2"	90

Concrete Spa Jet (1.5" 50mm air & water)



Code	Model	B	Flow Rate (L/min)
91601241	EM4419(A)	1.5"	50
91601242	EM4419(E)	50mm	50

Swirl Jet




Code	Model	Flow Rate (L/min)
88090712	EM0018	17

Swirl Jet




Code	Model	Flow Rate (L/min)
88090512	EM0028	17

Standard Jet




Code	Model	Flow Rate (L/min)
88090412	EM0034	17

Smooth Face Standard Jet




Code	Model	Flow Rate (L/min)
88090812	EM0044	17

Smooth Face Swirl Jet



Code	Model	Flow Rate (L/min)
88090912	EM0048	17

Standard Jet



Code	Model	Flow Rate (L/min)
88090612	EM0064	17

Grating System


TPV ANTISKID GRATING (DE27 Series)

Anti-slip, safe, durable and universal



This antiskid grating is designed for professional applications. The single spine grating is suitable for straight and curve overflow pools. The anti-slip coloured top offer extra comfort and maximize safety for the swimmers.

Product Features:



1. Materials : Polypropylene (PP) + Glass Filled
2. Anti-slip materials: Thermoplastic Vulcanizate (TPV)
3. Durable, UV resistant
4. Standard color : White / Blue
5. MOQ required for other colors



Grating Support Profile Anti Slip Grating




Code	Model	Colour	Size
88171001	DE2720W	White	200 x 26.5 mm (1m)
88171008	DE2720B	Blue	200 x 26.5 mm (1m)
88171101	DE2725W	White	250 x 26.5 mm (1m)
88171108	DE2725B	Blue	250 x 26.5 mm (1m)
88171201	DE2730W	White	300 x 26.5 mm (1m)
88171208	DE2730B	Blue	300 x 26.5 mm (1m)



FLOOR PAD (DE30 Series)

The floor pad is made of high-strength corrosion proof PVC that resists chipping and cracking. It is portable and can be easily installed on a pool deck or changing room floor. The colourful floor pads create a soft and nonslip surface to ensure the safety of your facility.

Code	Model	Color	Size
88160112	DE3030	White	300 x 300 mm
88160106	DE3030	Red	300 x 300 mm
88160107	DE3030	Yellow	300 x 300 mm
88160108	DE3030	Blue	300 x 300 mm
88160109	DE3030	Green	300 x 300 mm



Product Features:

1. Materials : PVC
2. Standard color : White / Blue
3. Other colours available for order up to 500 metres


TRANSVERSAL PP GRATING (DE28 Series)

This transversal grating offer safety grip and minimize the gap to prevent injury. It can be used in commercial and residential pools. This sturdy and cost-effective gratings have been used in many overflow systems.

Code	Model	Size
91600713	DE2819	195 x 22 mm (1m)
91600714	DE2824	244 x 22 mm (1m)
91600715	DE2833	334 x 22 mm (1m)

Product Features:

1. Materials : Glass filled PP
2. Standard color : White
3. Other colours available for order up to 500 metres



ZIGZAG TYPE GRATING (DE26 Series)

This Zigzag type grating has a heavy-duty construction that offers a long product life. The zigzag shape provides a smooth surface and solid support in both straight and curved installation.

Code	Model	Size
88170612	DE2618	180 x 30 mm (1m)
88170712	DE2620	200 x 30 mm (1m)
88170812	DE2625	250 x 30 mm (1m)
88170912	DE2630	300 x 30 mm (1m)



Product Features:

1. Materials : ABS
2. Standard color : White
3. Other colours available for order up to 500 metres


CURVABLE PP GRATING (DE29 Series)

This modern design curvable grating is made of PP material to achieve both sturdy and cost-effective. It has the most popular dimensions and functions to fit in your designs of different pool shapes.

Code	Model	Size
91600716	DE2919	195 x 22 mm (1m)
91600717	DE2924	244 x 22 mm (1m)
91600718	DE2929	297 x 22 mm (1m)

Product Features:

1. Materials : Glass filled PP
2. Standard color : White
3. Other colours available for order up to 500 metres





CURVABLE GRATING (DE25 Series)

This curvable grating snaps together by a single spine permitting maximum flexibility. It can be easily adapted to most free-form pool shapes. The nonslip surface and solid support increase the grating's safety and durability.

Product Features:



1. Materials : ABS
2. Standard color : White
3. Other colours available for order up to 500 metres

Code	Model	Size
88170212	DE2518	180 x 26 mm (1m)
88170312	DE2520	200 x 26 mm (1m)
88170412	DE2525	250 x 26 mm (1m)
88170512	DE2530	300 x 26 mm (1m)




CORNER TILE AND PROFILE

90° Fiberglass Corner Tile (FT30 Series)



45° Fiberglass Corner Tile (FT30 Series)





Code	Model	A mm	H mm	L mm
88470101	FT3090	350	28.5	300
88470301	FT2590	300	28.5	250
88470501	FT2090	250	28.5	200

Code	Model	A mm	B mm	H mm	L mm
88470201	FT3045	174	50	28.5	300
88470401	FT2545	154	50	28.5	250
88470601	FT2045	133	50	28.5	200

Grating Support Profile


Supplied in lengths of 2 metres. Suitable for 26.5mm and 30mm high grating.



Code	Description
01150047	Grating Support Profile 2 meters

Other Equipment


Water Level Regulator




Code	Model	Color	Material	Connection	Flow Rate (L/min)
88570203	RO-7	White	ABS	Inlet: ϕ 20mm or 3/4\"BSP, Outlet: ϕ 50mm	30 - 50



Conduit EM2841




Conduit EM2841E




Code	Model	Connection	Application	Flow Rate (L/min)
91602501	EM2841	1.5\"/50mm Solvent, G2A Screwthread	Concrete Pool	150-240
91602540	EM2841E	50mm Solvent, G2A Screwthread	Concrete Pool	150-240



Conduit EM2842




Conduit EM2842E



Code	Model	Connection	Application	Flow Rate (L/min)
91602502	EM2842	1.5\"/50mm Solvent, G2A Screwthread	Vinyl Pool	150-240
91602541	EM2842E	50mm Solvent, G2A Screwthread	Vinyl Pool	150-240


Hydrostatic Valve for Fiberglass Pool EM2510



Code	Model	Description	Flow Rate (L/min)
91600401	EM2510	Hydrostatic Valve for Fiberglass Pool	150-240


Spa Fittings

L-Type Jet Body




Code	Model No.	Material
88100812	EM2201A	PVC
88100912	EM2201B	PVC

L-Type Jet Body




Code	Model No.	Material
88101012	EM2202A	PVC
88101112	EM2202B	PVC

L-Type Jet Body




Code	Model No.	Material
88101212	EM2203	PVC

L-Type Jet Body




Code	Model No.	Material
88101312	EM2204	PVC

Single Hole Air Jet




Code	Model No.	Material
88100612	EM1159	PVC

Twin Hole Air Jet



Code	Model No.	Material
88100712	EM1160	PVC

Tiny Air Jet




Code	Model No.	Material
88100512	EM1158	PVC

I Type Jet




Code	Model No.	Material
88091212	EM1144	ABS&PVC

φ2" Face (Standard) Jet




Code	Model No.	Material
88091512	EM2207	ABS

φ1-1/2" Face (Standard) Jet




Code	Model No.	Material
88091612	EM2208	ABS

φ1-1/2" Face (Radial) Jet



Code	Model No.	Material
88091712	EM2209	PVC

φ2" Face (Spiral) Jet




Code	Model No.	Material
88091812	EM2210	PVC

Nine Hole Jet




Code	Model No.	Material
88091912	EM2211	ABS


Single Hole Jet



Code	Model No.	Material
88092012	EM2212	ABS&PVC




**φ2-3/4" Vortex Face
Eyeball Spa Jet**




Code	Model No.	Material
88091112	EM1123	PVC

**φ25mm Barb Air & φ25mm
Water Tee Body**




Code	Model No.	Material
88100312	EM1138	PVC

**φ2-3/4" Face
Eyeball Spa Jet**




Code	Model No.	Material
88091012	EM1113	PVC

**φ10mm Barb Air &
φ25mm Water**




Code	Model No.	Material
88100412	EM1148	PVC

φ25mm Air Control




Code	Model No.	Material
88210112	EM1834	ABS

Standard Air Control




Code	Model No.	Material
88210212	EM1835	ABS

Air Button




Code	Model No.	Material
88200112	EM1844	ABS

Air Button




Code	Model No.	Material
88200212	EM1845	ABS

**φ2 Section Drain
EII Body(Threated)**




Code	Model No.	Material
88240212	EM3822A	ABS&PVC

**φ2 Section Drain
EII Body(Slip Fit)**




Code	Model No.	Material
88240312	EM3822B	ABS&PVC

**φ2 Section Drain Straight
Body(with Bolt)**




Code	Model No.	Material
88240412	EM3833A	ABS&PVC

**φ2 Section Drain
Straight Body**




Code	Model No.	Material
88240512	EM3833B	ABS&PVC

**Swirl Type
Water Return**




Code	Model No.	Material
88240612	EM3844	ABS&PVC

Water Return




Code	Model No.	Material
88240812	EM3845	ABS&PVC

**φ2 Section Drain
Lock Nut**




Code	Model No.	Color	Material
88240112	EM3811	White	ABS&PVC
88240102	EM3811	Grey	ABS&PVC

**Port Air
Manifold**




Code	Model No.	Material
88180212	EM1825	ABS

**Port Water Barb
Manifold**




Code	Model No.	Material
88180112	EM1824	ABS

Barb Plug




Code	Model No.	Material
88190212	EM1816	PVC

Pipe Plug



Code	Model No.	Material
88190512	EM1818B	PVC

Pipe Plug



Code	Model No.	Material
88190312	EM1818A	PVC



ALBA
INTERNATIONAL (PVT) LTD.

Your Trustworthy Partner
www.alba.com.mv




EMAUX WATER TECHNOLOGY CO., LTD

ADDRESS: 2/F, LOCKHART CENTRE, NO. 301-307 LOCKHART ROAD,
WANCHAI, HONG KONG
PHONE +852 2832 9880
<https://www.emauxgroup.com>

 **YOUR PREMIER SUPPLIER**

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

© 2025 EMAUX WATER TECHNOLOGY CO., LTD. ALL RIGHTS RESERVED.



Websites and Social Media